

LIBRARY OF CONGRESS.

Chap. Copyright No.

TH6255

Shelf

.G46

1980

UNITED STATES

Illustrated Catalogue



Chandler Pump Co.

Manufacturers and Jobbers of

PUMPS, PLUMBING GOODS

Gas, Steam and Water Supplies,

Brass Goods *and* Fittings,

Engine Trimmings, Etc.

First Avenue *and*
Eighth Street West

CEDAR RAPIDS
IOWA

82878

Library of Congress
Two COPIES RECEIVED
DEC 1 1900
Copyright entry
Dec. 18, 1900
No. A 30534
SECOND COPY
Delivered to
ORDER DIVISION
JAN 7 1901

~~TH 6255-
C 45
1900~~

REPUBLICAN  PRINTING CO.

1-30630 revised

TO THE TRADE

WE take much pleasure in presenting to you a copy of our new Plumbing and Steam Fitters' Catalogue, and hope it may be your pleasure to find for it a convenient place on your desk.

It is not a large volume, still we believe you will find described within the following pages as complete and thoroughly up-to-date line of Plumbing, Steam and Water supplies, as is to be found in many more pretentious work.

In its compilation it has been our careful study to discard everything of an obsolete nature, retaining only those of well known merit.

In the many years we have been engaged in the manufacture of Iron Pumps, it has always been our aim, not to see how cheap an article we could make, but to place upon the market the very best piece of goods possible to produce. With what degree of success we have attained, most of the dealers in the west are familiar.

It is along these same lines we shall conduct our new undertaking, offering only such goods as we know will give entire satisfaction to the most exacting trade.

With this assurance on our part we respectfully ask a share of your business.

Very Cordially Yours,
CHANDLER PUMP CO.

J. A. CHANDLER, President.

C. H. CHANDLER, Vice-President.

W. H. DUNSHEE, Secretary and Treasurer.

TERMS AND INSTRUCTIONS

To parties having no commercial rating, or of whom we have no satisfactory knowledge as to financial ability, character, etc., no goods will be sold except for cash.

When desired by purchaser, goods will be forwarded C. O. D., but as an evidence of good faith, an amount sufficient to pay transportation charges both ways must accompany order, otherwise order will not be filled.

To parties of known responsibility, our usual terms of credit will be gladly extended.

Box and cartage on all shipments will be charged for at cost.

All accounts are payable at our office with exchange. Remittances should be made by Bank draft, Postoffice or Express money orders. Do not send personal checks unless you include a sufficient amount to cover exchange.

Past due accounts are subject to sight draft without notice.

All possible care will be taken to see that orders are properly packed and filled, but responsibility ceases, on our part, when receipt is furnished from Transportation Company.

All claims for goods damaged or lost in transit must be made of the Transportation Company. We will, however, gladly render any assistance in our power to expediate settlement of such claims.

All claims for corrections or deductions must be made on receipt of goods.

Goods returned without orders from our office will not be received.

When, for any reason, goods are returned to us, be particular to see that they are plainly marked, where and from whom consigned.

In making out orders, please be explicit; order by figure number so far as possible. Do not specify same as last. You will thus aid us in preventing annoying mistakes and delays.

Discount sheets will be issued from time to time, but quotations are subject to change without notice.

Special quotations are made for immediate acceptance only.

By observing the foregoing rules, much unnecessary annoyance can be avoided.

INDEX

A		
Acetylene Gas Burners	251	
"Acme" Automatic Air Valves	228	
Adjustable Ceiling Plates	211-212	
" Floor Plates	212	
" Pipe Hangers	211	
" Holders	61	
Air Cocks	229	
" Valves, Automatic	228	
" " Compression	227	
Alcohol Torches	266	
Alligator Wrenches	274	
Altitude Gauges	235	
Angle Check Valves, Brass	213, 215	
" " " Iron Body	217	
" " " Jenkins Bros., Brass	215	
" " " Jenkins Disc, Brass	213	
" " " Lunkenheimer, Brass	215	
" Valves, Brass	213-214	
" " Iron Body	216	
" " Jenkins Bros., Brass	214	
" " " Disc, Brass	213	
" " Lunkenheimer, Brass	214	
Anti Syphon Trap Vents	82	
Armstrong Stocks and Dies	277	
Asbestos Cement	261	
" Millboard	261	
" Pipe Covering, Moulded	261	
" Rope Packing	261	
" Sheetting	261	
" Wick Packing	261	
Automatic Air Valves	228	
B		
Back Outlet Return Bends	203	
Back Pressure Valves	220	
Backs, Sink	102	
Bag Traps	78	
Bailey Slop Hoppers	99	
Ball Cocks, Compression	46	
" " Fuller	47	
Balls, Copper	47	
" Fuller	42	
Bar Strainers	97	
Barnes Pipe Cutters	276	
Basin Chains	63	
" Clamps	60	
" Cocks, Boston Self Closing	43	
" " Compression	19-22	
" " Doherty Self Closing	44	
" " Fuller	34-37	
" " Telegraph Self Closing	45	
" Connections, Rubber	70	
" Gaskets, Rubber	70	
" Plugs	57	
" Supply Pipes	52-53	
" Traps, Brass, Nickel-plated	56-57	
" Waste Washers	71	
" Wastes	55	
" Wrenches	269	
Basins, Earthenware	142-144	
" Enameled Iron	116	
Bath Bibbs, Compression	18	
Bath Bibbs, Fuller	40	
" Chains	63	
" Cocks, Compression	24	
" " Fuller	41	
" Plugs	58-59	
" Sprinklers	64	
" Supply Pipes	54	
" Waste Washers	71	
" Wastes	55	
" Tub Head Rests	64	
" Tubs, Copper	170	
" " Enameled	162-168	
" " Steel	169	
" " Zinc	170	
Belting	263	
Bemis & Call Pipe Wrenches	272	
Bending Pins	267	
" Springs	267	
Bends, Lead	77	
" Return, Cast Iron	199	
" " Malleable	181	
" " with Back Outlet	203	
Bibb Washers	72	
Bibbs, Boston Self Closing	43	
" Compression	15-17	
" Doherty Self Closing	44	
" Fuller	29-32	
" Ground Key	1-2	
" Hose, Compression	15-17	
" " Fuller	29-31	
" " Lever Handle	1-2	
" Plain, Compression	15-17	
" " Fuller	29-31	
" " Lever Handle	1-2	
" Telegraph Self Closing	45	
Block Tin	75	
Blowers, Steam Flue	281	
Blow Pipes	267	
Blow Torches	265	
Bobs, Plumb	269	
Boiler Couplings, Brass	49	
" " Malleable	185	
" Elbows	185	
" Stands	171	
Boilers, Range	171-172	
Bolts, Sink	103	
Borers, Tap	266	
Bossing Sticks	270	
Boston Self Closing Work	43	
Bower Traps	82	
Bowls, Enameled Iron	116	
Boxes, Grease	266	
" Service or Stop	283	
Bracket Bodies, Gas	251	
Brackets, Gas	252-253	
" Lavatory	104	
" Sink	104	
Branch Tees	209	
Brass Pipe Wrenches	273	
Brockton Glass Tube Cutters	238	
Brown's Adjustable Pipe Tongs	274	
Brush Holders	66	
Brushes, Flue	281	
Bumpers, Screw and Tack	71	

INDEX—CONTINUED

Burner Cocks, Gas.....	250	Closet Flush and Supply Pipes.....	51
“ Pliers.....	271	“ Hoppers, Earthenware.....	137, 144
Bushings, Cast Iron.....	198	“ “ Enameled Iron.....	117, 124
“ Eccentric.....	200	“ Pulls.....	64
“ Faced.....	182	“ Screws.....	61
“ Hose.....	256	“ Seats.....	146-147
“ Malleable.....	182	“ Tank Syphons.....	47
Buzzell's Basin Wrench.....	269	“ Tanks.....	148-152
C		“ Washers.....	61
Calking Chisels.....	268	Closets, Complete.....	123, 126-136
Candle Sticks.....	266	Coat Hooks.....	67
Canvas Belting.....	263	Cock Hole Covers.....	61
Caps, Cast Iron.....	198	Cocks, Air.....	229
“ Drive.....	185	“ Ball, Compression.....	46
“ Malleable.....	179	“ “ Fuller.....	47
Casing, Well.....	288	“ Basin, Boston Self Closing.....	43
Cast Iron Fittings.....	195-204	“ “ Compression.....	19-22
“ “ “ —Chart of.....	205-208	“ “ Doherty Self Closing.....	44
Ceiling Plates.....	211-212	“ “ Fuller.....	34-37
Cellar Traps.....	96	“ “ Telegraph Self Closing.....	45
Cement, Asbestos.....	261	“ Burner, Gas.....	250
“ Gas Fitters'.....	261	“ Corporation.....	13
“ Steam Fitters'.....	261	“ Curb, Inverted Key.....	12
Cesspool Grates.....	97	“ Gas Service.....	9
Cesspools.....	97	“ Gauge.....	230
Cesspools, Hydrant.....	97	“ Hopper.....	45
Chain Stays.....	60	“ Hose, Gas.....	250
Chain Tongs.....	275	“ Hydrant.....	10, 12
Chains, Basin.....	63	“ “ Glauber.....	12
“ Bath.....	63	“ Iron.....	222
“ Plumbers.....	63	“ Pantry, Compression.....	23
“ Wash Tray.....	63	“ “ Fuller.....	38-39
Champion Chain Tongs.....	275	“ “ Boston Self Closing.....	43
“ Water Lifts.....	284	“ “ Doherty Self Closing.....	44
Chandelier Hooks.....	186	“ Pendent, Gas.....	250
“ Loops.....	186	“ Pillar, Gas.....	250
Chart of Cast Iron Fittings.....	205-208	“ Rain and Well Water.....	10
“ Malleable Fittings.....	188-192	“ Rough Stop.....	3-4, 11
Check Valves, Brass.....	213-215	“ “ Stop and Waste.....	5, 6, 11
“ “ Iron.....	215	“ Service.....	9
“ “ Iron Body.....	217	“ Shower, Compression.....	28
“ “ Jenkins Bros., Brass.....	215	“ “ Ground Key.....	8
“ “ Jenkins Disc, Brass.....	213	“ Sill.....	25
“ “ Lunkenheimer, Brass.....	215	“ Steam, Brass.....	221
“ “ Swing, Brass.....	215	“ “ Iron.....	222
“ “ “ Iron.....	217	“ Stop, Compression.....	27
“ “ with Drip.....	215	“ “ Finished, Ground Key.....	7
Chesterton's Glass Tube Cutters.....	238	“ “ Fuller.....	42
Chisels, Calking.....	268	“ “ Glauber.....	11
“ Yarning.....	268	“ “ “Minneapolis”.....	9, 12
Cipher, Telegraphic Pipe.....	287	“ “ Rough.....	3, 4, 11
“ “ Casing.....	288	“ Stop & Waste, Compression.....	28
Circulating Boiler Couplings, Brass.....	49	“ “ “ Finished Ground Key.....	8
“ “ “ Malleable.....	185	“ “ “ Glauber.....	11
Clamps, Basin.....	60	“ “ “ Rough.....	5, 6, 11
“ Hose.....	257	“ Urinal, Boston Self Closing.....	43
“ Hydrant.....	187	“ “ Compression.....	26
Cleanouts.....	85	“ “ Doherty Self Closing.....	44
Clean Sweep Traps.....	83-84	“ “ Fuller.....	42
Clevauc Automatic Air Valves.....	228	Coe's Wrenches.....	273
Closet Bowls, Earthenware.....	138, 139, 140, 145	Columns, Water.....	233
“ “ Enameled.....	124-125	Comb Holders.....	66
“ Connections, Rubber.....	70, 73	Combination Ferrules.....	76
“ “ Ricketts.....	73	“ Soldering Nipples.....	76
“ Floor Flanges, Brass.....	62	“ Water Pressure Gauges.....	235
“ “ Gaskets.....	71	Compression Air Valves.....	227

INDEX—CONTINUED

Compression Ball Cocks	46
“ Basin Cocks	19-22
“ Bath Bibbs	18
“ “ Cocks	24
“ Bibbs	15-17
“ Gauge Cocks	230
“ Hose Bibbs	15-17
“ Pantry Cocks	23
“ Plain Bibbs	15-17
“ Shower Cocks	28
“ Sill Cocks	25
“ Stop Cocks	27
“ Urinal Cocks	26
“ Wash Tray Bibbs	18
Connected Waste and Overflow	55
Connections, Basin, Rubber	70
“ Closet, Ricketts	73
“ “ Rubber	70, 73
“ Water, Brass	14
Copper Balls	47
“ Bath Tubs	170
Coppers, Soldering	267
Cork Washers	241
Corner Radiator Valves	225
“ Sinks	100
“ Slabs	161
Corporation Cocks	13
Cotton Hose	258
Couplings, Boiler, Brass	49
“ “ Malleable	185
“ Closet, Brass	145
“ Eccentric Reducing	200
“ Hose	256
“ Malleable Pipe	180
“ Offset Reducing	180
“ Pump Rod	187
“ Reducing Cast Iron	196
“ “ Malleable	179
“ Right and Left	180
“ Sink	103
“ Water Back	50
“ Well Casing	288
“ Wood Rod	187
“ Wrought Iron Pipe	288
Covers, Cock Hole	61
Covering, Asbestos	261
Crandall Steam Packing	260
Crescent Instantaneous Water Heater	175
Cross Valves, Brass	213
“ “ Iron Body	217
“ “ Jenkins Bros., Brass	214
“ “ Lunkenheimer, Brass	214
Crosses, Cast Iron	197
“ Malleable	179
Cross-Overs	180
Cudell Traps	81
Cups, Grease	239-240
“ “ Plumbers	266
“ Oil	239-241
“ Soap	65
“ Soil	266
Curb Cocks, Inverted Key	12
Cutters, Glass Tube	238
“ Pipe	276

D

Davis Back Pressure Valve	220
---------------------------	-----

Davis Steam Pressure Regulator	247
Detroit Lubricators	243
Dies and Stocks	277-279
Discs, Jenkins	226
Doherty Self Closing Work	44
Double Branch Elbows	204
Dressers	270
Drift Plugs	270
Drinking Fountains	160
Drive Caps	185
Drop Elbows	177
Drop Tees	178
Drum Traps	80
Duplex Gauge Cocks	230
“ Stocks and Dies	278

E

Earthenware Basins	142-144
“ Closet Bowls	138-140, 145
“ Hoppers	137, 144
“ Urinals	141, 144
“ List of	144-145
Eccentric Bushings	200
“ Reducing Couplings	200
“ Tees	200
Eight Hooks	63
Elbows, Boiler, Brass	49
“ “ Malleable	185
“ Cast Iron	195
“ Double Branch	204
“ Drop	177
“ Long Radius	204
“ Malleable	176
“ Rubber	73
“ Slip Joint	62
“ Street	176
“ Union, Malleable	184
“ Union Radiator, Brass	227
Elgin Wrenches	274
Enameled Iron Basins	116
“ “ Bath Tubs	162-168
“ “ Bowls	116
“ “ Closet Bowls	124-125
“ “ Hopper Closets	117-124
“ “ Laundry Tubs	109
“ “ Lavatories	112-116
“ “ Roll Rim Sinks	105-108
“ “ Sinks	100-101
“ “ Slop Sinks	98
“ “ Urinals	116
“ Steel Sinks	102
End Ferrules	85
“ “ with Tap Screw	85
Engine Trimmings	229-247
Eureka Water Lifts	284
Expanders, Flue	281
Expansion Hook Plates	210
“ Joints	248
“ Pipe Hangers	211
“ Tanks	172
Extension Pieces, Gas	186

F

Faced Bushings	182, 198
“ Lock Nuts	182
Fancy Strainers	59
Ferrules, Combination	76

INDEX—CONTINUED

Ferrules, End	85
“ “ with Trap Screw	85
Fittings, Boiler, Circulating	49, 185
“ Cast Iron	195-204
“ Chart of Cast Iron	205-208
“ “ Malleable Iron	188-192
“ Malleable Iron	176-187
“ Railing	186
“ Soil Pipe	87-95
Flange Unions	201
Flanges, Cast Iron	202
“ Closet, Brass	62
“ Floor	202
“ Spun Brass, Nickel-plated	62
Flax Packing	261
Floor Flanges	202
“ “ Closet	62
“ Gaskets, Rubber	71
“ Plates	212
Flue Blowers, Steam	281
“ Brushes	281
“ Expanders	281
“ Scrapers	281
Flush Pipe Holders	61
Flush Pipes, Closet	51
Force Cups	270
Fountains, Drinking	160
Four-Way Tees	178
Friction Tongs	275
Frost Proof Closets	123
Fuller Ball Cocks	47
“ Balls	42
“ Basin Cocks	34-37
“ Bath Bibbs	40
“ “ Cocks	41
“ Bibbs	29-32
“ Hose Bibbs	29-31
“ Pantry Cocks	38-39
“ Plain Bibbs	29-32
“ Repairs	42
“ Stop Cocks	42
“ Urinal Cocks	42
“ Wash Tray Bibbs	33
Furnaces, Plumbers	264
Fusible Plugs	238

G

Garlock Steam Packing	260
Gas Brackets	252-253
“ Burners	251
“ Fitters Cement	261
“ Fittings and Fixtures	250-253
“ Hooks	210
“ Pliers	271
“ Service Cocks	9
Gaskets, Basin	70
“ Floor	71
“ Gauge Glass	72
“ Hose	72
“ Sink	71
Gate Valves, Brass	218-219
“ “ Brass, Quick Opening	219
“ “ Iron Body	218-219
“ “ “ Quick Opening	219
Gauge Cocks	230
“ Glass Washers	72
Gauges, Altitude	235

Gauges, Combination Water Pressure.....	235
“ Steam	234
“ Water.....	236-237
Gem Hose Nozzles.....	255
Glass Tubes.....	238
“ Tube Cutters.....	238
Glasses for Oil Cups.....	241
Glauber Hydrant Cocks.....	12
“ Stop Cocks.....	11
“ Stop and Waste Cocks.....	11
Globe Valves, Brass.....	213, 214
“ “ Iron Body.....	216
“ “ Jenkins Bros., Brass.....	214
“ “ Jenkins Disc, Brass.....	213
“ “ Lunkenheim, Brass.....	214
“Good” Stoppers.....	70
Goose Necks, Lead.....	14
Grates, Cesspool.....	97
Grease Boxes.....	266
Grease Cups.....	239, 240
“ “ Plumbers.....	266
Ground Key Bibbs.....	1, 2
“ “ Stops.....	3-9, 11, 12
Guards for Water Gauges, Brass.....	237

H

Half Circle Sinks	100
Handles, Hydrant	187
Hangers, Pipe	211
Hard Rubber Hose	258
Harris Slop Sinks	99
Hat Hooks	67
"Hawkeye Red" Sheet Packing	259
Head Rests for Bath Tub	64
Heaters, Instantaneous Water	175
" Tabasco Water	174
" Wilkes " 	173
Hemp Packing	261
Hexagon Nipples, Malleable	183
Hinged Vises	280
Holders, Adjustable Pipe	61
" Brush	66
" Comb	66
" Sponge	66
" Toilet Paper	67
" Tooth Brush	66
" Tumbler	66
" Whisk Broom	66
Hook Plates, Cast Iron	210
" " Expansion	210
Hooks, Chandelier	186
" Coat	67
" Eight	63
" Gas	210
" Hat	67
" Pipe	95
" Robe	67
" Shave	257
Hopper Cocks	45
Hoppers, Closet, Earthenware	137, 144
" " Enameled Iron	117-124
" Slop, Bailey	99
Horizontal Range Boilers	172
" Check Valves, Brass	213, 215
" " " Iron	215
" " " Iron Body	217
" " Valve, with Drip	215

INDEX—CONTINUED

Hose, all kinds.....	258	Lawn Sprinklers.....	255
Hose Bibbs, Compression.....	15-17	Lead Bends.....	77
“ “ Fuller.....	29-31	“ Ferrules, Combination.....	76
“ “ Ground Key.....	1, 2	“ Goose Necks.....	14
“ “ Lever Handle.....	1, 2	“ Pig.....	75
“ Bushings.....	256	“ Pipe.....	74
“ Clamps.....	257	“ Sheet.....	75
“ Cocks Gas.....	250	“ Traps.....	78-84
“ Couplings.....	256	Leather Belting.....	263
“ Ends, Gas.....	251	“ Lace.....	262
“ Gaskets.....	72	Lennox Tapping Machines.....	249
“ Menders.....	256	Lever Handle Hose Bibbs.....	1-2
“ Nipples.....	256	“ “ Plain “.....	1-2
“ Nozzles.....	254 255	Links, Split.....	63
“ Pipes.....	254	Lock Nuts, Cast Iron.....	200
“ Reducers.....	256	“ “ Malleable.....	182
“ Reels.....	257	Long Radius Double Branch Elbows.....	204
“ Splices.....	256	“ “ Elbows.....	204
“ Strap Fasteners.....	257	“ “ Tees.....	204
“ Straps.....	257	“ Screws.....	194
“ Winding with Wire.....	258	Loops, Chandelier.....	186
Hot Water Radiator Valves.....	223	Lock and Shield Radiator Valves.....	226
Hydrant Cesspools.....	97	Loose Key Sill Cocks.....	25
Hydrant Cocks.....	10, 12	“ “ Urinal Cocks.....	26
“ “ Glauber.....	12	Lubricators, Detroit.....	243
“ Handles.....	187	“ Lunkenheimer.....	243
Hydrants.....	282	“ Plain Engine.....	242
		“ Swift.....	242
I		Lunkenheimer Brass Valves.....	214-215
Ideal Basin Wastes.....	54	“ Gate Valves.....	218, 219
“ Bath Wastes.....	54	“ Grease Cups.....	239, 240
“ Grease Cups.....	240	“ Oil Cups.....	240-241
Injectors, Penberthy.....	244	“ Throttle Valves.....	220
“ U. S.....	245		
Instantaneous Water Heaters.....	175	M	
Inverted Key Curb Cocks.....	12		
J		Machines, Tapping.....	249
Jamb Nuts.....	145	Malleable Iron Fittings.....	176-187
Jenkins Bros. Brass Valves.....	214, 215	“ Fittings. Chart of.....	188-192
“ Discs.....	226	Manifolds or Branch Tees.....	209
“ Sheet Packing.....	259	Marble.....	161
Jet Pumps.....	246	“ Drinking Fountains.....	160
Jewel Grease Cups.....	240	“ Lavatories.....	153-159
Johnson Hopper Cocks.....	45	Marine Grease Cups.....	239
Joints, Expansion.....	248	Menders, Hose.....	256
“ Stiff, Gas.....	251	Millboard Asbestos.....	261
“ Swing, Gas.....	251	Minneapolis Stop Cocks.....	9, 12
Junior Lubricators.....	243	Mississippi Gauge Cocks.....	230
K		Monkey Wrenches.....	273
Kieley Steam Traps.....	246	Moulds, Tack.....	269
Keys, Lock and Shield Radiator Valve.....	226	Motors, Water.....	284
“ Street Washer.....	187	Mueller Pressure Regulator.....	249
Kitchen Sink Backs.....	102	McClellan Anti Syphon Trap Vents.....	82
“ Sinks, Cast Iron.....	100, 101	McIver Hopper Closet.....	122
“ “ Enameled.....	100-102		
“ “ Roll Rim.....	105-108	N	
“ “ Steel.....	102		
L		Nason Steam Traps.....	247
Lace Leather.....	262	Nipples, Hexagon, Malleable.....	183
Ladles.....	265	“ Hose.....	256
Laundry Tubs.....	109-111	“ Right and Left.....	183, 194
Lavatories, Enameled Iron.....	112-116	“ Soldering.....	48
“ Marble.....	153-159	“ Tank.....	194
		“ Wrought Iron.....	193-194
		Nozzles, Hose.....	254-255
		“ Side, Gas.....	251
		“ Straight, Gas.....	251

INDEX—CONTINUED

O

Oakum	262
Offset Reducing Couplings	180
Offsets Cast Iron	203
Oil Cups	239-241
Oster Die Stocks	278
Overflow Plugs	58

P

Packing, Asbestos, Rope	261
“ “ Wick	261
“ Crandall	260
“ Garlock	260
“ Flax, Square	261
“ Hemp	261
“ Piston, Square Duck	260
“ “ Round Duck	260
“ Sheet	259
“ “ Hawkeye Red	259
“ “ Jenkins	259
“ “ Plumbago	259
“ “ Pure Gum	259
“ “ Sheet Rainbow	259
“ Spiral Ring	260
“ Steam	259-261
Palmer Sewer Valves	96
Pantry Cocks, Boston Self Closing	43
“ “ Compression	23
“ “ Doherty Self Closing	44
“ “ Fuller	38-39
Paper Holders	67
Paul Automatic Air Valves	228
Pease Combination Pliers	271
Pedestal Closet Bowls	145
Penberthy Injectors	244
Pendant Cocks Gas	250
Philadelphia Hoppers, Enameled	117
“ “ Earthenware	144
Pig Lead	75
Pillar Cocks, Gas	250
Pins, Bending	267
Pioneer Oil Cups	241
Pipe Covering, Asbestos	261
“ Cutters	276
“ Hangers, Adjustable	211
“ Holders, “	61
“ Hooks	95
“ Lead	74
“ Reamers	279
“ Rests	95
“ Soil	86
“ Straps, Brass Nickel-plated	62
“ Taps	279
“ Telegraphic Code	287
“ Threads	287
“ Tin	74
“ Tongs	274-275
“ Vises	279, 280
“ Wrenches	272-274
“ Wrought Iron	287
Pipes, Blow	267
“ Flush, Closet	51
“ Hose	254-255
“ Supply Bath	54
“ “ Closet	51
“ “ Lavatory	52-53

Piston Packings	260
Pitcher Spout Pumps	285
Plain Bibbs, Compression	15-17
“ “ Fuller	29-32
“ “ Ground Key	1-2
“ “ Lever Handle	1-2
“ “ Self Closing	43-45
“ Oil Cups	239
Plates Ceiling	211-212
“ Expansion	210
“ Floor	212
“ Hook	210
“ Roof	95
“ Wall	186
Pliers	271
Plug Sink Strainers	103
Plugs, Basin	57
“ Bath	58-59
“ Cast Iron	198
“ Fusible	238
“ Overflow	58
“ Sink	58-59
“ Test Soil Pipe	96
“ Wash Tray	58-59
Plumb Bobs	269
Plumbago Sheet Packing	259
Plumbers Chain	63
“ Friend	270
“ Tools	264-280
Pop Safety Valves	231
Pots, Solder	265
Pressure Gauges	234-235
“ Regulators, Steam, Davis	247
“ “ Water, Mueller	249
Pulls, Closet	64
Pump Rod Couplings	187
“ “ Stocks and Dies	277
Pumps	285-286
Pumps, Steam Jet	246

Q

Quick Opening Gate Valves	219
“ “ Radiator Valves	223

R

Racks, Towel	68-69
Radiator Air Valves	227-228
“ Elbows, Union	227
Radiator Valves	223-226
Railing Fittings	186
Rainbow Sheet Packing	259
Rain and Well Water Cocks	10
Range Boiler Stands	171
“ Boilers	171-172
Rasps	269
Ratchet Die Stocks	279
Reamers, Pipe	279
Reducers, Cast Iron	196
“ Hose	256
“ Malleable	179
Reducing Couplings, Cast Iron	196
“ “ Malleable	179
“ Eccentric Couplings	200
Reed Pipe Wrenches	273
Reels, Hose	257
Register Gauge Cocks	230

INDEX—CONTINUED

Regulators, Pressure, Steam	247	Sink Plugs	58-59
“ “ Water	249	“ Strainers	103
Rests, Head, Bath Tub	64	Sinks, Corner	100
“ Pipe	95	“ Half Round	100
Return Bends, Cast Iron	199	“ Kitchen	101-108
“ “ Malleable	181	“ Roll Rim	105-108
“ “ with Back Outlet	203	“ Slop	98-99
Rickett's Closet Connections	73	“ Steel	102
Right and Left Couplings	180	Slab Screws	61
“ “ “ Nipples	183, 194	“ Washers	61
Rings, Shower	64	Slabs, Marble	161
Robe Hooks	67	Slip Joint Elbows	62
Rod Couplings, Pump	187	“ “ Washers	72
Roll Rim Sinks	105-108	Slop Hoppers	99
“ “ Sink Backs	102	“ Sinks	98-99
Roof Plates	95	Soap Cups and Trays	65
Rope	262	Soap Stone Laundry Trays	110-111
Rough Stop Cocks	3, 4, 9, 11	Soil Cups	266
“ Stop and Waste Cocks	5, 6, 11	“ Pipe	86
Rod Oil Cups	241	“ “ Fittings	87-95
Royal Oil Cups	241	“ “ Test Plugs	96
Rubber Balls, Fuller	42	“ “ Traps	94
“ Belting	263	Solder	75
“ Connections	70, 73	“ Pots	265
“ Hose	258	Soldering Coppers	267
“ Packing	259	“ Nipples	48
“ Stoppers	70	“ Nipples, Combination	76
“ Tubing	72	“ Unions	48
“ Washers	70-72	Spiral Wire Hose	258
S		“ Ring Packing	260
Safety Valves	231-232	Splices, Hose	256
Saunders' Pipe Cutters	276	Split Links	63
Scotch Glass Tubes	238	Sponge Holders	66
Scrapers, Flue	281	Spray Nozzles	255
Screw Bumpers	71	Springs, Bending	267
Screws, Closet	61	Sprinklers, Bath	64
“ Long	194	“ Lawn	255
“ Slab	61	Spuds, Closet	145
“ Trap	85	Spun Flanges, Nickel-plated	62
Seats, Closet	146-147	Stamped Ceiling Plates, Nickel-plated	212
Self Closing Work	43-45	“ Floor “ “ “	212
Senior Lubricators	243	Stands, Range Boiler	171
Sentinel Oil Cups	240	Stanwood Pipe Cutter	276
Service Boxes	283	Stays, Chain	60
“ Cocks	9	Steam Cocks, Brass	221
Sewer Valves, Palmer	96	“ “ Iron	222
Shave Hooks	267	“ Flue Cleaners	281
Sherman Hose Clamps	257	“ Fitters Cement	261
Sheet Lead	75	“ Gauge Cocks	229
“ Packing	259	“ “ Syphons'	233
Sheeting, Asbestos	261	“ Gauges	234
Shower Cocks, Compression	28	“ Hose	258
“ “ Ground Key	8	“ Jet Pumps	246
“ Rings	64	“ Traps	246-247
Side Edgers	270	“ Whistles	232
“ Nozzles, Gas	251	Steel Bath Tubs	169
“ Outlet Elbows	177	“ Sinks	102
“ “ Tees	178	Stiff Joints, Gas	251
Sight Feed Lubricators	242-243	Stillson Wrenches	272
“ Feed Oil Cups	240-241	Stocks and Dies, Pipe	277-279
Sill Cocks	25	“ “ “ Pump Rod	277
Sink Backs	102	Stop Boxes	283
“ Bolts	103	Stop Cocks, Compression	27
“ Brackets	104	“ “ Finished, Ground Key	7
“ Couplings	103	“ “ Fuller	42
“ Gaskets	71	“ “ Glauber	11
		“ “ Minneapolis	9

INDEX—CONTINUED

Stop Cocks, Rough	3, 4, 11
Stop & Waste Cocks, Compression	28
“ “ “ Finished, Ground Key	8
“ “ “ Glauber	11
“ “ “ Rough	5, 6, 11
Stoppers, Rubber	70
Straight Cocks, Gas	250
“ Nozzles, Gas	251
Strainers, Brass	59
“ Sink	103
Strap Fasteners, Hose	257
Straps, Hose	257
“ Pipe, Nickel-plated	62
“ Tinned	210
Street Elbows	176
“ Washer Keys	187
“ Washers	282
Supply Pipes, Bath	54
“ “ Closet	51
“ “ Lavatory	52-53
Swift Lubricators	242
Swing Check Valves, Brass	215
“ “ “ Iron	215
“ “ “ Iron Body	217
“ Joints, Gas	251
Syphon Jet Closet Bowls, Earthenware	140, 145
“ “ “ “ Enameled	125
“ Valve Washers	71
Syphons, Closet Tank	47
“ Steam Gauge	233

T

Tobasco Water Heaters	174
Tack Bumpers	71
“ Moulds	269
Tank Nipples	194
Tanks, Closet	148-152
“ Expansion	172
Tap Borers	266
Tapping Machines	249
Taps, Pipe	279
Tees, Branch	209
“ Cast Iron	196
“ Drop	178
“ Eccentric	200
“ Four-Way	178
“ Long Radius	204
“ Malleable	178
“ Union	184
Telegraph Casing Cipher	288
“ Pipe Cipher	287
“ Self Closing Work	45
Test Plugs, Soil Pipe	96
Thermometers	238
Threads, Pipe	287
Three-Way Cocks, Brass	221
“ “ “ Iron	222
“ Elbows	177
Throttle Valves	220
Tiger Grease Cups	239
Tin, Block	75
Tin Pipe	74
Tinned Straps	210
Toilet Paper Holders	67
Tongs, Pipe	274-275
Tools Plumbers, etc	264-281
Tooth Brush Holders	66

Torches, Alcohol	266
“ Gasoline, Blow	265
Towel Racks	68-69
Trap Screws	85
“ Vents, McClellan Anti-Syphon	82
Traps, Basin, Nickel-plated	56-57
“ Bower	82
“ Cellar	96
“ Clean Sweep	83 34
“ Cudell	81
“ Drum	80
“ Lead	78 84
“ Soil Pipe	94
“ Steam	246-247
Trays, Laundry	109-111
“ Soap	65
Trimings, Engine	229-247
Trimo Chain Tongs	275
“ Wrenches	272
Tubes, Glass	238
Tubing Rubber	72
Tubs, Bath, Copper	170
“ “ Enameled	162-168
“ “ Steel	169
“ “ Zinc	170
“ Laundry, Enameled	109
“ “ Soap Stone	110-111
Tumbler Holders	66
Turn Pins	270

U

Union Elbows, Brass	227
“ “ Malleable	184
“ Tees	184
Unions, Combination Brass and Iron	183
“ Flange	201
“ Malleable	183
“ Soldering	48
Urinal Cocks, Boston Self Closing	43
“ “ Compression	26
“ “ Doherty Self Closing	44
“ “ Fuller	42
Urinals, Earthenware	141, 144
“ Enameled	116
“ Iron	116
U. S. Injectors	245

V

Valves, Air, Automatic	228
“ “ Compression	227
“ Angle, Brass	213
“ “ Iron Body	216
“ “ Jenkins Bros., Brass	214
“ “ Jenkins Disc, Brass	213
“ “ Lunkenheimer, Brass	214
“ Angle Check, Brass	213
“ “ “ Iron Body	217
“ “ “ Jenkins Bros., Brass	215
“ “ “ Lunkenheimer, Brass	215
“ Back Pressure	220
“ Check, Brass	213
“ “ Iron	215
“ “ Iron Body	217
“ “ Jenkins Bros., Brass	215
“ “ Jenkins Disc, Brass	213
“ “ Lunkenheimer, Brass	215
“ “ Swing, Brass	215

INDEX—CONTINUED

Valves, Check, Swing, Iron	215
" " " Iron Body	217
" " with Drip, Brass	215
" Cross, Brass	213
" " Iron Body	217
" " Jenkins Bros., Brass	214
" " Lunkenheimer, Brass	214
" Gate, Brass	218
" " " Quick Opening	219
" " Iron Body	218
" " " " Quick Opening	219
" Globe, Brass	213
" " Iron Body	216
" " Jenkins Bros., Brass	214
" " Jenkins Disc, Brass	213
" " Lunkenheimer, Brass	214
" Sewer, Palmer	96
" Radiator	223-226
" " Air	227-228
" Safety	231-232
" Swing Check, Brass	215
" " " Iron	215
" " " Iron Body	217
" Throttle	220
" Whistle	232
Vents, Trap, McClellan	82
Vertical Check Valves, Brass	213
" " " Iron Body	217
" " " Jenkins Bros., Brass	215
" " " Jenkins Disc, Brass	213
" " " Lunkenheimer, Brass	215
Victor Air Valves	228
Vises, Combination Bench	279
" Pipe	280
W	
Wall Plates	186
Wash Tray Bibbs, Compression	18
" " " Fuller	33
" " Chains	63
" " Plugs	58-59
Washdown Closet Bowls, Earthenware	139, 144
" " " Enameled	125
Washers, Basin	71
" Bath	71
" Bibb	72
" Closet	61
" Cork	241
" Glass Gauge	72
" Slab	61
" Slip Joint	72
" Syphon Valve	71
Washout Closet Bowls, Earthenware	138, 145
" " " Enameled	124
Waste and Overflow Connections	55
Waste Nuts	182
Wastes, Basin	55
" Bath	55
Water Back Couplings	50
Water Closets, Complete	126-136
" " Frost Proof	123
" Columns	233
" Connections	14
" Gauge Glasses	238
" " Columns	233
" Gauges	236-237
" Heaters, Instantaneous	175
" " Tabasco	174
" " Wilkes	173
" Lifts	284
" Motors	284
" Pressure Regulators	249
Well Casing	288
Well and Rain Water Cocks	10
Wilkes Water Heater	173
Winding Hose with Wire	258
Wiping Cloths	266
Whisk Broom Holders	66
Whistle Valves	232
Whistles, Steam	232
Wood Rod Couplings	187
Wrenches, Alligator	274
" Basin	269
" Brass Pipe	273
" Coe's	273
" Elgin	274
" Malleable for Steam Cocks	221
" Monkey	273
" Pipe, Bemis & Call	272
" " Reeds	273
" " Stillson	272
" " Trimco	272
Wrought Iron Couplings	288
" " Nipples	193-194
" " Pipe	287
Y	
Y Bends	184
Y Branches	197
Yarning Chisels	268
Z	
Zinc Bath Tubs	170

LEVER HANDLE PLAIN BIBBS
FOR LEAD PIPE




FIG. A-1.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----Per dozen	10.00	12.00	15.00	18.00	24.00	36.00
Nickel-plated-----Per dozen	12.00	14.00	17.50	20.50	26.50	39.00

LEVER HANDLE HOSE BIBBS
FOR LEAD PIPE




FIG. A-2.

Size-----Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1		
Finished-----Per dozen	17.00	20.00	26.00	39.00		
Nickel-plated-----Per dozen	19.50	22.50	28.50	42.00		

LEVER HANDLE PLAIN BIBBS
FOR IRON PIPE




FIG. A—3.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----Per dozen	12.00	14.00	17.00	20.00	26.00	39.00
Nickel-plated-----Per dozen	14.00	16.00	19.50	22.50	28.50	42.00

LEVER HANDLE HOSE BIBBS
FOR IRON PIPE




FIG. A—4.

Size-----Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	
Finished-----Per dozen	19.00	22.00	28.00	42.00	
Nickel-plated-----Per dozen	21.50	24.50	30.50	45.00	

ROUGH STOP COCKS FOR LEAD PIPE
T HANDLE




FIG. A-5.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	11.00	13.00	15.00	19.00	28.00	46.00	64.00	110.00
Round Way	Per dozen		17.00	20.00	25.00	44.00	70.00	100.00	180.00

ROUGH STOP COCKS FOR LEAD PIPE
LEVER HANDLE




FIG. A-6.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	12.00	14.00	16.50	20.50	30.00	48.50	67.50	115.00
Round Way	Per dozen		18.00	21.50	26.50	46.00	72.50	103.50	185.00

ROUGH STOP COCKS FOR IRON PIPE
T HANDLE




FIG. A-7.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	13.00	15.00	18.00	22.00	32.00	51.00	71.00	120.00
Round Way	Per dozen		19.00	23.00	28.00	48.00	75.00	107.00	190.00

ROUGH STOP COCKS FOR IRON PIPE
LEVER HANDLE




FIG. A-8.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	14.00	16.00	19.50	23.50	34.00	53.50	74.50	125.00
Round Way	Per dozen		20.00	24.50	29.50	50.00	77.50	110.50	195.00

ROUGH STOP AND WASTE COCKS FOR LEAD PIPE

T HANDLE




FIG. A-9.

Size.....Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way.....Per dozen	13.00	15.00	17.00	21.00	31.00	50.00	70.00	120.00
Round Way.....Per dozen		19.00	22.00	27.00	47.00	74.00	106.00	190.00

ROUGH STOP AND WASTE COCKS FOR LEAD PIPE

LEVER HANDLE




FIG. A-10.

Size.....Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way.....Per dozen	14.00	16.00	18.50	22.50	33.00	52.50	73.50	125.00
Round Way.....Per dozen		20.00	23.50	28.50	49.00	76.50	109.50	195.00

ROUGH STOP AND WASTE COCKS FOR IRON PIPE
T HANDLE




FIG. A-11.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	15.00	17.00	20.00	24.00	35.00	55.00	77.00	130.00
Round Way	Per dozen		21.00	25.00	30.00	51.00	79.00	113.00	200.00

ROUGH STOP AND WASTE COCKS FOR IRON PIPE
LEVER HANDLE




FIG. A-12.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way	Per dozen	16.00	18.00	21.50	25.50	37.00	57.50	80.50	135.00
Round Way	Per dozen		22.00	26.50	31.50	53.00	81.50	116.50	205.00

FINISHED STOP COCKS
FOR LEAD PIPE




FIG. A-13.

Size.....Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished.....Per dozen	15.50	17.50	20.00	26.50	39.00
Nickel-plated.....Per dozen	17.50	20.00	22.50	29.00	42.00

FINISHED STOP COCKS
FOR IRON PIPE




FIG. A-14.

Size.....Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished.....Per dozen	17.50	19.50	23.00	29.50	43.00
Nickel-plated.....Per dozen	19.50	22.00	25.50	32.00	46.00

FINISHED STOP AND WASTE COCKS FOR LEAD PIPE




FIG. A-15.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	18.00	20.00	22.50	29.00	43.00
Nickel-plated	Per dozen	20.00	22.50	25.00	31.50	46.00

FINISHED STOP AND WASTE COCKS FOR IRON PIPE




FIG. A-16.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	19.50	21.50	25.00	31.50	46.00
Nickel-plated	Per dozen	21.50	24.00	27.50	34.00	49.00

MINNEAPOLIS STOP COCKS
FOR LEAD PIPE




FIG. A-17.

Size-----	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Round Way-----	Per dozen	21.00	26.00	29.50	50.00

MINNEAPOLIS STOP COCKS
FOR IRON PIPE




FIG. A-18.

Size-----	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Round Way-----	Per dozen	23.00	29.00	32.50	54.00

SERVICE COCKS




FIG. A-19.

Size-----	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price-----	Each	.75	.85	.95	1.15	1.50	2.25	3.10	5.00
Price, with check-----	Each	.90	1.00	1.10	1.35	1.70	2.50		

RAIN AND WELL WATER COCKS
FOR LEAD PIPE




FIG. A-20.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$
Price	Per dozen	50.00	70.00	84.00

RAIN AND WELL WATER COCKS
FOR IRON PIPE




FIG. A-21.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$
Price	Per dozen	56.00	79.00	96.00

HYDRANT COCKS




FIG. A-22.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Flat Way	Per dozen	16.00	20.00	24.00	37.00
Round Way	Per dozen	20.00	24.00	29.50	50.00

“GLAUBER” STOP COCKS
LOOSE LEVER HANDLE




FIG. A-23.

Size ----- Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way --- Per dozen	16.00	19.50	23.50	34.00	53.00	74.50	125.00
Round Way . Per dozen	20.00	24.50	29.50	50.00	77.50	110.50	195.50

“GLAUBER” STOP AND WASTE COCKS
LOOSE LEVER HANDLE




FIG. A-24.

Size ----- Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Flat Way --- Per dozen	18.00	21.50	25.50	37.00	57.50	80.50	135.00
Round Way . Per dozen	22.00	26.50	31.50	53.00	81.50	116.50	205.00

INVERTED KEY CURB COCKS

T HANDLE




FIG. A-25.

INVERTED KEY CURB COCKS

MINNEAPOLIS PATTERN



FIG. A-26.

Size.....Inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
T Handle.....per dozen	24.00	29.00	35.50	61.00	96.00	137.00	244.00
T Handle, with S. & W.....Per dozen	26.00	31.00	37.50	64.00	100.00	143.00	254.00
Minneapolis.....Per dozen	30.00	35.50	42.50	68.50	110.00	159.00	279.00
Minneapolis, with S. & W.....Per dozen	32.00	37.50	44.50	71.50	114.00	165.00	289.00

“GLAUBER” HYDRANT COCKS




FIG. A-27.

Size.....Inches	1/2	5/8	3/4	1		
Flat Way.....Per dozen	21.00	25.00	29.50	41.50		
Round Way.....Per dozen	25.00	30.00	35.50	57.50		

CORPORATION COCKS
WITH BENT COUPLING




FIG. A--28.

Size-----Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Long End Threaded for Mueller Machine-----Each	1.35	1.70	2.50	3.85
Long end Threaded for Iron Pipe-----Each	1.55	1.90	2.80	4.40

CORPORATION COCKS
WITH STRAIGHT COUPLING




FIG. A--29.

Sizes-----Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Long End Threaded for Mueller Machine-----Each	1.35	1.70	2.50	3.80
Long End Threaded for Iron Pipe-----Each	1.55	1.90	2.80	4.40

CORPORATION COCKS




FIG. A--30.

Size-----Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Long End Threaded for Mueller Machine-----Each	1.10	1.40	2.10	3.35
Both Ends Threaded for Iron Pipe-----Each	1.30	1.65	2.40	3.80

Corporation Cocks can be furnished with either Screw or Hexagon Plug.
In ordering, please state which kind is wanted. Unless otherwise ordered, Screw Plug Cocks will always be sent.

BRASS WATER CONNECTIONS




FIG. A-31.



FIG. A-32.

Two branch connections, with 1¼-inch outlet for iron pipe	Each, 1.50
Three branch connections, with 1½-inch outlet for iron pipe	Each, 2.00

LEAD GOOSE NECKS.




FIG. A-33.

These Lead Goose Necks are furnished complete, ready to attach to the water main. Consists of 18 inches of extra strong lead pipe, with corporation stop cock (with either screw or hexagon plug) wiped on one end, and male brass soldering nipple on the other.

Size	Inches	¾	½	⅝	¾	1
Complete	Each	1.40	1.50	1.70	2.00	2.70

BRANCH GOOSE NECKS

These connections are intended for use where a 1¼-inch or larger service pipe is required, and where a larger than 1-inch tap is not allowed to be made in the main.

Two branch Goose Necks, complete, 1¼-inch outlet	Each, 8.00
Three branch Goose Necks, complete, 1½-inch outlet	Each, 11.00

NOTICE—Goose Necks can be furnished with either screw or hexagon plug corporation cocks, male or female soldering nipples.
Unless otherwise ordered, screw plug cocks and male soldering nipples will always be sent.

COMPRESSION PLAIN BIBBS
FOR LEAD PIPE




FIG. A-34.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	10.00	11.00	13.00	18.00	34.00
Nickel-plated	Per dozen	12.00	13.00	15.00	20.50	37.00
For Stuffing Box add to regular list		2.00	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS
FOR LEAD PIPE




FIG. A-35.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	12.00	13.00	15.00	20.00	37.00
Nickel-plated	Per dozen	14.00	15.50	17.50	22.50	40.00
For Stuffing Box add to regular list		2.00	2.00	2.00	3.00	4.00

COMPRESSION PLAIN BIBBS
FOR IRON PIPE




FIG. A-36.

Size-----Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----Per dozen	12.00	13.00	15.00	20.00	37.00
Nickel-plated-----Per dozen	14.00	15.50	17.50	22.50	40.00
For stuffing box add to regular list-----	2.00	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS
FOR IRON PIPE




FIG. A-37.

Size-----Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----Per dozen	14.00	15.00	17.00	22.00	40.00
Nickel-plated-----Per dozen	16.00	17.50	19.50	24.50	43.00
For stuffing box add to regular list-----	2.00	2.00	2.00	3.00	4.00

COMPRESSION PLAIN BIBBS
WITH FLANGE




FIG. A-38.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	16.00	17.50	25.00	46.00
Nickel-plated	Per dozen	18.50	20.00	27.50	49.00
For Stuffing Box add to regular list	Per dozen	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS
WITH FLANGE




FIG. A-39.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	18.00	19.50	27.00	49.00
Nickel-plated	Per dozen	20.50	22.00	29.50	52.00
For Stuffing Box add to regular list	Per dozen	2.00	2.00	3.00	4.00

COMPRESSION BATH BIBBS

MALE WITH FLANGE




FIG. A-40.

FEMALE WITH FLANGE




FIG. A-41.

Size.....	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$
Male or Female, finished	Per dozen	19.50	23.50	33.00
Male or Female, nickel-plated	Per dozen	23.00	27.00	37.00
For Stuffing Box add to regular list	Per dozen	2.00	2.00	3.00

COMPRESSION WASH TRAY BIBBS

MALE WITH SHOULDER




FIG. A-42.

FEMALE WITH FLANGE




FIG. A-43.

Size.....	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$
Male with shoulder, finished	Per dozen	14.00	16.00	21.00
Male with shoulder, nickel-plated	Per dozen	16.50	18.50	23.50
Female with flange, finished	Per dozen	17.00	19.50	27.00
Female with flange, nickel-plated	Per dozen	19.50	22.00	29.50
For Stuffing Box add to regular list	Per dozen	2.00	2.00	3.00

COMPRESSION BASIN COCKS

T HANDLE

No. 1




FIG. A-44.

Nickel-plated.....	Per dozen, 19.00
For Stuffing Box add to regular list.....	Per dozen, 2.00

COMPRESSION BASIN COCKS

T HANDLE

No. 2




FIG. A-45.

Nickel-plated	Per dozen, 23.00
For Stuffing Box add to regular list	Per dozen, 2.00

COMPRESSION BASIN COCKS

CROSS HANDLE

No. 3




FIG. A-46.

Nickel-plated.....	Per dozen, 22.00
For Stuffing Box add to regular list.....	Per dozen, 2.00

COMPRESSION BASIN COCKS

CROSS HANDLE

No. 4




FIG. A-47.

Nickel-plated	Per dozen, 26.00
For Stuffing Box add to regular list	Per dozen, 2.00

COMPRESSION PANTRY COCKS




FIG. A-48.

T Handle, Nickel-plated.....	Per dozen, 34.00
Cross Handle, Nickel-plated.....	Per dozen, 36.00
For Stuffing Box, add to regular list	Per dozen, 2.00

COMPRESSION DOUBLE BATH COCKS




FIG. A-49.

3 1-2 INCHES SPREAD BETWEEN CENTERS

Nickel-plated.....	Each, 6.50
For Stuffing Box, add to regular list.....	Each, .50

STRAIGHT




FIG. A-50.

COMPRESSION SILL COCKS

STRAIGHT PATTERN

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$
Finished	Per dozen	22.00	24.00
Nickel-plated	Per dozen	25.00	27.00
Add for Caps.....	Per dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.

ANGLE




FIG. A-51.

COMPRESSION SILL COCKS

ANGLE PATTERN

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$
Finished	Per dozen	28.00	28.00
Nickel-plated	Per dozen	32.00	32.00
Add for Caps.....	Per dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.

LOOSE KEY




FIG. A-52.

COMPRESSION SILL COCKS

LOOSE KEY PATTERN

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$
Finished	Per dozen	28.00	28.00
Nickel-plated	Per dozen	32.00	32.00
Add for Caps.....	Per dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.

COMPRESSION URINAL COCKS

FOR LEAD PIPE




FIG. A-53.

FOR IRON PIPE




FIG. A-54.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$
For Lead Pipe, finished	Per dozen	17.00	18.00	20.00
For Lead Pipe, nickel-plated	Per dozen	20.00	21.00	23.00
For Iron Pipe, finished	Per dozen	18.00	19.00	21.00
For Iron Pipe, nickel-plated	Per dozen	21.00	22.00	24.00
For Stuffing Box add to regular list	Per dozen	2.00	2.00	2.00

COMPRESSION URINAL COCKS

WITH LOOSE KEY




FIG. A-55.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$
For Lead Pipe, finished	Per dozen	23.00	24.00	26.00
For Lead Pipe, nickel-plated	Per dozen	26.00	27.00	29.00
For Iron Pipe, finished	Per dozen	24.00	25.00	27.00
For Iron Pipe, nickel-plated	Per dozen	27.00	28.00	30.00

COMPRESSION STOP COCKS
FOR LEAD PIPE




FIG. A—56.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	11.00	12.00	14.00	22.00	36.00
Nickel-plated	Per dozen	13.00	14.50	16.50	24.50	39.00
For Stuffing Box add to regular list. Per doz		2.00	2.00	2.00	3.00	4.00

COMPRESSION STOP COCKS
FOR IRON PIPE




FIG. A—57.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	13.00	14.00	16.00	24.00	40.00
Nickel-plated	Per dozen	15.00	16.50	18.50	26.50	43.00
For Stuffing Box add to regular list. Per doz		2.00	2.00	2.00	3.00	4.00

COMPRESSION STOP AND WASTE COCKS

WITH STUFFING BOX

FOR LEAD PIPE




FIG. A—58.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	
Finished	Per dozen	16.50	19.50	27.00	44.00	
Nickel-plated	Per dozen	19.00	22.00	29.50	47.00	

COMPRESSION STOP AND WASTE COCKS

WITH STUFFING BOX

FOR IRON PIPE




FIG. A—59.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	17.50	18.50	21.50	29.00	48.00
Nickel-plated	Per dozen	20.00	21.00	24.00	31.50	51.00

NOTE—Above lists include Waste Tubes.

FULLER PLAIN BIBBS

FOR LEAD PIPE




FIG. A-60.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	18.00	20.00	26.00	36.00
Nickel-plated	Per dozen	22.00	24.00	32.00	46.00

FULLER HOSE BIBBS

FOR LEAD PIPE




FIG. A-61.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	21.00	24.00	30.00	40.00
Nickel-plated	Per dozen	25.00	28.00	36.00	50.00

FULLER PLAIN BIBBS

FOR IRON PIPE




FIG. A-62'

Size Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished Per dozen	21.00	24.00	30.00	40.00
Nickel-plated Per dozen	25.00	28.00	36.00	50.00

FULLER HOSE BIBBS

FOR IRON PIPE




FIG. A- 63.

Size Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished Per dozen	24.00	28.00	34.00	44.00
Nickel-plated Per dozen	28.00	32.00	40.00	54.00

FULLER PLAIN BIBBS

WITH SOLID FLANGE

FOR IRON PIPE




FIG. A-64.

Size	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	23.50	25.50	33.00	44.00
Nickel-plated	Per dozen	29.50	31.50	39.00	54.00

FULLER HOSE BIBBS

WITH SOLID FLANGE

FOR IRON PIPE




FIG. A-65.

Size	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	26.50	29.50	37.00	48.00
Nickel-plated	Per dozen	32.50	35.50	43.00	58.00

FULLER PLAIN BIBBS
WITH LOOSE FLANGE
FOR IRON PIPE




FIG. A-66.

Size	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	29.00	32.00	40.00	52.00
Nickel-plated	Per dozen	35.00	38.00	46.00	62.00

FULLER PLAIN BIBBS
WITH LOOSE FLANGE, NUT, AND BENT COUPLING




FIG. A-67.

Size	Inches	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	35.00	40.00	54.00	72.00
Nickel-plated	Per dozen	41.00	46.00	60.00	82.00

FULLER WASH TRAY BIBBS
WITH LOOSE FLANGE
FOR IRON PIPE




FIG. A-68.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	29.00	32.00	40.00	54.00
Nickel-plated	Per dozen	35.00	38.00	46.00	64.00

FULLER WASH TRAY BIBBS
WITH LOOSE FLANGE, NUT, AND BENT COUPLING




FIG. A-69.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished	Per dozen	35.00	40.00	54.00	74.00
Nickel-plated	Per dozen	41.00	46.00	60.00	84.00

FULLER BASIN COCKS

No. O




FIG. A—70.

Nickel-plated..... Per dozen 40.00

FULLER BASIN COCKS

No. 1




FIG. A-71.

Nickel-plated.....Per dozen 40.00

FULLER BASIN COCKS

No. 2




FIG. A-72.

Nickel-plated Per dozen, 44.00

FULLER BASIN COCKS

No. 4




FIG. A-73.

Nickel-plated..... Per dozen, 64.00

FULLER PANTRY COCKS

No. 1




FIG. A-74.

Nickel-plated.....Per dozen, 42.00

FULLER PANTRY COCKS

No. 2




FIG. A-75.

Nickel-plated.....	Per dozen, 50.00
For Hose End, add to list.....	Per dozen, 3.00

FULLER BATH BIBBS
WITH FLANGE
FOR IRON PIPE




FIG. A-76.

Size-----	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----	Per dozen	28.00	32.00	38.00	52.00
Nickel-plated-----	Per dozen	34.00	38.00	44.00	60.00

FULLER BATH BIBBS
WITH FLANGE
FOR LEAD PIPE




FIG. A-77.

Size-----	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished-----	Per dozen	25.00	28.00	34.00	48.00
Nickel-plated-----	Per dozen	31.00	34.00	40.00	56.00

FULLER DOUBLE BATH COCK




FIG. A-78.

3 1-2 INCHES SPREAD BETWEEN CENTERS

No. 4½, Nickel-plated	-----	Each, 12.00
No. 7, Nickel-plated	-----	Each, 9.00

FULLER STOP COCKS




FIG. A-79.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
For Lead Pipe, Finished	Per dozen	20.00	24.00	28.00	40.00
For Lead Pipe, Nickel-plated	Per dozen	25.00	30.00	34.00	50.00
For Iron Pipe, Finished	Per dozen	21.00	26.00	30.00	43.00
For Iron Pipe, Nickel-plated	Per dozen	26.00	32.00	36.00	53.00

FULLER URINAL COCKS




FIG. A-80.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$
For Lead Pipe, Finished	Per dozen	27.00	31.00
For Lead Pipe, Nickel-plated	Per dozen	29.50	33.50
For Iron Pipe, Finished	Per dozen	30.00	34.00
For Iron Pipe, Nickel-plated	Per dozen	32.50	36.50

FULLER REPAIRS

ECCENTRIC




FIG. A-81.

FULLER STEM WITH BALL



FIG. A-82.

RUBBER BALL



FIG. A-83.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Eccentrics	Per dozen	3.00	3.00	4.00	6.00
Stem with Ball	Per dozen	3.00	3.00	4.00	6.00
Rubber Balls	Per dozen	.75	.75	1.00	1.25

' 'BOSTON' ' SELF-CLOSING WORK

BASIN COCKS




FIG. A—84.

' 'BOSTON' ' SELF-CLOSING BASIN COCKS

Nickel-plated	Per dozen, 48.00
---------------	------------------

"BOSTON" SELF-CLOSING PANTRY COCKS

Nickel-plated	Per dozen, 64.00
---------------	------------------

"BOSTON" SELF-CLOSING PLAIN BIBBS

FOR LEAD PIPE

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$
Finished	Per dozen	21.00	24.00	27.00
Nickel-plated	Per dozen	25.00	28.00	31.00

"BOSTON" SELF-CLOSING PLAIN BIBBS

FOR IRON PIPE

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$
Finished	Per dozen	25.00	28.00	31.00
Nickel-plated	Per dozen	29.00	32.00	35.00

"BOSTON" SELF-CLOSING URINAL COCKS

FOR LEAD PIPE

Finished	Per dozen, 36.00
Nickel-plated	Per dozen 41.00

"BOSTON" SELF-CLOSING URINAL COCKS

FOR IRON PIPE

Finished	Per dozen, 40.00
Nickel-plated	Per dozen, 45.00

**"DOHERTY" SELF-CLOSING WORK
BASIN COCKS**




FIG. A-85.

"DOHERTY" SELF-CLOSING BASIN COCKS

Nickel-plated.....	Per dozen, 48.00
--------------------	------------------

"DOHERTY" SELF-CLOSING PANTRY COCKS

Nickel-plated.....	Per dozen, 69.00
--------------------	------------------

**"DOHERTY" SELF-CLOSING PLAIN BIBBS
FOR LEAD PIPE**

Size.....Inches	$\frac{1}{2}$	$\frac{3}{8}$	
Finished.....Per dozen	24.00	27.00	
Nickel-plated.....Per dozen	30.00	33.00	

**"DOHERTY" SELF-CLOSING PLAIN BIBBS
FOR IRON PIPE**

Size.....Inches	$\frac{1}{2}$	$\frac{3}{8}$	
Finished.....Per dozen	27.00	30.00	
Nickel-plated.....Per dozen	33.00	36.00	

**"DOHERTY" SELF-CLOSING URINAL COCKS
FOR LEAD PIPE**

Finished.....	Per dozen, 35.00
Nickel-plated.....	Per dozen, 41.00

**"DOHERTY" SELF-CLOSING URINAL COCKS
FOR IRON PIPE**

Finished.....	Per dozen, 39.00
Nickel-plated.....	Per dozen, 45.00

"TELEGRAPH" SELF-CLOSING WORK
BASIN COCKS




FIG. A-86.

"TELEGRAPH" SELF-CLOSING BASIN COCKS

Nickel-plated	Per dozen, 27.00
---------------------	------------------

"TELEGRAPH" SELF-CLOSING PLAIN BIBBS
FOR LEAD PIPE

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished	Per dozen	15.00	17.00	20.00	26.00
Nickel-plated	Per dozen	17.00	19.50	22.50	28.50

"TELEGRAPH" SELF-CLOSING PLAIN BIBBS
FOR IRON PIPE

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished	Per dozen	16.00	18.00	21.00	28.00
Nickel-plated	Per dozen	18.00	20.50	23.50	30.00

"JOHNSON" SELF-CLOSING HOPPER COCKS




FIG. A-87.

For Lead Pipe	Each, 1.50
For Iron Pipe	Each, 1.75

BALL COCKS

TOP SUPPLY




FIG. A-88.

Price Each, 1.50

BOTTOM SUPPLY




FIG. A-89.

Price Each, 1.50

BOTTOM SUPPLY




FIG. A-90.

Price, Each, 2.50

BOTTOM SUPPLY




FIG. A-91.

Priec Each 2.50,

FULLER BALL COCK.




FIG. A-92.

		WITH BALLS		WITHOUT BALLS				
Size	Inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
For Lead Pipe	Per dozen	27.00	34.00	50.00	60.00	75.00	90.00	120.00
For Iron Pipe	Per dozen	32.00	38.00	56.00	68.00	85.00	100.00	130.00

CLOSET TANK SYPHONS




FIG. A-93.



FIG. A-94.

Size	Inches	1 1/4	1 1/2
Price	Each	2.00	3.00



FIG. A-95.

COPPER BALLS

Size	Inches	5	6	7	8	9	10	12
Price, with Stems	Per dozen	6.00	7.00	10.50	24.00	36.00	48.00	72.00
Price, Tapped for Iron Pipe	Per dozen	4.00	6.00	9.00	15.00	25.00	40.00	60.00

SOLDERING NIPPLES

MALE




FIG. A-96.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price-----Per dozen	1.75	2.25	2.50	3.00	5.00	7.50	10.00	14.00

SOLDERING NIPPLES

FEMALE




FIG. A-97.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price-----Per dozen	1.75	2.25	2.50	3.00	5.00	7.50	10.00	14.00

SOLDERING UNIONS

STRAIGHT




FIG. A-98.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Straight-----Per dozen	2.25	2.75	3.25	4.00	6.00	8.50	12.00	18.00
Bent-----Per dozen	3.00	3.75	4.75	6.50	9.00	11.50	17.00	24.00

BOILER COUPLINGS

STRAIGHT, FOR LEAD PIPE




FIG. A-99.

BENT, FOR LEAD PIPE




FIG. A-100.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Plain Face, Straight-----Per dozen	7.50	8.00	11.00
Plain Face, Bent-----Per dozen	8.50	9.00	12.00
Plain Face, per set (3 Bent, 1 Straight)-----		2.50	
Ground Face, Straight-----Per dozen	8.50	9.00	12.50
Ground Face, Bent-----Per dozen	9.50	10.00	13.50
Ground Face, per set (3 Bent, 1 Straight)-----		2.75	

BOILER COUPLINGS

STRAIGHT, FOR IRON PIPE




FIG. A-101.

BENT, FOR IRON PIPE




FIG. A-102.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Plain Face, Straight-----Per dozen	8.50	10.00	14.00
Plain Face, Bent-----Per dozen	9.50	11.00	15.00
Plain Face, per set (3 Bent, 1 Straight)-----		3.00	
Ground Face, Straight-----Per dozen	9.50	11.00	15.50
Ground Face, Bent-----Per dozen	10.50	12.00	16.50
Ground Face, per set (3 Bent, 1 Straight)-----		3.25	

WATER-BACK COUPLINGS

STRAIGHT, FOR LEAD PIPE




FIG. A-103.

BENT, FOR LEAD PIPE




FIG. A-104.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Plain Face, Straight	Per dozen	6.50	7.00	10.00
Plain Face, Bent	Per dozen	7.50	8.00	11.00
Ground Face, Straight	Per dozen	7.50	8.00	11.50
Ground Face, Bent	Per dozen	8.50	9.00	12.50

WATER-BACK COUPLINGS

STRAIGHT, FOR IRON PIPE




FIG. A-105.

BENT, FOR IRON PIPE




FIG. A-106.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Plain Face, Straight	Per dozen	7.50	9.00	13.00
Plain Face, Bent	Per dozen	8.50	10.00	14.00
Ground Face, Straight	Per dozen	8.50	10.00	14.50
Ground Face, Bent	Per dozen	9.50	11.00	15.50

FLUSH AND SUPPLY PIPES

FOR CLOSETS

STRAIGHT SUPPLY PIPES



FIG. A-107.

3⁄8-inch, Iron Pipe Size, Nickel-plated	Each, 3.90
5⁄8-inch, Number 17 Gauge, Nickel-plated	Each, 2.70

OFFSET SUPPLY PIPES



FIG. A 108.

3⁄8-inch, Iron Pipe Size, Nickel-Plated	Each, 4.00
5⁄8-inch, Number 17 Gauge, Nickel-Plated	Each, 3.40

STRAIGHT FLUSH PIPES



FIG. A-109.

Inside Diameter	Inches	1¼	1⅜	1½
Number 20 Gauge, Nickel-Plated	Each	3.40	3.70	4.00

OFFSET FLUSH PIPES



FIG. A 110.

Inside Diameter	Inches	1¼	1⅜	1½
Number 20 Gauge, Nickel-plated	Each	3.70	4.20	4.80

LAVATORY SUPPLY PIPES

(FROM FLOOR)



FIG. A-111.




FIG. A-112.



FIG. A-113.




FIG. A-114.



FIG. A-115.

Fig. A-111.	Nickel-plated	Per pair, 3.00
Fig. A-112.	Nickel-plated	Per pair, 5.50
Fig. A-113.	Nickel-plated	Per pair, 5.00
Fig. A-114.	Nickel-plated	Per pair, 7.50
Fig. A-115.	Nickel-plated	Per pair, 6.00
Fig. A-115.	Nickel-plated, with Compression Stop	Per pair, 8.50

Unless otherwise ordered, 3/8-inch Iron Pipe size will always be furnished.

LAVATORY SUPPLY PIPES

(FROM WALL) *



FIG. A-116.




FIG. A-117.




FIG. A-118.




FIG. A-119.




FIG. A-120.

Fig. A-116.	Nickel-plated	Per pair, 3.00
Fig. A-117.	Nickel-plated	Per pair, 5.50
Fig. A-118.	Nickel-plated	Per pair, 5.00
Fig. A-119.	Nickel-plated	Per pair, 7.50
Fig. A-120.	Nickel-plated	Per pair, 6.00
Fig. A-120.	Nickel-plated, with Compression Stop	Per pair, 8.50

Unless otherwise ordered, $\frac{3}{8}$ -inch Iron Pipe size will always be furnished.

BATH SUPPLY PIPES




FIG. A-121. FIG. A-122. FIG. A-123. FIG. A-124. FIG. A-125.


		Supply Pipes only	Supply Pipes with No. 4½ Nickel-plated Fuller Bath Cock
Fig. A-121.	Nickel-plated -----Per pair	4.25	8.50
Fig. A-122.	Nickel-plated -----Per pair	3.75	8.00
Fig. A-123.	Nickel-plated -----Per pair	7.25	11.50
Fig. A-124.	Nickel-plated -----Per pair	7.75	12.00
Fig. A-125.	Nickel-plated -----Per pair	8.75	13.00

Supply Pipes, with Compression Double Bath Cock same price as with Fuller Bath Cock.

We recommend furnishing Supply Pipes with Bath Cocks. You will then be sure of perfect fitting joints.

STRAIGHT BASIN WASTE

WITH RUBBER STOPPER



NICKEL-PLATED
AND
POLISHED
ALL OVER

FIG. A-126.

Price ----- Each, 2.50

“IDEAL” BASIN WASTE




FIG. A-127.

Price ----- Each, 6.00

CONNECTED WASTE
AND OVERFLOW

FOR BATH TUB




FIG. A-128.

Price ----- Each, 4.00

“IDEAL” BATH WASTE




FIG. A-129.

Price ----- Each, 10.50

NICKEL-PLATED BRASS BASIN TRAPS




FIG. A-130.

Size	Inches	1¼	1½	2
Price	Each	4.80	6.00	11.00




FIG. A-131.

Size	Inches	1¼	1½	2
Price	Each	5.50	6.70	12.70




FIG. A-132.

Size	Inches	1¼	1½	2
Price	Each	4.80	6.00	11.00




FIG. A-133.

Size	Inches	1¼	1½	2
Price	Each	5.50	6.70	12.70

NICKEL-PLATED BRASS BASIN TRAPS




FIG. A-134.

Size	Inches	1¼	1½
Price	Each	8.30	10.20




FIG. A-135.

Size	Inches	1¼	1½
Price	Each	8.30	10.20

BASIN PLUGS

COMMON OVERFLOW




FIG. A-136.

WITH METAL STOPPERS			
Size	Inches	1	
Nickel-plated	Per dozen	8.50	

WITH RUBBER STOPPERS			
Size	Inches	1	1¼
Nickel-plated	Per dozen	5.50	9.00

RUBBER
OR
METAL
STOPPERS

BASIN PLUGS

PATENT OVERFLOW




FIG. A-137.

WITH METAL STOPPERS			
Size	Inches	1	
Nickel-plated	Per dozen	9.50	

WITH RUBBER STOPPERS			
Size	Inches	1	1¼
Nickel-plated	Per dozen	6.00	10.50

BATH OR SINK PLUGS




FIG. A-138.

Size ----- Inches	1	1¼	1½	2
Finished... Per dozen	15.00	16.00	26.00	40.00
Nickel-plated - Per doz	17.00	19.00	29.00	44.00

BATH OR SINK PLUGS

FOR IRON PIPE




FIG. A-139.

Size ---- - Inches	1	1¼	1½	2
Finished... Per dozen	15.00	18.00	24.00	32.00
Nickel-plated - Per doz	16.00	20.00	26.00	34.00

OVERFLOW PLUGS




FIG. A-140.

Finished-----	Per dozen, 24.00
Nickel-plated -----	Per dozen, 27.00

WASH TRAY PLUGS




FIG. A-141.

Size --- - Inches	1	1¼	1½	2
Finished... Per dozen	8.00	9.00	13.50	20.00
Nickel-plated - Per doz	9.00	10.50	15.00	22.00


BATH OR SINK PLUGS

FIG. A-142.

**BATH OR SINK PLUGS
WITH METAL STOPPERS**

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	4
Finished	Per dozen	2.00	2.50	3.00	4.00	7.00	15.00	18.00	36.00
Nickel-plated	Per dozen	2.50	3.00	3.50	4.50	8.00	17.00	21.00	40.00

**BATH OR SINK PLUGS
WITH RUBBER STOPPERS**

Size	Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Finished	Per dozen	2.00	2.25	3.50	5.00
Nickel-plated	Per dozen	2.50	2.75	4.00	6.00


WASH TRAY PLUGS

FIG. A-143.

**WASH TRAY PLUGS
WITH METAL STOPPERS**

Size	Inches	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	4
Finished	Per dozen	6.00	7.00	10.00	17.00	22.00	44.00
Nickel-plated	Per dozen	7.50	8.75	13.00	20.00	25.00	50.00

**WASH TRAY PLUGS
WITH RUBBER STOPPERS**

Size	Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2		
Finished	Per dozen	2.50	3.25	4.00	6.00		
Nickel-plated	Per dozen	3.50	4.25	5.00	7.50		

BRASS STRAINERS

FANCY




FIG. A-144.

CONVEX




FIG. A-145.

PLAIN




FIG. A-146.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	4	5	6
Fancy	Per dozen	.60	.85	1.20	1.45	1.80	2.40	3.00	4.80	9.00	12.00
Convex	Per dozen	.95	1.40	1.80	2.40	3.00	3.60	4.20	6.00	12.00	15.00
Plain	Per dozen	.60	.85	1.20	1.45	1.80	2.40	3.00	4.80	9.00	12.00

NICKEL-PLATED CHAIN STAYS




Fig. A-147	Per dozen, 2.00
Fig. A-148	Per dozen, 2.50
Fig. A-149	Per dozen, 3.00
Fig. A-150	Per dozen, 4.00
Fig. A-150, with Square under Base to fit Cock Hole	Per dozen, 4.50

BASIN CLAMPS




FIG. A-151.

Price -----Per dozen, 1.00




FIG. A-152.

Price -----Per dozen, 2.50



FIG. A-153.

CLOSET SCREWS

WITH REMOVABLE NICKEL-PLATED BRASS HEADS

Iron Screw, Nickel-plated Brass Head (Medium).....	Per dozen, 1.00
Iron Screw, Nickel-plated Brass Head (Large).....	Per dozen, 1.10
Brass Screw, Nickel-plated Brass Head (Medium)---	Per dozen, 1.20
Brass Screw, Nickel-plated Brass Head (Large)....	Per dozen, 1.30

NOTE—Closet Screws are 2¼ inches long under head.



FIG. A-154.

SLAB SCREWS
WITH WASHER




FIG. A-155.

SLAB AND CLOSET WASHERS



FIG. A-156.



FIG. A-157.

Size -----Inches	1¼	1½	2
Nickel-plated-Per doz	.70	.80	.90

Round, ¾-inch diameter, N.-P.---	Per dozen, .20
Round, 1-inch diameter, N.-P.---	Per dozen, .30
Oval, 1¼-inch long, N.-P.-----	Per dozen, .40
Oval, 1¾-inch long, N.-P.-----	Per dozen, .50

COCK HOLE COVERS




FIG. A-158.

Bath Tub size, Nickel-plated-----Each, .60

Basin size, Nickel-plated-----Each, .40

FOR SUPPLY PIPE



FIG. A-159.

ADJUSTABLE PIPE HOLDERS

Nickel-plated for ¾ Supply Pipe.....	Each, .50
Nickel-plated for 1¼ Flush Pipe.....	Each, .70
Nickel-plated for 1¾ Flush Pipe.....	Each, .70
Nickel-plated for 1½ Flush Pipe.....	Each, .70

FOR FLUSH PIPE



FIG. A-160.

NICKEL-PLATED BRASS PIPE STRAPS

PLAIN




FIG. A-161.

WITH BUMPER




FIG. A-162.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$
Plain, Iron Pipe size	Per dozen	1.20	1.30	1.40	1.60	1.80	2.00	2.20
With Bumper, Tubing size	Per dozen				2.00	2.30	2.40	2.60

SPUN BRASS FLANGES




FIG. A-163.

For Iron Pipe size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$					
For Brass Tubing size ..	Inches				$\frac{5}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	2
Nickel-plated	Each	.10	.10	.12	.10	.10	.10	.12	.20

BRASS CLOSET FLANGE




FIG. A-164.

SLIP JOINT ELBOWS




FIG. A-165.

Size	Inches	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$
Nickel-plated	Each	1.50	1.75	2.00

Complete with Bolts and Washers--Each, 1.20

BASIN, BATH AND WASH-TRAY CHAINS




FIG. A-166.

BASIN CHAINS WITH SNAPS

No. 00.	Nickel-plated, 16-inches long	Per dozen, 1.10
No. 0.	Nickel-plated, 16-inches long	Per dozen, 1.20

BATH CHAINS WITH SNAPS

No. 0.	Nickel-plated, 26-inches long	Per dozen, 1.50
No. 1.	Nickel-plated, 26-inches long	Per dozen, 1.75

WASH-TRAY CHAINS WITH SNAPS

No. 0.	Nickel-plated, 20-inches long	Per dozen, 1.25
No. 1.	Nickel-plated, 20-inches long	Per dozen, 1.40

PLUMBERS CHAIN



FIG. A-167.

(Put up in packages of 12 yards each.)

No. 00.	Nickel-plated	Per package, 1.35
No. 0.	Nickel-plated	Per package, 1.60
No. 1.	Nickel-plated	Per package, 1.95
No. 2.	Nickel-plated	Per package, 2.40

EIGHT HOOKS

SPLIT LINKS




FIG. A-169.

FIG. A-168.

Nickel-plated	Per dozen, .50
---------------	----------------

Small, Nickel-plated	Per dozen, .40
Large, Nickel-plated	Per dozen, .50

CLOSET PULLS



FIG. A-170.

Enameled, Ivory Finish	Each, .25
Enameled, Jet Finish	Each, .20
Hardwood, Oil Finish	Each, .30
Porcelain	Each, .70

CLOSET PULLS

WITH NICKEL-PLATED STATIONERY GUIDE




FIG. A-171.

Nickel-plated Guide only	Each, 2.75
With Enameled Pull	Each, 3.00
With Hardwood Pull	Each, 3.10
With Porcelain Pull	Each, 3.50

SHOWER RINGS




FIG. A-172.

Nickel-plated	Each, 3.50
---------------------	------------

BATH SPRINKLERS




FIG. A-173.

Nickel-plated	Per dozen, 3.50
---------------------	-----------------

HEAD REST FOR BATH TUB




FIG. A-174.

Nickel-plated	Each, 3.00
---------------------	------------

SOAP TRAYS FOR RIM OF BATH TUB




FIG. A-175.




FIG. A-176.

Nickel-plated ----- Each, 1.50

Nickel-plated ----- Each, 2.80

SOAP TRAYS FOR RIM OF BATH TUB




FIG. A-177.

Nickel-plated ----- Each, 2.60

SOAP CUPS FOR WALL




FIG. A-178.




FIG. A-179.

Nickel-plated ----- Each, 1.50

Nickel-plated ----- Each, 2.25

TUMBLER HOLDERS

TOOTH BRUSH HOLDERS




FIG. A-189.

Nickel-plated ----- Each, 2.40




FIG. A-181.

Nickel-plated ----- Each, 2.80

COMB AND BRUSH HOLDER



FIG. A-182.

Nickel-plated ----- Each, 3.00

SPONGE HOLDER

WHISK BROOM HOLDER




FIG. A-183.

Nickel-plated ----- Each, 2.90




FIG. A-184.

Nickel-plated ----- Each, 1.40

ROBE HOOKS



FIG. A-185.

Nickel-plated-----Each, .40

ROBE HOOKS




FIG. A-186.

Nickel-plated-----Each, .75

ROBE HOOKS




FIG. A-187.

Nickel-plated-----Each, 1.10

COAT AND HAT HOOKS



FIG. A-188.

Nickel-plated-----Each, .75

TOILET PAPER HOLDERS




FIG. A-189.

Nickel-plated-----Each, .60




FIG. A-190.

Nickel-plated-----Each, .80

TOWEL RACKS




FIG. A-191.

Diameter of Bar, 1/2 inch. Width from Wall, 2 1/2 inches.

Nickel-plated, 15 inches long	Each, 1.10
Nickel-plated, 18 inches long	Each, 1.25
Nickel-plated, 21 inches long	Each, 1.45
Nickel-plated, 24 inches long	Each, 1.60
Nickel-plated, 30 inches long	Each, 1.80




FIG. A-192.

Diameter of Bar, 1/2 inch. Width from Wall, 3 inches.

Nickel-plated, 15 inches long	Each, 1.80
Nickel-plated, 18 inches long	Each, 2.00
Nickel-plated, 21 inches long	Each, 2.15
Nickel-plated, 24 inches long	Each, 2.30
Nickel-plated, 30 inches long	Each, 2.50




FIG. A-193.

Diameter of Bar, 1/2 inch. Width from Wall, 3 inches.

Nickel-plated, 21 inches long	Each, 2.50
-------------------------------	------------




FIG. A-194.

Diameter of Bar, 1/2 inch. Width from Wall, 3 inches.

Nickel-plated, 21 inches long	Each, 3.25
-------------------------------	------------

FOLDING TOWEL RACKS



FIG. A-195.

Diameter of Bars, $\frac{1}{4}$ inch. Length of Bars, 12 inches.

Nickel-plated, with two Folding Bars	Each, 1.20
--	------------




FIG. A-196.

Diameter of Bars, $\frac{1}{4}$ inch. Length of Bars, 12 inches.

Nickel-plated, with three Folding Bars	Each, 1.50
--	------------



FIG. A-197.

Diameter of Bars, $\frac{5}{16}$ inch. Length of Bars, 14 inches.

Nickel-plated, with three Folding Bars	Each, 2.90
--	------------




FIG. A-198.

Diameter of Bars, $\frac{5}{16}$ inch. Length of Bars, 18 inches.

Nickel-plated, with two Folding Bars	Each, 2.50
--	------------

RUBBER STOPPERS



FIG. A-199.

Size ----- Inches	1	1 1/8	1 1/4	1 3/8	1 1/2
Price--Per dozen	1.00	1.10	1.20	1.40	1.60

“GOOD ” STOPPERS




FIG. A-200.

Price, Basin size -----	Per dozen, 4.20
Price, Bath Tub size -----	Per dozen, 6.00

“ ROBB ” CLOSET CONNECTIONS




FIG. A-201.

Size ----- Inches	1 1/4	1 1/2
Price-----Per dozen	2.00	2.00

“ CANFIELD ” CLOSET CONNECTIONS




FIG. A-202.

Size ----- Inches	1 1/4	1 1/2
Price -- - Per dozen	3.00	3.00

“ OHLIGER ” BASIN CONNECTIONS




FIG. A-203.

Size ----- Inches	1 1/4	1 1/2
Price - - - - Per dozen	2.00	2.00

BASIN GASKETS




FIG. A-204.

Price -----	Per dozen, .50
-------------	----------------

SINK GASKETS




FIG. A-205.

Price	Per dozen, 1.00
-------------	-----------------

FLOOR GASKETS




FIG. A-206.

Size	Inches	4x6x 1/8	4 1/4 x 7 x 1/8
Price	Per dozen	.15	.20

SYPHON VALVE WASHERS



FIG. A-207.

Size	Inches	1 1/4	1 1/2
Price	Per dozen	.90	1.00

BASIN AND BATH
WASTE WASHERS




FIG. A-208.

Size	Inches	1	1 1/4	1 1/2
Price	Per dozen	.35	.45	.50

TACK BUMPERS



FIG. A-209.

Size	Inches	3/8	1/2	5/8
Price	Per dozen	.10	.15	.20

SCREW BUMPERS



FIG. A-210.

Size	Inches	3/4	7/8	1
Price	Per dozen	.40	.50	.60

RUBBER TUBING




FIG. A—211.

Size ----- Inches	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Pure Rubber ----- Per Foot	.08	.12	.16	.18	.20	.25	.30	.35
Cloth Insertion ----- Per Foot	.10	.14	.18	.20	.23	.28	.33	.38

SLIP JOINT WASHERS




FIG. A—212.

All sizes ----- Per dozen, .60

BIBB WASHERS



FIG. A—213.

All sizes ---- Per dozen, .20

GAUGE GLASS WASHERS
AND
HOSE GASKETS



FIG. A—214.

GAUGE GLASS WASHERS

Size ----- Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Square ----- Per dozen	.40	.40	.40
Round ----- Per dozen	.60	.60	.60

HOSE GASKETS

Size ----- Inches	$\frac{3}{4}$	1
Price ----- Per dozen	.20	.30

RICKETT'S WATER CLOSET CONNECTIONS

FOR $1\frac{1}{4}$ SUPPLY




FIG. A-215.

Full length, from Face to Back --- 4 inches
Price ----- Per dozen, 10.00

FOR $1\frac{1}{4}$ SUPPLY




FIG. A-216.

Full length, from Face to Back --- 5 inches
Price ----- Per dozen, 11.00

FOR $1\frac{1}{4}$ INCH SUPPLY




FIG. A-217.

Price ----- Per dozen, 7.00

TO SLIP OVER $1\frac{1}{2}$ INCH LEAD OR IRON PIPE




FIG. A-218.

With $1\frac{1}{2}$ -inch Nut ----- Per dozen, 9.00
With 2-inch Nut ----- Per dozen, 11.00

FOR 2-INCH VENT, TO SLIP OVER $1\frac{1}{2}$ INCH
LEAD PIPE




FIG. A-219.

Price ----- Per dozen, 15.00

FOR $1\frac{1}{4}$ INCH SUPPLY




FIG. A-220.

Price ----- Per dozen, 7.00

FOR 2-INCH VENT




FIG. A-221.

Price ----- Per dozen, 14.00

FOR $1\frac{1}{4}$ INCH SUPPLY




FIG. A-222.

Price ----- Per dozen, 7.00

LEAD PIPE




FIG. A-223.

INSIDE DIAMETER INCHES		WEIGHT PER FOOT		INSIDE DIAMETER INCHES		WEIGHT PER FOOT				
		POUNDS	OUNCES			POUNDS	OUNCES			
1/8	Tubing-----		3 1/2	1	Aqueduct-----	1	8			
1/4	Light-----		6		Extra Light-----	2				
	Strong-----		8		Light-----	2	8			
	Extra Strong-----		12		Medium-----	3	4			
3/8	Aqueduct-----		8		Strong-----	4				
	Extra Light-----		9	Extra Strong-----	4	12				
	Light-----		12	Extra Extra Strong-----	5	8				
	Medium-----	1		Aqueduct-----	2					
	Strong-----	1	8	Extra Light-----	2	8				
1/2	Extra Strong-----	2		1 1/4	Light-----	3				
	Extra Extra Strong-----	2	8		Medium-----	3	12			
	Aqueduct-----		10		Strong-----	4	12			
	Extra Light-----		12		Extra Strong-----	6				
	Light-----	1	4		Extra Extra Strong-----	6	12			
5/8	Medium-----	1	12	1 1/2	Aqueduct-----	3				
	A A-----	2			Extra Light-----	3	8			
	Extra Strong-----	2	8		Light-----	4				
	Extra Extra Strong-----	3			Medium-----	5				
	Aqueduct-----		12		Strong-----	6				
3/4	Extra Light-----	1	4	2	Extra Strong-----	7	8			
	Light-----	1	12		Extra Extra Strong-----	9				
	Medium-----	2			Waste-----	3				
	Strong-----	2	8		Extra Light-----	4				
	Extra Strong-----	3			Light-----	5				
7/8	Extra Extra Strong-----	3	8	2 1/2	Medium-----	7				
	Aqueduct-----				Strong-----	8				
	Extra Light-----				Extra Strong-----	9				
	Light-----				Extra Extra Strong-----	10	8			
	Medium-----				Waste-----	4				
1	Strong-----			3	Extra Light-----	4				
	Extra Strong-----				Light-----	5				
	Extra Extra Strong-----				Medium-----	7				
	Aqueduct-----				Strong-----	8				
	Extra Light-----				Extra Strong-----	9				
1 1/8	Light-----			3 1/2	Extra Extra Strong-----	10	8			
	Medium-----				Waste-----	3	8			
	Strong-----				Waste-----	5				
	Extra Strong-----				Waste-----	5				
	Extra Extra Strong-----				Waste-----	6				
1 1/4	Aqueduct-----			4	Waste-----	8				
	Extra Light-----				4 1/2	Waste-----	8			
	Light-----					5	Waste-----	10		
	Medium-----						6	Waste-----		
	Strong-----							6 1/2	Waste-----	
Extra Strong-----			6 3/4	Waste-----						
Extra Extra Strong-----				7	Waste-----					
Aqueduct-----					7 1/4	Waste-----				
Extra Light-----						7 1/2	Waste-----			
Light-----							7 3/4	Waste-----		
Medium-----			8					Waste-----		
Strong-----				8 1/4				Waste-----		
Extra Strong-----					8 1/2			Waste-----		
Extra Extra Strong-----						8 3/4		Waste-----		
Aqueduct-----							9	Waste-----		
Extra Light-----			9 1/4					Waste-----		
Light-----				9 1/2				Waste-----		
Medium-----					9 3/4			Waste-----		
Strong-----						10		Waste-----		
Extra Strong-----							10 1/4	Waste-----		
Extra Extra Strong-----			10 1/2					Waste-----		
Aqueduct-----				10 3/4				Waste-----		
Extra Light-----					11			Waste-----		
Light-----						11 1/4		Waste-----		
Medium-----							11 1/2	Waste-----		
Strong-----			11 3/4					Waste-----		
Extra Strong-----				12				Waste-----		
Extra Extra Strong-----					12 1/4			Waste-----		
Aqueduct-----						12 1/2		Waste-----		
Extra Light-----							12 3/4	Waste-----		
Light-----			13					Waste-----		
Medium-----				13 1/4				Waste-----		
Strong-----					13 1/2			Waste-----		
Extra Strong-----						13 3/4		Waste-----		
Extra Extra Strong-----							14	Waste-----		
Aqueduct-----			14 1/4					Waste-----		
Extra Light-----				14 1/2				Waste-----		
Light-----					14 3/4			Waste-----		
Medium-----						15		Waste-----		
Strong-----							15 1/4	Waste-----		
Extra Strong-----			15 1/2					Waste-----		
Extra Extra Strong-----				15 3/4				Waste-----		
Aqueduct-----					16			Waste-----		
Extra Light-----						16 1/4		Waste-----		
Light-----							16 1/2	Waste-----		
Medium-----			16 3/4					Waste-----		
Strong-----				17				Waste-----		
Extra Strong-----					17 1/4			Waste-----		
Extra Extra Strong-----						17 1/2		Waste-----		
Aqueduct-----							17 3/4	Waste-----		
Extra Light-----			18					Waste-----		
Light-----				18 1/4				Waste-----		
Medium-----					18 1/2			Waste-----		
Strong-----						18 3/4		Waste-----		
Extra Strong-----							19	Waste-----		
Extra Extra Strong-----			19 1/4					Waste-----		
Aqueduct-----				19 1/2				Waste-----		
Extra Light-----					19 3/4			Waste-----		
Light-----						20		Waste-----		
Medium-----							20 1/4	Waste-----		
Strong-----			20 1/2					Waste-----		
Extra Strong-----				20 3/4				Waste-----		
Extra Extra Strong-----					21			Waste-----		
Aqueduct-----						21 1/4		Waste-----		
Extra Light-----							21 1/2	Waste-----		
Light-----			21 3/4					Waste-----		
Medium-----				22				Waste-----		
Strong-----					22 1/4			Waste-----		
Extra Strong-----						22 1/2		Waste-----		
Extra Extra Strong-----							22 3/4	Waste-----		
Aqueduct-----			23					Waste-----		
Extra Light-----				23 1/4				Waste-----		
Light-----					23 1/2			Waste-----		
Medium-----						23 3/4		Waste-----		
Strong-----							24	Waste-----		
Extra Strong-----			24 1/4					Waste-----		
Extra Extra Strong-----				24 1/2				Waste-----		
Aqueduct-----					24 3/4			Waste-----		
Extra Light-----						25		Waste-----		
Light-----							25 1/4	Waste-----		
Medium-----			25 1/2					Waste-----		
Strong-----				25 3/4				Waste-----		
Extra Strong-----					26			Waste-----		
Extra Extra Strong-----						26 1/4		Waste-----		
Aqueduct-----							26 1/2	Waste-----		
Extra Light-----			26 3/4					Waste-----		
Light-----				27				Waste-----		
Medium-----					27 1/4			Waste-----		
Strong-----						27 1/2		Waste-----		
Extra Strong-----							27 3/4	Waste-----		
Extra Extra Strong-----			28					Waste-----		
Aqueduct-----				28 1/4				Waste-----		
Extra Light-----					28 1/2			Waste-----		
Light-----						28 3/4		Waste-----		
Medium-----							29	Waste-----		
Strong-----			29 1/4					Waste-----		
Extra Strong-----				29 1/2				Waste-----		
Extra Extra Strong-----					29 3/4			Waste-----		
Aqueduct-----						30		Waste-----		
Extra Light-----							30 1/4	Waste-----		
Light-----			30 1/2					Waste-----		
Medium-----				30 3/4				Waste-----		
Strong-----					31			Waste-----		
Extra Strong-----						31 1/4		Waste-----		
Extra Extra Strong-----							31 1/2	Waste-----		
Aqueduct-----			31 3/4					Waste-----		
Extra Light-----				32				Waste-----		
Light-----					32 1/4			Waste-----		
Medium-----						32 1/2		Waste-----		
Strong-----							32 3/4	Waste-----		
Extra Strong-----			33					Waste-----		
Extra Extra Strong-----				33 1/4				Waste-----		
Aqueduct-----					33 1/2			Waste-----		
Extra Light-----						33 3/4		Waste-----		
Light-----							34	Waste-----		
Medium-----			34 1/4					Waste-----		
Strong-----				34 1/2				Waste-----		
Extra Strong-----					34 3/4			Waste-----		
Extra Extra Strong-----						35		Waste-----		
Aqueduct-----							35 1/4	Waste-----		
Extra Light-----			35 1/2					Waste-----		
Light-----				35 3/4				Waste-----		
Medium-----					36			Waste-----		
Strong-----						36 1/4		Waste-----		
Extra Strong-----							36 1/2	Waste-----		
Extra Extra Strong-----			36 3/4					Waste-----		
Aqueduct-----				37				Waste-----		
Extra Light-----					37 1/4			Waste-----		
Light-----						37 1/2		Waste-----		
Medium-----							37 3/4	Waste-----		
Strong-----			38					Waste-----		
Extra Strong-----				38 1/4				Waste-----		
Extra Extra Strong-----					38 1/2			Waste-----		
Aqueduct-----						38 3/4		Waste-----		
Extra Light-----							39	Waste-----		
Light-----			39 1/4					Waste-----		
Medium-----				39 1/2				Waste-----		
Strong-----					39 3/4			Waste-----		
Extra Strong-----						40		Waste-----		
Extra Extra Strong-----							40 1/4	Waste-----		
Aqueduct-----			40 1/2					Waste-----		
Extra Light-----				40 3/4				Waste-----		
Light-----					41			Waste-----		
Medium-----						41 1/4		Waste-----		
Strong-----							41 1/2	Waste-----		
Extra Strong-----			41 3/4					Waste-----		
Extra Extra Strong-----				42				Waste-----		
Aqueduct-----					42 1/4			Waste-----		
Extra Light-----						42 1/2		Waste-----		
Light-----							42 3/4	Waste-----		
Medium-----			43					Waste-----		
Strong-----				43 1/4				Waste-----		
Extra Strong-----					43 1/2			Waste-----		
Extra Extra Strong-----						43 3/4		Waste-----		
Aqueduct-----							44	Waste-----		
Extra Light-----			44 1/4					Waste-----		
Light-----				44 1/2				Waste-----		
Medium-----					44 3/4			Waste-----		
Strong-----						45		Waste-----		
Extra Strong-----							45 1/4	Waste-----		
Extra Extra Strong-----			45 1/2					Waste-----		
Aqueduct-----				45 3/4				Waste-----		
Extra Light-----					46			Waste-----		
Light-----						46 1/4		Waste-----		
Medium-----							46 1/2	Waste-----		
Strong-----			46 3/4					Waste-----		
Extra Strong-----				47				Waste-----		
Extra Extra Strong-----					47 1/4			Waste-----		
Aqueduct-----						47 1/2		Waste-----		
Extra Light-----							47 3/4	Waste-----		
Light-----			48					Waste-----		
Medium-----				48 1/4				Waste-----		
Strong-----					48 1/2			Waste-----		
Extra Strong-----						48 3/4		Waste-----		
Extra Extra Strong-----							49	Waste-----		
Aqueduct-----			49 1/4					Waste-----		
Extra Light-----				49 1/2				Waste-----		
Light-----					49 3/4			Waste-----		
Medium-----						50		Waste-----		
Strong-----							50 1/4	Waste-----		
Extra Strong-----			50 1/2					Waste-----		
Extra Extra Strong-----				50 3/4				Waste-----		
Aqueduct-----					51			Waste-----		
Extra Light-----						51 1/4		Waste-----		
Light-----							51 1/2	Waste-----		
Medium-----			51 3/4					Waste-----		
Strong-----				52				Waste-----		
Extra Strong-----					52 1/4			Waste-----		
Extra Extra Strong-----						52 1/2		Waste-----		
Aqueduct-----							52 3/4	Waste-----		
Extra Light-----			53					Waste-----		
Light-----				53 1/4				Waste-----		
Medium-----					53 1/2			Waste-----		
Strong-----						53 3/4		Waste-----		
Extra Strong-----							54	Waste-----		
Extra Extra Strong-----			54 1/4					Waste-----		
Aqueduct-----				54 1/2				Waste-----		
Extra Light-----					54 3/4			Waste-----		
Light-----						55		Waste-----		
Medium-----							55 1/4	Waste-----		
Strong-----			55 1/2					Waste-----		
Extra Strong-----				55 3/4				Waste-----		
Extra Extra Strong-----					56			Waste-----		
Aqueduct-----						56 1/4		Waste-----		
Extra Light-----							56 1/2	Waste-----		
Light-----			56 3/4					Waste-----		
Medium-----				57				Waste-----		
Strong-----					57 1/4			Waste-----		
Extra Strong-----						57 1/2		Waste-----		
Extra Extra Strong-----							57 3/4	Waste-----		
Aqueduct-----			58					Waste-----		
Extra Light-----				58 1/4				Waste-----		
Light-----					58 1/2			Waste-----		
Medium-----						58 3/4		Waste-----		
Strong-----							59	Waste-----		
Extra Strong-----			59 1/4					Waste-----		

SHEET LEAD




FIG. A-224.

DIMENSIONS AND WEIGHTS OF SHEET LEAD

Thickness,Inches	Weight, per Square Foot.	Thickness,Inches	Weight, per Square Foot.
1-32	2 pounds	1-10	6 pounds
1-24	2½ pounds	1-9	7 pounds
1-20	3 pounds	1-8	8 pounds
1-18	3½ pounds	1-7	9 pounds
1-16	4 pounds	1-6	10 pounds
1-14	4½ pounds	3-16	11 pounds
1-12	5 pounds	1-5	12 pounds

PIG LEAD



FIG. A-225.

In Pigs (about 80 pounds).....	Market Prices
In Blocks (about 5 pounds).....	Market Prices

BLOCK TIN




FIG. A-226.

In Pigs (about 100 pounds).....	Market Prices
In Bars (about 1½ pounds).....	Market Prices

SOLDER



FIG. A-227.

50-50 (Half and Half).....	Market Prices
40-60 (Refined Metal)	Market Prices

COMBINATION SOLDERING NIPPLE

(LEAD AND BRASS)



FIG. A-228.

Length --- Inches	4	6	8	10	12	14	16	18	20	24
1¼-inch ----- Each	.30	.35	.38	.42	.45	.50	.55	.60	.65	.75
1½-inch ----- Each	.36	.40	.45	.50	.55	.60	.65	.70	.75	.85
2-inch ----- Each	.50	.55	.60	.65	.70	.75	.83	.88	.93	1.05
3-inch ----- Each		1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.90
4-inch ----- Each	1.20	1.30	1.40	1.50	1.65	1.80	1.90	2.05	2.20	2.45
4-inch, extra heavy Each	1.25	1.40	1.50	1.60	1.75	1.90	2.05	2.20	2.40	2.70

COMBINATION FERRULE

(LEAD AND IRON)




FIG. A-229.

Length----- Each	4	5	6	8	10	12	14	16	18	20	24
1¼-inch, for 2-inch C. I. P----- Each		.38	.43	.49	.56	.61	.65	.70	.75	.80	.90
2-inch, for 2-inch C. I. P----- Each	.22	.32	.37	.43	.50	.55	.60	.65	.70	.75	.85
3-inch, for 3-inch C. I. P----- Each	.32	.45	.50	.60	.70	.80	.90	1.00	1.05	1.10	1.25
4-inch, for 4-inch C. I. P----- Each	.38	.50	.60	.72	.83	.95	1.00	1.10	1.20	1.30	1.50

LEAD BENDS

SHORT



FIG. A-230.

LONG




FIG. A-231.

SHORT LEAD BENDS

		STANDARD WEIGHT				
Size-----	Inches	1¼	1½	2	3	4
Price-----	Each	.22	.30	.45	.75	1.10

LONG LEAD BENDS

		STANDARD WEIGHT				
Size-----	Inches	1¼	1½	2	3	4
Price-----	Each	.28	.35	.60	.95	1.40

EXTENSION BENDS




FIG. A-232.

SHORT INLET EXTENSION BENDS

		STANDARD WEIGHT				
Size-----	Inches	1¼	1½	2	3	4
12-inch Outlet Ends-----	Each	.40	.45	.70	1.05	1.40
15-inch Outlet Ends-----	Each	.45	.55	.80	1.25	1.65
18-inch Outlet Ends-----	Each	.50	.60	.90	1.45	1.90
20-inch Outlet Ends-----	Each	.55	.65	1.00	1.55	2.05
For lengths not listed, add for each excess inch		.03	.04	.06	.08½	.11

LONG INLET EXTENSION BENDS

		STANDARD WEIGHT				
Size-----	Inches	1¼	1½	2	3	4
12-inch Outlet Ends-----	Each	.45	.55	.85	1.30	1.75
15-inch Outlet Ends-----	Each	.50	.65	.95	1.50	2.00
18-inch Outlet Ends-----	Each	.55	.70	1.10	1.70	2.25
20-inch Outlet Ends-----	Each	.60	.75	1.20	1.80	2.40
For lengths not listed, add for each excess inch		.03	.04	.06	.08½	.11

LEAD TRAPS

RUNNING TRAP




FIG. A-233.

RUNNING "Y" TRAP




FIG. A-234.

FULL "S" TRAP




FIG. A-235.


 $\frac{1}{2}$ "S" OR "P" TRAP

FIG. A-236.


 $\frac{3}{4}$ "S" TRAP

FIG. A-237.

BAG TRAP



FIG. A-238.

Size ----- Inches	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	3	4
Running Trap, Standard Weight ----- Each	.40	.50	.80	1.40	1.70
Running "Y" Trap, Standard Weight ----- Each	.45	.55	.95	1.70	2.15
Full "S" Trap, Standard Weight ----- Each	.50	.60	1.05	1.85	2.40
$\frac{1}{2}$ "S" or "P" Trap, Standard Weight ----- Each	.45	.55	.95	1.60	1.85
$\frac{3}{4}$ "S" Trap, Standard Weight ----- Each	.50	.60	1.05	1.85	2.40
Bag Trap, Standard Weight ----- Each	.60	.80	1.35	2.15	3.45

VENTED LEAD TRAPS

RUNNING TRAP




FIG. A-239.

FULL "S" TRAP




FIG. A-240.

1/2 "S" OR "P" TRAP




FIG. A-241.

3/4 "S" TRAP




FIG. A-242.

VENTED LEAD TRAPS, STANDARD WEIGHT

Size Trap	Inches	1 1/4	1 1/2	2	2
Size Vent	Inches	1 1/4	1 1/2	1 1/2	2
Running Trap	Each	.95	1.20	1.50	1.80
Full "S" Trap	Each	1.05	1.30	1.75	2.05
1/2 "S" or "P" Trap	Each	1.00	1.25	1.65	1.95
3/4 "S" Trap	Each	1.05	1.30	1.75	2.05

LONG OUTLET "S" TRAP



FIG. A-243.

LONG OUTLET 1/2 "S" OR "P" TRAP




FIG. A-244.

EXTRA LONG LEAD TRAPS, STANDARD WEIGHT

Size	Inches	1 1/4	1 1/2	2
Long Outlet "S" Traps	Each	.90	1.05	1.65
Long Inlet "S" Traps	Each	.90	1.05	1.65
Long Outlet 1/2 "S" or "P" Traps	Each	.70	.80	1.25
Long Inlet 1/2 "S" or "P" Traps	Each	.75	.85	1.35
For Traps longer than regular Extra Long Traps, add for each inch in excess03	.04	.06

DRUM TRAPS



FIG. A-245.




FIG. A-246.



FIG. A-247.




FIG. A-248.



FIG. A-249.



FIG. A-250.

	FIG A 245	FIG A 246	FIG A 247	FIG A 248	FIG A 249	FIG A 250
4x8 with Brass Screw ----- Each	1.22	1.42	1.82	2.02	1.92	2.12
6x10 with Brass Screw ----- Each	2.80	3.00	3.40	3.60	3.50	3.70
4x8 with Nickel-plated Screw ----- Each	1.52	1.77	2.27	2.57	2.37	2.67
6x10 with Nickel-plated Screw ----- Each	3.10	3.35	3.85	4.15	3.95	4.25

FULL "S" TRAP

WITH LONG OUTLET AND LONG VENT




FIG. A-251.

HALF "S" OR "P" TRAP

WITH LONG OUTLET AND LONG VENT




FIG. A-252.

LEAD TRAPS

WITH LONG OUTLETS AND LONG VENTS

STANDARD WEIGHT

Size Trap.....Inches	1¼	1½	2	2
Size Vent.....Inches	1¼	1½	1½	2
Full "S" Trap.....Each	1.70	2.05	2.65	3.10
½ "S" or "P" Trap.....Each	1.50	1.80	2.25	2.70

CUDELL LEAD TRAPS

FULL "S"




FIG. A-253.

RUNNING BATH




FIG. A-254.

"S". ½"S" ¾"S" RUNNING AND BATH TRAPS

INLET	OUTLET		NO VENT	VENTED
1 inch	1¼ inch	Price.....Each	1.00	1.20
1¼ inch	1¼ inch	Price.....Each	1.00	1.20
1¼ inch	1½ inch	Price.....Each	1.25	1.50
1½ inch	1½ inch	Price.....Each	1.25	1.50
1½ inch	2 inch	Price.....Each	1.35	1.60

BOWER TRAPS

FULL "S"




FIG. A-255.

1/2 "S" OR "P"




FIG. A-256.

Size Inlet-----	Inches	1	1¼	1½	1¾	2
Size Outlet-----	Inches	1¼	1½	1¾	2	2½
Full "S" with Lead Cup-----	Each	1.65	1.70	1.75	2.15	2.25
Full "S" with Glass Cup-----	Each	1.45	1.50	1.55	1.90	2.00
Full "S" with Brass Cup-----	Each	1.85	1.90	1.95	2.40	2.50
½ "S" or "P" with Lead Cup-----	Each	1.60	1.65	1.70	2.05	2.15
½ "S" or "P" with Glass Cup-----	Each	1.40	1.45	1.50	1.80	1.90
½ "S" or "P" with Brass Cup-----	Each	1.80	1.85	1.90	2.30	2.40
Running with Lead Cup-----	Each		1.70		2.15	
Running with Glass Cup-----	Each		1.55		1.90	
Running with Brass Cup-----	Each		1.90		2.40	
REPAIRS {	Lead Cups only-----	Each	.40		.50	
	Glass Cups only-----	Each	.15		.25	
	Brass Cups only-----	Each	.50		.65	
	Rubber Washers only-----	Each	.03		.06	
	Rubber Balls only-----	Each	.15		.20	




FIG. A-257.

McCLELLAN ANTI-SYPHON TRAP VENTS

Size-----	Inches	1½	2
Plain Iron-----	Each	2.70	4.10
Polished Brass-----	Each	4.50	6.75
Nickel-plated-----	Each	5.50	8.25

Prices include Mercury for Seal.

“CLEAN SWEEP” TRAPS




FIG. A-258.

“CLEAN SWEEP” FULL “S” TRAPS

Price, 1¼-inch	Each, .80
Price, 1½-inch	Each, .95
Price, 2-inch	Each, 1.50




FIG. A-259.

“CLEAN SWEEP” ½“S” OR ‘P’ TRAPS

Price, 1¼-inch	Each, .75
Price, 1½-inch	Each, .90
Price, 2-inch	Each, 1.30



FIG. A-260.

CLEAN SWEEP” FULL “S” TRAPS

VENTED

Price, 1¼-inch	Each, 1.20
Price, 1½-inch	Each, 1.35
Price, 2-inch	Each, 2.00

“CLEAN SWEEP” TRAPS




FIG. A-261.

“CLEAN SWEEP” RUNNING TRAPS

LEAD BODY, NICKEL-PLATED TRAP SCREW

Price, 1 ¼-inch	Each, 1.00
Price, 1 ½-inch	Each, 1.30




FIG. A-262.

“CLEAN SWEEP” RUNNING TRAPS

LEAD BODY, ROUGH BRASS TRAP SCREW

Price, 1 ¼-inch	Each, .85
Price, 1 ½-inch	Each, 1.05




FIG. A-263.

“CLEAN SWEEP” RUNNING TRAPS

LEAD BODY, NICKEL-PLATED TOP AND VENT

Price, 1 ¼-inch	Each, 1.50
Price, 1 ½-inch	Each, 1.80

TRAP SCREWS




FIG. A-264.

Size-----Inches	1	1¼	1½	2	2½	3	3½	4
Brass-----Per dozen	2.50	3.00	4.00	7.00	10.00	15.00	18.00	20.00
Nickel-plated-----Per dozen			7.50	11.00	15.00	20.00	23.50	26.00

BRASS END FERRULES

STRAIGHT



FIG. A-265.

⅛ BEND




FIG. A-266.

¼ BEND




FIG. A-267.

Size-----Inches	2x1½	2	3	4	5	6
Straight or Reducing...Per dozen	5.00	5.00	10.00	15.00	24.00	36.00
Eighth Bend-----Per dozen		12.00		24.00		
Quarter Bend-----Per dozen		15.00		27.00		

END FERRULES

WITH TRAP SCREW



FIG. A-268.

Size-----Inches	2	3	4	5	6
Iron Body with Brass Screw-----Per dozen	3.60	4.80	6.00	9.60	14.40
Brass Body with Brass Screw-----Per dozen	10.00	18.00	24.00	48.00	69.00

CAST IRON SOIL PIPE

SINGLE HUB



FIG. A—269.

INSIDE DIAMETER	LENGTH	PRICE PER FOOT STANDARD	PRICE PER FOOT EXTRA HEAVY
2-Inch	5-Foot	.24	.35
3-Inch	5-Foot	.30	.55
4-Inch	5-Foot	.40	.75
5-Inch	5-Foot	.50	1.00
6-Inch	5-Foot	.60	1.20
8-Inch	5-Foot	1.25	2.25
10-Inch	5-Foot	2.00	3.00
12-Inch	5-Foot	3.00	4.00

CAST IRON SOIL PIPE

DOUBLE HUB



FIG. A—270.

INSIDE DIAMETER	LENGTH	PRICE PER FOOT STANDARD	PRICE PER FOOT EXTRA HEAVY
2-Inch	5-Foot	.30	.41
3-Inch	5-Foot	.36	.61
4-Inch	5-Foot	.46	.81
5-Inch	5-Foot	.56	1.06
6-Inch	5-Foot	.66	1.26
8-Inch	5-Foot	1.45	2.55
10-Inch	5-Foot	2.40	3.60

¼ BEND




FIG. A-271.

1/6 BEND




FIG. A-272.

1/8 BEND




FIG. A-273.

1/16 BEND



FIG. A-274.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch	.40	.50
3-Inch	.55	.70
4-Inch	.75	1.10
5-Inch	1.00	1.35
6-Inch	1.20	1.75
8-Inch	3.00	4.00
10-Inch	4.00	5.00

LONG ¼ BEND




FIG. A-275.

SIZE	LENGTH IN CLEAR	PRICE EACH	PRICE EACH
		STANDARD	EXTRA HEAVY
2-Inch	18-Inch	1.10	1.40
3-Inch	18-Inch	1.25	2.00
4-Inch	18-Inch	1.50	2.25
4-Inch	24-Inch	2.00	3.00

¼ BEND, DOUBLE HUB




FIG. A-276.

1/8 BEND, DOUBLE HUB




FIG. A-277.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch	.70	.80
3-Inch	.85	1.00
4-Inch	.95	1.40
5-Inch	1.30	1.65
6-Inch	1.50	2.05

QUARTER BEND

WITH SIDE INLET




FIG. A-278.

QUARTER BEND

WITH HEEL INLET




FIG. A-279.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch, with 2-Inch Side or Heel Inlet-----	.90	1.00
3-Inch, with 2-Inch Side or Heel Inlet-----	1.05	1.20
4-Inch, with 2-Inch Side or Heel Inlet-----	1.25	1.60
4-inch, with 3-Inch Side or Heel Inlet--	1.35	1.70

NOTE—Quarter Bends can be furnished with either Right or Left Side Inlet, but unless otherwise ordered, will always be sent with Inlet on Right Side, as shown in cut.

“T” BRANCH




FIG. A-280.

SANITARY “T” BRANCH




FIG. A-281.

“Y” BRANCH




FIG. A-282.

½ “Y” BRANCH




FIG. A-283.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 2	.60	.80
3 x 3	.80	1.25
3 x 2	.80	1.25
4 x 4	1.20	1.60
4 x 3	1.20	1.60
4 x 2	1.20	1.60
5 x 5	1.60	2.25
5 x 4	1.60	2.25
5 x 3	1.60	2.25
5 x 2	1.60	2.25
6 x 6	2.00	3.25
6 x 4	2.00	3.25
6 x 3	2.00	3.25
6 x 2	2.00	3.25

LONG SANITARY "T"




FIG. A-284.

LONG "Y" BRANCH




FIG. A-285.

SIZE, INCHES	LENGTH IN CLEAR	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
4 x 4	18 Inches	2.25	3.25
4 x 4	24 Inches	2.50	3.50
4 x 4	30 Inches	3.00	4.75
4 x 4	36 Inches	3.50	5.25
5 x 4	24 Inches	3.25	4.50
5 x 4	30 Inches	4.00	5.50
5 x 4	36 Inches	4.75	6.75
6 x 4	24 Inches	4.25	5.50
6 x 4	30 Inches	5.25	7.25
6 x 4	36 Inches	6.25	9.00

"Y" BRANCH

WITH SIDE INLET




FIG. A-286.

SANITARY "T"

WITH SIDE INLET




FIG. A-287.

SIZE, INCHES	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
4 x 4, with 2-Inch Inlet	1.70	2.10
4 x 3, with 2-Inch Inlet	1.70	2.10
4 x 2, with 2-Inch Inlet	1.70	2.10
5 x 5, with 2-Inch Inlet	2.10	2.75
5 x 4, with 2-Inch Inlet	2.10	2.75
5 x 3, with 2-Inch Inlet	2.10	2.75
6 x 6, with 2-Inch Inlet	2.50	3.75
6 x 5, with 2-Inch Inlet	2.50	3.75
6 x 4, with 2-Inch Inlet	2.50	3.75
6 x 2, with 2-Inch Inlet	2.50	3.75

NOTE—"Y" Branches and "Sanitary 'T's" can be furnished with either Right or Left Side Inlet, but unless otherwise ordered, will always be sent with Inlet on Right Side.

CROSS




FIG. A-288.

SANITARY CROSS




FIG. A-289.

DOUBLE "Y" BRANCH




FIG. A-290.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 2	1.00	1.25
3 x 3	1.25	1.60
3 x 2	1.25	1.60
4 x 4	1.65	2.00
4 x 3	1.65	2.00
4 x 2	1.65	2.00
5 x 5	2.25	3.00
5 x 4	2.25	3.00
5 x 3	2.25	3.00
5 x 2	2.25	3.00
6 x 4	3.00	4.00
6 x 2	3.00	4.00

SINGLE HUB




FIG. A-291.

DOUBLE HUB




FIG. A-292.

STRAIGHT SLEEVE




FIG. A-293.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch	.30	.40
3-Inch	.45	.55
4-Inch	.65	.75
5-Inch	.75	.90
6-Inch	.80	1.15
8-Inch	2.50	3.50
10-Inch	3.50	4.50

REDUCER




FIG. A—294.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
3 x 2	.45	.55
4 x 3	.65	.75
4 x 2	.65	.75
5 x 4	.75	.90
5 x 3	.75	.90
5 x 2	.75	.90
6 x 5	.80	1.15
6 x 4	.80	1.15
6 x 3	.80	1.15
6 x 2	.80	1.15
8 x 6	2.50	3.50
8 x 4	2.50	3.50

SHORT INCREASER

TAPPED



FIG. A—295.

SIZE, INCHES	PRICE EACH
	EXTRA HEAVY
1½ to 2	.85
1½ to 3	1.00
2 to 3	1.00
1½ to 4	1.20
2 to 4	1.20

INCREASER

FOR CALKING



FIG. A—296.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 to 3	.70	1.00
2 to 4	.90	1.25
2 to 5	1.15	1.75
3 to 4	.90	1.25
3 to 5	1.15	1.75
4 to 5	1.15	1.75
4 to 6	1.25	2.25
5 to 6	1.25	2.25
6 to 8	2.00	5.00

INCREASER AND VENTILATING BRANCH

WITH STRAIGHT SIDE OUTLET TAPPED




FIG. A—297.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 4, tapped for 1½-Inch Pipe	2.15	2.65
2 x 4, tapped for 2 -Inch Pipe	2.25	2.75
4 x 6, tapped for 1½-Inch Pipe	2.75	3.50
4 x 6, tapped for 2 -Inch Pipe	2.90	3.65
4 x 6, tapped for 3 -Inch Pipe	3.50	4.25

SANITARY "T"




FIG. A-298.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch, tapped for 1½-Inch Pipe	1.00	1.20
2-Inch, tapped for 2 -Inch Pipe	1.05	1.25
3-Inch, tapped for 1½-Inch Pipe	1.90	2.35
3-Inch, tapped for 2 -Inch Pipe	2.00	2.45
4-Inch, tapped for 1½-Inch Pipe	2.10	2.50
4-Inch, tapped for 2 -Inch Pipe	2.25	2.65
4-Inch, tapped for 2½-Inch Pipe	2.50	2.90
4-Inch, tapped for 3 -Inch Pipe	2.75	3.15

"T" BRANCH



FIG. A-299.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch, tapped for 1½-Inch Pipe	.80	1.00
2-Inch, tapped for 2 -Inch Pipe	.90	1.10
3-Inch, tapped for 1½-Inch Pipe	1.70	2.15
3-Inch, tapped for 2 -Inch Pipe	1.80	2.25
4-Inch, tapped for 1½-Inch Pipe	1.85	2.25
4-Inch, tapped for 2 -Inch Pipe	1.95	2.35
4-Inch, tapped for 2½-Inch Pipe	2.20	2.75
4-Inch, tapped for 3 -Inch Pipe	2.50	3.00

VENTILATING
BRANCH




FIG. A-300.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 2	.80.	1.25
3 x 2	1.25	1.75
4 x 2	1.50	2.00
4 x 3	1.50	2.00
5 x 2	2.00	2.75
5 x 4	2.00	2.75
6 x 4	3.00	4.00

"T" BRANCH

WITH HAND HOLE FOR
CLEANING OUT




FIG. A-301.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 2	.75	1.00
3 x 3	1.00	1.50
4 x 4	1.25	1.75
5 x 5	1.75	2.25
6 x 6	2.25	3.00

LONG INCREASERS

TAPPED




FIG. A-302.

SIZE, INCHES	PRICE EACH
	EXTRA HEAVY
1½ to 4 24 Inches long	2.50
2 to 4 24 Inches long	2.60

LONG INCREASERS

TAPPED ON SIDE




FIG. A-303.

SIZE, INCHES	LENGTH, INCHES	TAPPED PIPE SIZE	PRICE EACH	PRICE EACH
		INCHES	STANDARD	EXTRA HEAVY
2 to 4	24	1½	2.50	3.25
2 to 4	48	1½	3.40	
3 to 4	24	1½	2.60	3.35
4 to 5	30	2	4.00	5.00
4 to 6	48	2	6.00	
5 to 6	30	2	5.00	6.50
5 to 6	36	2	5.50	7.00

OFFSET




FIG. A-304.

SIZE, INCHES	PRICE EACH		SIZE, INCHES	PRICE EACH	
	STANDARD	EXTRA HEAVY		STANDARD	EXTRA HEAVY
2 x 2	.40	.60	4 x 10	1.25	1.60
2 x 4	.50	.90	4 x 12	1.40	1.80
2 x 6	.60	1.00	4 x 14	1.65	2.00
2 x 8	.70	1.10	4 x 16	1.80	2.25
2 x 10	.80	1.20	4 x 18	2.15	2.80
2 x 12	.85	1.25	4 x 20	2.25	3.00
2 x 14	1.00	1.45	5 x 4	1.40	1.80
2 x 16	1.15	1.60	5 x 6	1.60	2.00
2 x 18	1.25	1.75	5 x 8	1.80	2.25
2 x 20	1.75	2.50	5 x 10	1.90	2.40
3 x 2	.70	1.00	5 x 12	2.00	2.50
3 x 4	.75	1.10	5 x 14	2.20	2.75
3 x 6	.80	1.20	5 x 16	2.40	3.00
3 x 8	.90	1.35	5 x 18	2.75	3.50
3 x 10	.95	1.40	5 x 20	3.00	3.75
3 x 12	1.00	1.45	6 x 4	2.00	3.00
3 x 14	1.25	1.70	6 x 6	2.25	3.25
3 x 16	1.40	1.90	6 x 8	2.40	3.50
3 x 18	1.50	2.00	6 x 10	2.60	3.75
3 x 20	2.00	2.75	6 x 12	2.75	4.00
4 x 2	.80	1.20	6 x 14	3.00	4.50
4 x 4	.85	1.25	6 x 16	3.50	5.25
4 x 6	1.00	1.40	6 x 18	4.10	6.00
4 x 8	1.15	1.50	6 x 20	4.85	7.00

"S" TRAP




FIG. A-305.

HALF "S" OR "P" TRAP




FIG. A-306.

THREE-QUARTER "S" TRAP




FIG. A-307.

RUNNING TRAP




FIG. A-308.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch	.80	1.25
3-Inch	1.25	2.00
4-Inch	1.75	2.75
5-Inch	3.00	4.00
6-Inch	4.00	5.50

RUNNING TRAP

WITH SINGLE HUB VENT




FIG. A-309.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch, with 2-Inch Vent	1.30	1.75
4-Inch, with 4-Inch Vent	2.50	3.50
5-Inch, with 4-Inch Vent	3.75	4.75
6-Inch, with 4-Inch Vent	4.75	6.25
8-Inch, with 6-Inch Vent	9.75	12.00

RUNNING TRAP

WITH DOUBLE HUB VENT




FIG. A-310.

SIZE	PR CE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
4-Inch, with 4-Inch Vent	3.25	4.25
5-Inch, with 4-Inch Vent	4.50	5.50
6-Inch, with 4-Inch Vent	5.50	7.00
8-Inch, with 6-Inch Vent	11.00	14.00


"T" SADDLE HUB

FIG. A-311.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.30	.40
3-Inch	.50	.65
4-Inch	.60	.80
5-Inch	.75	1.00
6-Inch	1.10	1.40


"Y" SADDLE HUB

FIG. A-312.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.35	.45
3-Inch	.55	.70
4-Inch	.70	.90
5-Inch	.90	1.15
6-Inch	1.25	1.55

NOTE—Reducing "T" Saddle and "Y" Saddle Hubs, same list as above.


VENTILATING CAPS

FIG. A-313.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.40	.50
3-Inch	.60	.75
4-Inch	.80	1.25
5-Inch	1.10	2.50
6-Inch	1.50	3.50

PIPE HOOKS

FIG. A-314.

SIZE	PRICE EACH
2-Inch	.08
3-Inch	.10
4-Inch	.12
5-Inch	.15
6-Inch	.20
8-Inch	.40

PLUGS OR STOPPERS

FIG. A-315.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.15	.25
3-Inch	.25	.35
4-Inch	.30	.40
5-Inch	.35	.50
6-Inch	.50	.65
8-Inch	1.20	1.50


ROOF PLATE

FIG. A-316.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
3-Inch	.40	.60
4-Inch	.50	.80
5-Inch	1.00	1.25
6-Inch	1.25	1.75
8-Inch	2.00	3.00

PIPE RESTS

FIG. A-317.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.30	.40
3-Inch	.40	.55
4-Inch	.50	.65
5-Inch	.60	.80
6-Inch	.70	1.00
8-Inch	1.10	1.75
10-Inch	1.75	2.50

PALMER SEWER VALVES




FIG. A-318.

Size.....	Inches	2	3	4	5	6	8
Price	Each	6.00	6.50	7.50	9.00	10.00	15.00

TEST PLUGS FOR SOIL PIPE




FIG. A-319.

Size.....	Inches	2	3	4	5	6	8
Price	Each	1.00	1.25	1.50	2.00	2.50	4.50

CELLAR TRAPS




FIG. A-320.

Size.....	Inches	9 x 9 x 2½	12 x 12 x 2½
Price	Each	1.25	1.60

HYDRANT CESSPOOLS




FIG. A—321.

Size	Inches	12 x 12 x 6	14 x 14 x 6	16 x 16 x 6
Price	Each	1.00	1.15	1.30

CESSPOOLS
WITH BELL TRAP




FIG. A—322.

Size	Inches	6 x 6	9 x 9	13 x 13
Price	Each	.75	1.00	2.50

CESSPOOL GRATES

ROUND



FIG. A—323.

SQUARE




FIG. A—324.

ROUND CESSPOOL GRATES

Size	Inches	4	5	6	7	8
Price	Each	.20	.25	.30	.50	.65

SQUARE CESSPOOL GRATES

Size	Inches	6 x 8	7 x 9	10 x 10	10 x 12	12 x 12
Price	Each	.50	.65	.90	1.05	1.20

SQUARE SLOP SINK

WITH 4-INCH OUTLET IN CENTER




FIG. A-325.

SIZE, INCHES		PAINTED	GALVANIZED	WHITE ENAMELED
16 x 16 x 10 -----	Each	3.25	3.90	3.90
20 x 14 x 12 -----	Each	4.00	4.50	4.50
22 x 20 x 12 -----	Each	5.00	5.70	5.70
24 x 20 x 12 -----	Each	5.50	6.40	6.40

SLOP SINK

WITH 2-INCH OUTLET




FIG. A-326.

SIZE, INCHES		PAINTED	GALVANIZED	WHITE ENAMELED
16 x 16 x 10 -----	Each	2.70	5.25	7.50
20 x 14 x 12 -----	Each	3.50	6.50	8.50
20 x 16 x 12 -----	Each	4.00	8.25	10.00
23 x 15 x 12 -----	Each	4.25	8.50	11.00
24 x 18 x 12 -----	Each	4.50	9.00	11.00
24 x 20 x 12 -----	Each	5.00	9.50	11.50
30 x 20 x 12 -----	Each	8.00	15.00	16.00
36 x 20 x 12 -----	Each	10.00	19.00	20.00

HARRIS SLOP SINK

WITH BELL TRAP




FIG. A—327.

Size	Inches	12 x 12	14 x 14	16 x 16
Painted	Each	2.00	2.25	2.50
Gray Enameled	Each	3.25	3.75	4.25
Galvanized	Each	3.25	3.75	4.25

BAILEY SLOP HOPPER

WITH BELL TRAP




FIG. A—328.

Square	Each	3.50
Round	Each	3.50

HALF ROUND SINKS




FIG. A-329.

	BACK WIDTH	BACK WIDTH	BACK WIDTH	BACK WIDTH
Size-----Inches	24 x 14	27 x 15	29 x 16	31 x 17
Painted-----Each	1.50	1.80	2.00	2.25
Galvanized-----Each	3.25	3.90	4.50	4.75
White Enameled-----Each	6.00	7.00	8.00	9.00

CORNER SINKS





FIG. A-330.

Size-----Inches	17 x 17 x 25	20 x 20 x 28	22 x 22 x 31
Painted-----Each	1.25	1.75	2.10
Galvanized-----Each	2.75	3.50	4.20
White Enameled-----Each	6.00	7.00	8.00

CAST IRON SINKS



STANDARD MFG CO. PITTSBURG

FIG. A-331.

REVISED LIST—APRIL 1ST, 1899

SIZE, INCHES	PAINTED	GALVANIZED	ENAMELED	SIZE, INCHES	PAINTED	GALVANIZED	ENAMELED
16 x 12	1.10	2.30	4.50	* 30 x 16	2.25	4.75	7.75
* 18 x 12	1.25	2.60	4.75	* 30 x 18	2.50	5.10	8.50
20 x 12	1.50	3.00	5.25	* 30 x 20	3.00	6.25	9.00
* 20 x 14	1.50	3.20	6.00	* 32 x 18	3.00	6.25	9.50
22 x 14	1.60	3.30	6.25	* 36 x 18	3.00	6.50	9.50
23 x 15	1.70	3.75	6.25	* 36 x 20	3.70	7.75	10.50
* 24 x 14	1.70	3.75	6.25	38 x 19	3.80	8.00	11.00
* 24 x 16	1.80	4.00	6.50	* 40 x 20	4.00	8.50	11.50
* 24 x 18	2.10	4.30	7.00	* 42 x 20	4.25	9.00	12.00
* 24 x 20	2.40	5.00	7.50	* 42 x 22	4.25	9.00	12.00
27 x 15	2.00	4.25	7.25	* 48 x 20	5.30	11.50	13.25
* 28 x 16	2.10	4.50	7.50	* 48 x 23	5.75	12.50	15.50
28 x 17	2.20	4.50	7.50	50 x 24	7.50	16.00	18.00
28 x 20	2.70	5.50	8.00	62 x 22	10.75	22.00	26.00

* Sizes carried in stock.

STEEL SINKS




FIG. A—332.

Size.....Inches	16 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Painted.....Each	1.80	2.50	3.00	3.00	3.70	4.00
Galvanized.....Each	4.00	5.10	6.50	6.25	7.75	8.50
Blue Enameled.....Each	4.50	6.00	6.75	6.75	7.50	9.75
White Enameled.....Each	7.50	10.00	11.00	10.50	12.00	13.00

ROLL RIM SINK BACKS




FIG. A—333.

Length.....Inches	20	22	24	28	30	32	36	38	42	48
Painted.....Each	1.25	1.35	1.50	1.80	2.00	2.25	2.75	3.00	3.50	4.25
Galvanized.....Each	2.30	2.40	2.60	3.30	3.50	3.70	4.20	4.50	4.90	5.60
White Enameled..Each	2.30	2.40	2.60	3.30	3.50	3.70	4.20	4.50	4.90	5.60

SINK COUPLINGS




FIG. A-334.

Plain	Per dozen,	1.50
Galvanized	Per dozen,	2.00

SINK COUPLINGS

FOR IRON PIPE




FIG. A-335.

Plain	Each,	.75
Galvanized	Each,	.90

PLUG SINK STRAINERS

WITH RUBBER STOPPERS




FIG. A-336.

Plain	Per dozen,	6.75
Galvanized	Per dozen,	8.25
Enameled	Per dozen,	10.00

OPEN SINK STRAINERS




FIG. A-337.

Plain	Per dozen,	1.50
Galvanized	Per dozen,	2.60
Enameled	Per dozen,	3.00

SINK BOLTS



FIG. A-338.

Iron	Per dozen,	.25
Brass	Per dozen,	1.00

SINK BRACKETS



FIG. A-339.

NICKEL-PLATED
STEEL BRACKETS




FIG. A-340.

Size	Inches	6 x 8	7 x 9	9 x 11	12 x 15	13 x 16	16 x 16	16 x 18	18 x 24	20 x 29
Sink Brackets, Painted	Each				.40		.45	.50		
Sink Brackets, Galvanized	Each				.65		.70	.75		
Lavatory Brackets	Each	.20	.25	.35		.60		.70	1.40	1.90

NICKEL-PLATED
STEEL BRACKETS




FIG. A-341.

NICKEL-PLATED
COMPOSITE BRACKETS



FIG. A-342.

Size	Inches	7 x 9	9 x 11	12 x 16	16 x 18	18 x 24	20 x 29
Fig. A-341	Each	.35	.60	.70	.90	1.50	2.00
Fig. A-342	Each	.50	.75	1.15	1.70	2.45	

NOTE—Fig. A-342 has Nickel-plated Steel Top and Nickel-plated Brass Brace.

ROLL RIM KITCHEN SINK




FIG. A-343.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back, with Con-
cealed Galvanized Air Chambers, Nickel-Plated Fuller Bibbs, Nickel-Plated Strainers and
Bronzed Iron Brackets.

Size ----- Inches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Price ----- Each	14.75	16.25	17.75	17.25	18.75	20.25

For Backs drilled for three Cocks, add to list \$1.00.

ROLL RIM KITCHEN SINK



FIG. A-344.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back and End, with Concealed Galvanized Air Chambers, Nickel-Plated Fuller Bibbs, Nickel-Plated Strainer, and Bronzed Iron Bracket.

Size-----Inches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Price-----Each	17.25	18.75	20.25	20.00	21.50	23.00

NOTE--- For backs drilled for three Cocks, add to list \$1.00.

Can be furnished with End on Right or Left Hand Side, but unless otherwise ordered will be sent for Left Hand side.

ROLL RIM KITCHEN SINK




FIG. A-345.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back, with Concealed Galvanized Air Chambers, Nickel-plated Fuller Bibbs, Nickel-plated Strainer, 24-inch Ash Drain Board. Bronzed Iron Legs and Bracket.

Size-----Inches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Price, without Trap----Each	22.00	23.50	25.00	24.50	26.00	27.50

For Backs drilled for three Cocks, add to list----- 1.00

Above Sink can be furnished with Drain Board on either Right or Left Side, but unless otherwise ordered, will be sent for Left Side.

ROLL RIM KITCHEN SINK




FIG. A-346.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back and End, with Concealed Galvanized Air Chambers, Nickel-plated Fuller Bibbs, Nickel-plated Strainer, 24-Inch Ash Drain Board, Bronzed Iron Leg and Bracket.

Size-----Inches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Price, without Trap-----Each	25.00	26.50	28.00	27.50	29.00	31.50

For Backs drilled for three Cocks, add----- 1.00

Above sink can be furnished with Drain Board on either right or Left Hand Side, but unless otherwise ordered, will always be sent for Left Side.

PORCELAIN ENAMELED LAUNDRY TUBS




FIG. A-347.

DESCRIPTION—Porcelain Enameled Laundry Tubs, with 12-inch Enameled Back, Enameled Iron Soap Cups, Nickel-plated Fuller Bibbs, Nickel-plated Brass Union Strips, with Wringer Holders, and Nickel-plated Waste Plugs with Rubber Stoppers.

Price as described	Per Set of Two Tubs, 44.60
Price as described	Per Set of Three Tubs, 66.90

If Bibb Cocks are not wanted deduct for each Bibb. 1.15

SOAP STONE LAUNDRY TRAYS




FIG. A-348.

TWO-PART TRAYS

LENGTH	WIDTH	DEPTH	PRICE	PRICE
			WITH PAINTED LEGS	WITH GALVANIZED LEGS
4 Feet	2 Feet	16 Inches	16.00	17.40
4 Feet 6 Inches	2 Feet	16 Inches	20.50	21.90

THREE-PART TRAYS

LENGTH	WIDTH	DEPTH	PRICE	PRICE
			WITH PAINTED LEGS	WITH GALVANIZED LEGS
6 Feet	2 Feet	16 Inches	32.35	34.45
6 Feet 6 Inches	2 Feet	16 Inches	37.35	39.45
7 Feet	2 Feet	16 Inches	40.35	42.45

NOTE—Above prices include Plugs and Stoppers, but DOES NOT include Cocks.

SOAP STONE LAUNDRY TRAYS




FIG. A-349.

TWO-PART TRAYS

LENGTH	WIDTH	DEPTH	HEIGHT OF BACK	PRICE	PRICE
				WITH PAINTED LEGS	WITH GALVANIZED LEGS
4 Feet	2 Feet	16 Inches	12 Inches	20.90	22.30
4 Feet 6 Inches	2 Feet	16 Inches	12 Inches	25.40	26.80

THREE-PART TRAYS

LENGTH	WIDTH	DEPTH	HEIGHT OF BACK	PRICE	PRICE
				WITH PAINTED LEGS	WITH GALVANIZED LEGS
6 Feet	2 Feet	16 Inches	12 Inches	38.35	40.45
6 Feet 6 Inches	2 Feet	16 Inches	12 Inches	43.35	45.45
7 Feet	2 Feet	16 Inches	12 Inches	46.35	48.45

Above prices include Plugs and Stoppers, but DOES NOT include Cocks.

ENAMELED IRON LAVATORY



FIG. A-350.

DESCRIPTION—Enameled Iron Lavatory, with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, Waste Plug with Rubber Stopper, and Bronzed Iron Brackets. Exterior Bronzed.

SIZE SLAB INCHES	SIZE BOWL INCHES	HEIGHT OF BACK INCHES	PRICE AS DESCRIBED	PRICE ENAMELED ALL OVER
16 x 20	11 x 14	12	10.00	13.00
18 x 24	12 x 15	12	12.00	15.00

Above Lavatory can be furnished with two end pieces for recess, for which add to list— \$4.00

NOTE—Above prices do not include Cocks.

ENAMELED IRON LAVATORY



FIG. A-351.

DESCRIPTION—Half Round Enameled Iron Lavatory with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, Waste Plug with Rubber Stopper, and Bronzed Iron Brackets. Exterior Bronzed.

DIMENSIONS—Length of Back $19\frac{1}{2}$ inches; Bowl, 11×14 inches; Height of Back 6 inches; Wall to center of Waste, 8 inches; center to center of Cocks $13\frac{1}{2}$ inches.

Price, as described, without Cocks	8.00
Price, Enameled all over, without Cocks	11.00

ENAMELED IRON LAVATORY



FIG. A—352.

DESCRIPTION—Corner Enameled Iron Lavatory, with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Sides, 16 inches; Bowl, 11x14 inches; Height of Back, 6 inches; Wall to center of Waste, 10 inches; center to center of Cocks, 6 inches.

Price, as described, without Cocks	7.50
Price, Enameled all over, without Cocks	10.50

HALF ROUND LAVATORY



FIG. A-353.

DESCRIPTION—White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 19 inches; Diameter of Bowl, 12½ inches.

Price 7.50

CORNER LAVATORY




FIG. A-354.

DESCRIPTION—White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Side, 13 inches; Diameter of Bowl, 12½ inches.

Price 7.50

HALF ROUND LAVATORY



FIG. A-355.

DESCRIPTION—White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 13½ inches; Diameter of Bowl, 12½ inches.

Price 4.50

CORNER LAVATORY



FIG. A-356.

DESCRIPTION—White Enameled Iron Lavatory, with Patent Overflow, and Nickel-plated Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Side, 12½ inches; Diameter of Bowl, 12½ inches.

Price 4.50

HALF ROUND LAVATORY




FIG. A-357.

DESCRIPTION—White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 13½ inches; Diameter of Bowl, 12 inches.

Price ----- 4.50

ROUND OR OVAL BOWL



FIG. A-358.

DESCRIPTION—White Enameled Iron Bowl, with Patent Overflow, and Nickel-plated Waste Plug with Rubber Stopper.

Price, 14-inch round Bowl ----- 3.50
Price, 14x17-inch oval Bowl----- 4.50

HALF ROUND URINAL

ENGLISH PATTERN




FIG. A-359.

	LENGTH OF BACK	PAINTED	ENAMELED
No. 1--	11 Inches	1.15	2.50
No. 2--	15 Inches	1.50	3.00

CORNER URINAL

ENGLISH PATTERN




FIG. A-360.

	LENGTH OF BACK	PAINTED	ENAMELED
No. 1--	8 Inches	.90	1.75
No. 2--	9½ Inches	1.15	2.25
No. 3--	11 Inches	1.45	2.75

HOPPER CLOSET
PHILADELPHIA PATTERN



FIG. A-361.

DESCRIPTION—Enameled Iron Hopper Closet (Philadelphia Pattern) with Side Arm.

Height	14 inches
Diameter on Top	18 inches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.00

HOPPER CLOSET
NEW PATTERN




FIG. A-362.

DESCRIPTION—Enameled Iron Hopper Closet (New Pattern) with Side Arm.

Height	15½ inches
Diameter on Top	13 inches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.00

HOPPER CLOSET
PHILADELPHIA PATTERN



FIG. A-363.

DESCRIPTION—Enameled Iron Hopper Closet (Philadelphia Pattern) with Side Arm, Seat Lugs and Guide Ring for Valve Rod.

Height	13¼ inches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.75

LONG ROUND HOPPER CLOSET

WITH BRASS SUPPLY CONNECTION



FIG. A-361.

HEIGHT, 14¾ INCHES

Enameled inside	5.00
Enameled inside and outside	6.00

LONG ROUND HOPPER CLOSET

WITH HARDWOOD SEAT AND BRASS SUPPLY CONNECTION



FIG. A-365.

HEIGHT, 15¼ INCHES

Enameled inside	6.50
-----------------------	------

LONG OVAL HOPPER CLOSET

WITH SELF-RAISING SEAT AND BRASS SUPPLY CONNECTION



FIG. A—366.

HEIGHT, 15½ INCHES

Enameled inside----- 9.00

LONG ROUND HOPPER CLOSET

WITH SELF-RAISING SEAT, AND SINGLE OR DOUBLE ACTING VALVES



FIG. A-367.

HEIGHT, 14 INCHES

Enameled inside, with Round Seat	9.00
Enameled inside, with Square Seat	10.00

SHORT ROUND HOPPER OR TRAP

WITH SELF-RAISING SEAT, AND SINGLE AND DOUBLE ACTING VALVES




FIG. A-368.

HEIGHT, 17 INCHES

Hopper Enameled inside, with Painted Trap.....	11.00
Hopper Enameled inside, with Trap Enameled inside.....	12.25
Hopper Enameled inside and outside, with Trap Enameled inside.....	14.25
Hopper Enameled inside and outside, with Trap Enameled inside and outside.....	15.50

NOTE—Above can be furnished to calk in Soil Soil Pipe, or to set in Lead Bend. In ordering, please specify which is wanted.

McIVER HOPPER CLOSET



FIG. A-369.

HEIGHT, 15 INCHES

Especially adapted for use in exposed places, as the valve is placed below the frost line thereby avoiding all danger of water freezing.

Enameled inside	Each, 12.00
-----------------------	-------------

FROST PROOF WATER CLOSETS




FIG. A-370.

DESCRIPTION—Cast Iron Hopper, Enameled inside, with Self-raising Seat. Frost Proof Valves, Brass Chain with Adjustable Coupling. 4-inch Cast Iron Waste Pipe, five feet long, with Flange for Hopper and Adjustable Valve Support, and Half "S" Cast Iron Trap tapped for Drain Pipe from Valve.

Price, as described	12.00
---------------------------	-------

ENAMELED SHORT OVAL FLUSHING RIM HOPPER

ON "S" TRAP

WITH BRASS VENT



FIG. A-371.

Enameled inside and outside	8.50
-----------------------------	------

ENAMELED IRON WASHOUT CLOSET



FIG. A-372.

DESCRIPTION—Enameled Iron Washout Closet, with 2-inch Brass Trap Vent, 1¼-inch Brass Supply Connection and Improved Enameled Iron Flushing Rim, with Seat Lugs attached to Closet with Concealed Screws.

Price, Enameled inside	10.50
Price, Enameled inside and outside	12.00

ENAMELED IRON WASHDOWN CLOSET



FIG. A-373.

Price, Enameled inside, with 1¼-inch Spud	15.00
Price, Enameled all over, with 1¼-inch Spud	17.00
Price, Enameled inside, with 2-inch Spud	16.00
Price, Enameled all over, with 2-inch Spud	18.00

ENAMELED IRON SYPHON JET CLOSET



FIG. A-374.

DESCRIPTION—Enameled Iron Syphon Jet Closet, with 1¼-inch Brass Supply Pipe Connection, and Improved Enameled Iron Flushing Rim, attached to Closet with Concealed Screws.

Price, Enameled inside	18.00
Price, Enameled all over	22.00



FIG. A—375

DESCRIPTION—Plain No. 3 Front Washout, Roll Rim Bowl, Oak Seat with Cover and Back, Nickel-plated Seat Brackets, Beaded and Moulded Copper Lined Oak Tank. Complete with Valve, Ball-cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe with Rubber Closet Connection, Nickel-plated (⅜-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl	29.00
Price, with Embossed Bowl	30.00

ROUGHS IN 12 INCHES, WALL TO CENTER OF OUTLET



FIG. A-376.

DESCRIPTION—Plain No. 3 Front Washout Roll Rim Bowl with Oak Seat and Cover attached to Bowl. Round Corner Copper Lined Oak Tank with Moulding, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe and Slip Joint Ell, Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl	32.00
Price, with Embossed Bowl	33.00

ROUGHS IN 9 TO 11 INCHES, WALL TO CENTER OF OUTLET



FIG. A-377.

DESCRIPTION—Plain Syphon Action Washdown Roll Rim Bowl, Oak Seat with Cover and Back, Nickel-plated Seat Brackets, Round Corner Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated ($1\frac{1}{4}$ -inch) Flush Pipe and Rubber Elbow, Nickel-plated ($\frac{3}{8}$ -inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl	30.00
Price, with Embossed Bowl	31.00

ROUGHS IN 15 INCHES, WALL TO CENTER OF OUTLET




FIG. A-378.

DESCRIPTION—Plain Syphon Action Washdown Roll Rim Bowl, with Oak Seat and Cover attached to Bowl. Copper Lined, Beaded and Moulded Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe and Slip Joint Elbow. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl	31.50
Price, with Embossed Bowl	32.50




FIG. A—379.

DESCRIPTION—Embossed Syphon Action Washdown Roll Rim Bowl, with Oak Seat and Cover attached to Bowl. Round Corner and Beaded, Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe and Slip Joint Elbow. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl.....	32.00
Price, with Embossed Bowl.....	33.00




FIG. A-380.

DESCRIPTION—Plain Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner Copper Lined Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated ($1\frac{1}{2}$ -inch) Flush Pipe with Slip Joint, Nut and Flange. Nickel-plated ($\frac{3}{8}$ -inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl.....	42.00
Price, with Embossed Bowl.....	43.00



FIG. A—351.

DESCRIPTION—Embossed Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated (1½-inch) Flush Pipe. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl	45.00
Price, with Embossed Bowl	46.00



FIG. A—382.

DESCRIPTION—Plain Syphon Action Washdown Roll Rim Bowl. Oak Seat and Cover attached to Bowl. Beaded and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated ($\frac{3}{8}$ -inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections. Nickel-plated Closet Screws and Washers.

Price, with Plain Bowl.....	32.00
Price, with Embossed Bowl.....	33.00



FIG. A—383.

DESCRIPTION— Embossed Syphon Action Washdown Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated ($\frac{3}{8}$ -inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections, and Nickel-plated Closet Screws with Washers.

Price, with Plain Bowl	33.00
Price, with Embossed Bowl	34.00



FIG. A—384.

DESCRIPTION—Plain Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Tank Lugs. Nickel-plated ($\frac{3}{8}$ inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections and Nickel-plated Closet Screws with Washers.

Price, with Plain Bowl.....	41.00
Price, with Embossed Bowl.....	42.00



FIG. A-385.

DESCRIPTION—Embossed Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Solid Bent Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated ($\frac{3}{8}$ -inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections and Nickel-plated Closet Screws with Washers.

Price, with Plain Bowl.....	47.00
Price, with Embossed Bowl.....	48.00

EARTHENWARE

TALL ROUND FLUSH RIM HOPPER




FIG. A-386.

Price, without Spud or Coupling	5.00
---------------------------------	------

TALL OVAL FLUSH RIM HOPPER



FIG. A-387.

Price, without Spud or Coupling	6.50
---------------------------------	------

EARTHENWARE

PLAIN FRONT WASHOUT ROLL RIM CLOSET



FIG. A—388.

	NO. 2	NO. 3
Price -----	10.25	8.00

Seat Attachment, Spuds and Couplings charged for extra.

EMBOSSED FRONT WASHOUT ROLL RIM CLOSET



FIG. A—389.

	NO. 2	NO. 3
Price -----	11.25	9.00

Seat Attachment, Spuds and Couplings charged for extra.

EARTHENWARE

PLAIN SYPHON ACTION WASHDOWN ROLL RIM CLOSET



FIG. A—390.

Price	8.50
Seat Attachment, Spuds and Couplings charged for extra.	

EMBOSSED SYPHON ACTION WASHDOWN ROLL RIM CLOSET



FIG. A—391.

Price	9.50
Seat Attachment, Spuds and Couplings charged for extra.	

EARTHENWARE

PLAIN SYPHON JET ROLL RIM CLOSET



FIG. A-392.

Price17.00

Seat Attachment, Spuds and Couplings charged for extra.

EMBOSSED SYPHON JET ROLL RIM CLOSET



FIG. A-393.

Price18.00

Seat Attachment, Spuds and Couplings charged for extra.

EARTHENWARE

PLAIN FLAT BACK URINAL




FIG. A-394.

No. 1	8.00
No. 2	6.00
No. 3	5.00

FLAT BACK LIPPED URINAL




FIG. A-395.

No. 1	10.00
No. 2	8.00
No. 3	7.00

SIZES—No. 1, 15x18; No. 2, 13x15; No. 3, 12x14.

PLAIN CORNER URINAL




FIG. A-396.

No. 1	8.00
No. 2	6.00
No. 3	5.00

LIPPED CORNER URINAL




FIG. A-397.

No. 1	10.00
No. 2	8.00
No. 3	7.00

SIZES No. 1, 13x13; No. 2, 11½x11½; No. 3, 10½x10½.

EARTHENWARE BASINS

NO OVERFLOW




FIG. A-398.

Outside Diameter ----- Inches	12	13	14	15	16	14x17	15x19	16x21
Price, Round ----- Each	1.00	1.00	1.00	1.50	2.00			
Price, Oval ----- Each						2.50	3.50	4.50

COMMON OVERFLOW




FIG. A-399.

Outside Diameter ----- Inches	12	13	14	15	16	14x17	15x19	16x21
Price, Round ----- Each	1.00	1.00	1.00	1.50	2.00			
Price, Oval ----- Each						2.50	3.50	4.50

EARTHENWARE BASINS

PATENT OVERFLOW

METAL PLUG




FIG. A-400.

Outside Diameter.....Inches	12	13	14	15	16	14 x 17	15 x 19	16 x 21
Price, Round.....Each	1.25	1.25	1.25	2.00	2.50			
Price, Oval.....Each						3.00	4.00	5.00

PATENT OVERFLOW

RUBBER PLUG




FIG. A-401.

Outside Diameter.....Inches	12	13	14	15	16	14 x 17	15 x 19	16 x 21
Price, Round.....Each	1.50	1.50	1.50	2.50	3.00			
Price, Oval.....Each						3.50	4.50	5.50

STANDARD AMERICAN SANITARY EARTHENWARE

REVISED PRICE LIST
ADOPTED JULY 17, 1899

ROUND BASINS

Size	Inches	12	13	14	15	16
N. O.	Each	1.00	1.00	1.00	1.50	2.00
C. O.	Each	1.00	1.00	1.00	1.50	2.00
P. O.	Each	1.25	1.25	1.25	2.00	2.50
R. P.	Each	1.50	1.50	1.50	2.50	3.00

OVAL BASINS

Size	Inches	14 x 17	15 x 19	16 x 21
N. O.	Each	2.50	3.50	4.50
C. O.	Each	2.50	3.50	4.50
P. O.	Each	3.00	4.00	5.00
R. P.	Each	3.50	4.50	5.50

SQUARE BASINS

Size	Inches	14 x 17	15 x 19
N. O.	Each	5.00	6.00
C. O.	Each	5.00	6.00
P. O.	Each	5.50	6.50
R. P.	Each	6.00	7.00

ROUND STRAIGHT BACK BASINS

Size	Inches	14	15	16
N. O.	Each	3.50	4.00	4.75
P. O.	Each	4.00	4.50	5.25

OVAL STRAIGHT BACK BASINS

Size	Inches	14 x 17	15 x 19
N. O.	Each	4.50	5.50
P. O.	Each	5.00	6.00

ROUND RECESS BASINS

Size	Inches	14	15	16
N. O.	Each	4.50	5.00	5.50
P. O.	Each	5.00	5.50	6.00

OVAL RECESS BASINS

Size	Inches	14 x 17	15 x 19
N. O.	Each	5.00	6.00
P. O.	Each	5.50	6.50

Add to list for Embossing..... 1.00
Grinding Round Basins 10 cts. net extra
Grinding Oval Basins..... 15 cts. net extra

BEDFORDSHIRE URINALS

No. 1—Flat	8.00
No. 2—Flat	6.00
No. 3—Flat	5.00
No. 1—Corner	8.00
No. 2—Corner	6.00
No. 3—Corner	5.00
No. 1—Flat, with Lip	10.00
No. 2—Flat, with Lip	8.00
No. 3—Flat, with Lip	7.00
No. 1—Corner, with Lip	10.00
No. 2—Corner, with Lip	8.00
No. 3—Corner, with Lip	7.00
No. 1—Flat, Lipped, Hood and Vent.	12.00
No. 2—Flat, Lipped, Hood and Vent.	10.00
No. 1—Corner, Lipped, Hood and Vent	12.00
No. 2—Corner, Lipped, Hood and Vent	10.00
Grinding Urinals	15 cts. net extra

TALL HOPPERS

Round, Tall F. R. Hoppers	5.00
Round, Tall F. R. Hopperswith Seat Vent	5.25
Round, Tall F. R. Hopperswith Hub Vent	5.50
Oval, Tall F. R. Hoppers	6.50
Oval, Tall F. R. Hopperswith Seat Vent	6.75
Oval, Tall F. R. Hopperswith Hub Vent	7.00
Square, Tall F. R. Hoppers, 14 x 14	8.00
Square, Tall F. R. Hopperswith Seat Vent	8.25
Square, Tall F. R. Hopperswith Hub Vent	8.50
Square, Long F. R. Hoppers, 16 x 16	12.00
Philadelphia Hoppers	4.50

SHORT HOPPERS

Round, Short F. R. Hoppers	2.50
Round, Short F. R. Hopperswith Seat Vent	2.75
Oval, Short F. R. Hoppers	3.50
Oval, Short F. R. Hopperswith Seat Vent	3.75
Square, Short F. R. Hoppers	5.00
Square, Short F. R. Hoppers ...with Seat Vent	5.25

COMBINATION HOPPERS AND TRAPS

Oval, Short Hopper & Trap Combined ---Plain	8.00
Oval, Short Hopper & Trap Combined ---Emb.	9.00
Square, Short Hopper & Trap Combined ---Plain	9.50
Square, Short Hopper & Trap Combined ---Emb.	10.50
Syphon Action Hopper & Trap	Plain 8.50
Syphon Action Hopper & Trap	Emb. 9.50
Syphon Hopper, with Jet	Plain 10.00
Syphon Hopper, with Jet	Emb. 11.00

METAL COUPLINGS

	PLAIN	POLISHED	NICKELED
½-Inch65	1.15	1.90
¾-Inch65	1.15	1.90
1 -Inch75	1.15	1.90
1¼-Inch75	1.25	2.00
1½-Inch	1.00	1.50	2.25
2 -Inch	1.40	1.90	2.60
1¼-Inch, Slip Joint			1.00
1½-Inch, Slip Joint			1.25
2 -Inch, Slip Joint			1.50
Hopper Clamps25

NOTE—Spuds and Jamb Nuts, ½ above prices.

STANDARD AMERICAN SANITARY EARTHENWARE

REVISED PRICE LIST
ADOPTED JULY 17, 1899

CLOSET BOWLS AND SUNDRIES

Round French Closet Bowls	2.25
Oval Closet Bowls	2.50
Round, F. R. Closet Bowls	2.50
Round, F. R. Closet Bowlswith Seat Vent	2.75
Oval, F. R. Closet Bowls	3.25
Oval, F. R. Closet Bowlswith Seat Vent	3.50
Ship Closet Basins, Nos. 1 and 2	2.00
Ship Plug Basins, 13 and 14-inch	1.50
Bidet Pans for Brass Plug	4.00
Bidet Pans for Brass Plugwith Overflow	4.25
Bidet Pans for Brass PlugNo Holes	4.00
Traps	3.00
Drip Trays, Oval and Round	3.50
Floats, Small (under 7 inches)60
Floats, Large (over 7 inches)80

WASHOUT CLOSETS, PLAIN

No. 1, Oval, Front Outlet	13.25
No. 2, Oval, Front Outlet	10.25
No. 3, Oval, Front or Back Outlet	8.00
No. 1, Oval, Back Outlet	14.00
No. 2, Oval, Back Outlet	11.00
Square, Front Outlet	17.00
Square, Back Outlet	18.00
No. 1, Square Back, Front Outlet	15.00
No. 2, Square Back, Front Outlet	13.00
No. 1, Square Back, Back Outlet	16.00
No. 2, Square Back, Back Outlet	14.00

WASHOUT CLOSETS, EMBOSSED

No. 1, Oval, Front Outlet	14.25
No. 2, Oval, Front Outlet	11.25
No. 3, Oval, Front or Back Outlet	9.00
No. 1, Oval, Back Outlet	15.00
No. 2, Oval, Back Outlet	12.00
Square, Front Outlet	18.00
Square, Back Outlet	19.00
No. 1, Square Back, Front Outlet	16.00
No. 2, Square Back, Front Outlet	14.00
No. 1, Square Back, Back Outlet	17.00
No. 2, Square Back, Back Outlet	15.00

PEDESTAL CLOSETS, PLAIN

No. 1, Oval, Front Outlet	14.25
No. 2, Oval, Front Outlet	11.25
No. 3, Oval, Front Outlet	9.00
Square, Front Outlet	18.00
Square, Back Outlet	19.00
No. 1, Square Back, Front Outlet	16.00
No. 2, Square Back, Front Outlet	14.00
No. 1, Square Back, Back Outlet	17.00
No. 2, Square Back, Back Outlet	15.00

PEDESTAL CLOSETS, EMBOSSED

No. 1, Oval, Front Outlet	15.25
No. 2, Oval, Front Outlet	12.25
No. 3, Oval, Front Outlet	10.00
Square, Front Outlet	19.00
Square, Back Outlet	20.00
No. 1, Square Back, Front Outlet	17.00
No. 2, Square Back, Front Outlet	15.00
No. 1, Square Back, Back Outlet	18.00
No. 2, Square Back, Back Outlet	16.00

SYPHON JET CLOSETS, PLAIN

No. 1, Oval	22.00
No. 2, Oval (Staple)	17.00
No. 1, Square Back	24.00
No. 2, Square Back	22.00
No. 1, Square	24.00
No. 2, Square	23.00

SYPHON JET CLOSETS, EMBOSSED

No. 1, Oval	23.00
No. 2, Oval (Staple)	18.00
No. 1, Square Back	25.00
No. 2, Square Back	23.00
No. 1, Square	25.00
No. 2, Square	24.00

NOTE—An extra net charge for Seat Attachments.

METAL COUPLINGS

	PLAIN	POLISHED	NICKELED
1/2-Inch65	1.15	1.90
3/4-Inch65	1.15	1.90
1-Inch65	1.15	1.90
1 1/4-Inch75	1.25	2.00
1 1/2-Inch	1.00	1.50	2.25
2-Inch	1.40	1.90	2.60
1 1/4-Inch, Slip Joint			1.00
1 1/2-Inch, Slip Joint			1.25
2-Inch, Slip Joint			1.50
Hopper Clamps25

NOTE—Spuds and Jamb Nuts, 1/2 above prices.

CLOSET SEATS



FIG. A-402.

1¼-inches thick	Each 3.50
-----------------------	-----------




FIG. A-403.

1¼-inch thick, with Cover and Beaded Back	Each 6.50
Covers only	Each 1.50
Backs only	Each 1.50




FIG. A-404.

1¼-inch thick, with Cover and Round Corner Back	Each 6.75
Covers only	Each 1.50
Backs only	Each 1.75

NOTE—Seats can be furnished in Oak, Ash or Birch finished in imitation of Light or Dark Cherry. Oak will always be sent unless otherwise ordered.

CLOSET SEATS




FIG. A-405.

1¼-inch thick, with Cover	Each 7.00
Covers only	Each 1.50




FIG. A-406.

1¼-inch thick, with Cover	Each 8.00
Covers only	Each 1.75




FIG. A-407.

1¼-inch thick, with Cover	Each 9.00
Covers only	Each 2.00

NOTE—Seats can be furnished in Oak, Ash, or Birch finished in imitation of Light or Dark Cherry. Oak will always be sent unless otherwise ordered.

PLAIN SQUARE CORNER CLOSET TANK




FIG. A-408.

DESCRIPTION—5½-gallon, Plain Square Corner, Copper Lined, Oil Finish, Oak Closet Tank. Complete with 1½-inch “Success” or “Goose Neck” Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, and Japanned Brackets.

Price, as described	8.80
---------------------	------

NOTE—Tanks can be furnished with Lead Lining when desired.

BEADED AND MOULDED CLOSET TANK




FIG. A-409.

DESCRIPTION—Beaded and Moulded, Copper Lined, Polish Finish, Oak or Ash Closet Tank. Complete with “Success” or “Goose Neck” Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1¼-inch Valve	10.00
Price, 7½-gallon, with 1¼-inch Valve	11.70
Price, 9 -gallon, with 1½-inch Valve	12.30

NOTE—Tanks can be furnished with Lead Lining when desired.

PLAIN ROUND CORNER CLOSET TANK




FIG. A-410.

DESCRIPTION—Plain Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank, complete with “Success” or “Goose Neck” Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1¼-inch Valve .. - - - - -	10.30
Price, 7½-gallon, with 1¼-inch Valve .. - - - - -	12.00
Price, 9 -gallon, with 1½-inch Valve .. - - - - -	13.30

NOTE—Tanks can be furnished with Lead Lining when desired.

ROUND CORNER CLOSET TANK

WITH MOULDING




FIG. A-411.

DESCRIPTION—Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank. Complete with “Success” or “Goose Neck” Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1¼-inch Valve	10.60
Price, 7½-gallon, with 1¼-inch Valve	12.60
Price, 9 -gallon, with 1½-inch Valve	14.00

NOTE—Tanks can be furnished with Lead Lining when desired.

ROUND CORNER LOW DOWN CLOSET TANK**WITH MOULDING**

FIG. A-412.

DESCRIPTION—Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank with Moulding. Complete with "Orient" Flush Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated (2-inch) Flush Connection, Nickel-plated Supply Pipe and Nickel-plated Tank Lugs.

Price, as described.....	22.80
--------------------------	-------

OPEN LAVATORY




FIG. A-413.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated 1¼-inch “S” Trap. Nickel-plated Supply Pipes. Two Nickel-plated No. 0 or No. 1, Fuller Basin Cocks, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Nickel-plated Brackets and Floor Flanges.

20x24 Slab, as described	26.00
20x26 Slab, Balance as above	27.00
20x30 Slab, Balance as above	29.00
20x26 Slab, 14x17 Patent Overflow Bowl, Balance as above	29.00
20x30 Slab, 14x17 Patent Overflow Bowl, Balance as above	31.00

NOTE—Can be furnished with Trap and Supplies to Wall for same price.

OPEN LAVATORY




FIG. A-414.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated 1¼-inch Vented "S" Trap. Two No. 0, or No. 1, Nickel-plated Fuller Basin Cocks, Nickel-plated Supply Pipes with Air Chambers. Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Nickel-plated Brackets and Floor Flanges.

20x24 Slab, as described	29.00
20x26 Slab, balance as above	30.00
20x30 Slab, balance as above	32.00
20x26 Slab, 14x17 Patent Overflow Bowl, balance as above	32.00
20x30 Slab, 14x17 Patent Overflow Bowl, balance as above	34.00

NOTE—Above can be furnished with Trap and Supplies to Wall for same price.

OPEN LAVATORY




FIG. A-415.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 22x30x1¼ inches, with 12-inch Back. 14x17-inch Oval Bowl with Clamps. Nickel-plated “Ideal” Waste and Overflow. Nickel-plated 1¼-inch Vented Bottle Trap. Nickel-plated Supply Pipes with Bottle Air Chambers. Two Nickel-plated No. 4 Fuller Basin Cocks, Nickel-plated Brass (Rope Pattern) Brackets, and Floor Flanges.

22x30 Slab, as described	50.00
22x32 Slab, 15x19 Bowl, balance as above	52.00

NOTE—Above can be furnished with Trap and Supplies to Wall for same price.

HALF CIRCLE OPEN LAVATORY




FIG. A-416.

DESCRIPTION—Italian or Tennessee Countersunk Eliptic Front Marble Slab, 20x30x1¼ inches, with 12-inch Back. 14x17-inch Oval Bowl with Clamps. Nickel-plated 1¼-inch Vented Trap. Nickel-plated Supply Pipes with Offset Bottle Air Chambers. Two Nickel-plated No. 0, or No. 1, Fuller Basin Cocks, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay with Ring Cup. Nickel-plated Brackets and Floor Flanges.

20x30 Slab, as described	34.00
20x26 Slab, 10-inch Back, 14-inch Round Patent Overflow Bowl	32.00
22x30 Slab, 12-inch Back, 14x17-inch Oval Bowl and "Ideal" Waste and Overflow	48.00

NOTE—Above can be furnished with Trap and Supplies to Wall if desired.

OPEN LAVATORY




FIG. A-417.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Two Nickel-plated No. 0, or No. 1, Fuller Basin Cocks, and Nickel-plated Steel Brackets.

20x24 Slab, as described	18.00
20x26 Slab, balance as above	19.00
20x30 Slab, balance as above	21.00
20x26 Slab, 14x17 Patent Overflow Bowl, balance as above	21.00
20x30 Slab, 14x17 Patent Overflow Bowl, balance as above	23.00

OPEN LAVATORY




FIG. A-418.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1 $\frac{1}{4}$ inches, with 8-inch Back and End. 14-inch Round Patent Overflow Bowl with Clamps. Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Two No. 0, or No. 1, Nickel-plated Fuller Basin Cocks and Nickel-plated Bracket.

Price, as described-----	19.00
Price, with 10-inch Back and End-----	20.00

NOTE—Above can be furnished with Right or Left Hand End. Please state which is wanted.

OPEN CORNER LAVATORY




FIG. A-419.

DESCRIPTION—Italian or Tennessee Countersunk Corner Marble Slab 20x20x1¼ inches, with 10-inch Backs. 14-inch Round Patent Overflow Bowl with Clamps. Nickel-plated 1¼-inch Vented Trap. Nickel-plated Plug and Stopper. Two, No. 0, or No. 1, Nickel-plated Fuller Basin Cocks. Nickel-plated Chain and Chain Stay.

20x20 Slab, as described	24.00
19x19 Slab, balance as above	23.00
22x22 Slab, balance as above	26.00

NOTE—For price on Supply Pipes, see pages 52 and 53. Can be furnished with Trap, either to Floor or Wall.

DRINKING FOUNTAIN




FIG. A-420.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab with Back. Nickel-plated No. 2, Fuller Pantry Cock. Nickel-plated Drip Cup. Nickel-plated Supply and Waste Pipes, and Nickel-plated Brackets.

Price, 12x12 Slab, 12-inch Back	16.00
Price, 14x14 Slab, 12-inch Back ---	17.00
Price, 16x14 Slab, 14-inch Back	18.00
Price, 18x14 Slab, 14-inch Back	19.00

MARBLE SLABS

SLAB WITH SINGLE BACK




FIG. A-421.

SINGLE BACK SLABS

Size of Slab.....Inches	19 x 24	20 x 24	20 x 25	20 x 28	20 x 30	22 x 28	22 x 30
Feet in Slab, 8-inch Back..	5 ft. 3 in.	5 ft. 6 in.	5 ft. 10 in.	6 ft. 4 in.	6 ft. 8 in.	6 ft. 9 in.	7 ft. 1 in.
Feet in Slab, 10-inch Back..	5 ft. 7 in.	5 ft. 10 in.	6 ft. 3 in.	6 ft. 9 in.	7 ft. 2 in.	7 ft. 2 in.	7 ft. 6 in.
Feet in Slab, 12-inch Back..	6 ft.	6 ft. 2 in.	6 ft. 8 in.	7 ft. 2 in.	7 ft. 7 in.	7 ft. 7 in.	8 ft.

CORNER SLAB WITH TWO BACKS




FIG. A-422.

CORNER SLABS

Size of Slab.....Inches	18 x 18	19 x 19	20 x 20	21 x 21	22 x 22	24 x 24
Feet in Slab, 8-inch Backs.....	4 ft. 11 in.	5 ft. 4 in.	5 ft. 9 in.	6 ft. 2 in.	6 ft. 7 in.	7 ft. 6 in.
Feet in Slab, 10-inch Backs.....	5 ft. 5 in.	5 ft. 10 in.	6 ft. 4 in.	6 ft. 9 in.	7 ft. 3 in.	8 ft. 2 in.
Feet in Slab, 12-inch Backs.....	6 ft.	6 ft. 5 in.	6 ft. 11 in.	7 ft. 4 in.	7 ft. 11 in.	8 ft. 11 in.

SLAB WITH BACK AND RIGHT OR LEFT HAND END




FIG. A-423.

RIGHT OR LEFT HAND END SLABS

Size of SlabInches	19 x 24	20 x 24	20 x 26	20 x 28	20 x 30	22 x 28	22 x 30
Feet in Slab, 8-inch Backs	6 ft. 4 in.	6 ft. 7 in.	7 ft.	7 ft. 5 in.	7 ft. 10 in.	7 ft. 11 in.	8 ft. 3 in.
Feet in Slab, 10-inch Backs	6 ft. 11 in.	7 ft. 2 in.	7 ft. 8 in.	8 ft. 1 in.	8 ft. 6 in.	8 ft. 8 in.	9 ft.
Feet in Slab, 12-inch Backs	7 ft. 7 in.	7 ft. 10 in.	8 ft. 4 in.	8 ft. 9 in.	9 ft. 3 in.	9 ft. 4 in.	9 ft. 10 in.

" LEADER "




FIG. A-424.

DESCRIPTION—White Enameled "Leader" Bath Tub with 2¼-inch Roll Rim, Brass Overflow Connection with Nickel-plated Grate, Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper, and Nickel-plated Chain.

Length over Rim.....	Feet	4	4½	5	5½	6
Width over Rim.....	Inches	29	29	29	29	29
Depth inside.....	Inches	17	17	17	17	17
Height from Floor.....	Inches	23	23	23	23	23
Price as described.....	Each	20.00	29.00	32.00	37.00	43.00

EXTRAS

ADD TO ABOVE LISTS

For No. 4½ Nickel-plated Fuller or Compression Double Bath Cock.....	3.50
For Nickel-plated Supply Pipes,.....	Per Pair 3.00
For Nickel-plated Connected Waste and Overflow.....	3.00
For Nickel-plated "Ideal" Bath Waste.....	9.50

“CORONA”




FIG. A-425.

DESCRIPTION—White Enameled “Corona” Bath Tub with 2¾-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling, with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

Length over Rim.....	Feet	4	4½	5	5½	
Width over Rim.....	Inches	30½	30½	30½	30½	
Depth inside.....	Inches	17	17	17	17	
Height from Floor.....	Inches	23	23	23	23	
Price as described.....	Each	32.00	32.00	36.00	41.00	

EXTRAS

ADD TO ABOVE LISTS

For No. 4½ Nickel-plated Fuller or Compression Double Bath Cock.....	3.50
For Nickel-plated Supply Pipes.....	Per Pair 3.00
For Nickel-plated Connected Waste and Overflow.....	3.00
For Nickel-plated “Ideal” Bath Waste.....	9.50

“ OCCIDENT ”




FIG. A-426.

DESCRIPTION—White Enameled “Occident” Bath Tub with 3-inch Roll Rim Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

Length over Rim	Feet	4	4 ½	5	5 ½	6
Width over Rim	Inches	30	30	30	30	30
Depth inside	Inches	17	17	17	17	17
Height from Floor	Inches	22	22	22	22	22
Price as described	Each	32.00	32.00	36.00	41.00	47.00

EXTRAS

ADD TO ABOVE LISTS

For No. 4½ Nickel-plated Fuller or Compression Double Bath Cock	3.50
For Nickel-plated Supply Pipes	Per Pair 3.00
For Nickel-plated Connected Waste and Overflow	3.00
For Nickel-plated “Ideal” Bath Waste	9.50

“OCCIDENT”



FIG. A-427.

DESCRIPTION—White Enameled “Occident” Bath Tub with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper, Nickel-plated Chain and No. 4½ Nickel-plated Fuller Double Bath Cock.

Length over Rim	Feet	4	4½	5	5½	6
Width over Rim	Inches	30	30	30	30	30
Depth inside	Inches	17	17	17	17	17
Height from Floor	Inches	22	22	22	22	22
Price as described	Each	35.50	35.50	39.50	44.50	50.50

EXTRAS

ADD TO ABOVE LISTS

For Nickel-plated Supply Pipes	Per Pair	3.00
For Nickel-plated Connected Waste and Overflow		3.00
For Nickel-plated “Ideal” Bath Waste		9.50

“OCCIDENT”




FIG. A—428.

DESCRIPTION—White Enameled “Occident” Bath Tub, with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

No. 4½, Nickel-plated Fuller Double Bath Cock, Nickel-plated Supply Pipes and Nickel-plated Connected Waste and Overflow.

Length over Rim	Feet	4	4½	5	5½	6
Width over Rim	Inches	30	30	30	30	30
Depth inside	Inches	17	17	17	17	17
Height from Floor ..	Inches	22	22	22	22	22
Price as described	Each	41.50	41.50	45.50	50.50	56.50

“OCCIDENT”




FIG. A-429.

DESCRIPTION—White Enameled “Occident” Bath Tub with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer.

No. 4½, Nickel-plated Fuller Double Bath Cock, Nickel-plated Supply Pipes, and Nickel-plated “Ideal” Bath Waste.

Length over Rim.....	Feet	4	4½	5	5½	6
Width over Rim.....	Inches	30	30	30	30	30
Depth inside.....	Inches	17	17	17	17	17
Height from Floor.....	Inches	22	22	22	22	22
Price as described.....	Each	48.00	48.00	52.00	57.00	63.00

“NEW FAVORITE “




FIG. A—430

DESCRIPTION—White Enameled “New Favorite” Bath Tub with Half Under Roll Rim, and Nickel-plated Bottom Bell Supply Fittings Complete.

Length over Rim..... Feet	4	4½	5	5½	6
Width over Rim..... Inches	29	29	29	29	29
Depth inside..... Inches	17	17	17	17	17
Height from Floor..... Inches	23	23	23	23	23
Price, as described..... Each	57.00	57.00	61.00	66.00	72.00

If wanted without Bottom Bell Supply Fittings, deduct from List..... 25 00

ENAMELED STEEL BATH TUBS



FIG. A-431.

DESCRIPTION—Smooth Rolled Galvanized Steel Bath Tub, with Oak Rim, Nickel-plated Connected Waste and Overflow, Nickel-plated Chain and Rubber Stopper.

EXTERIOR--Light Blue Enamel Finish and Gold Trimmed.

INTERIOR—White Enamel Finish.

DIMENSIONS—Height, 23½ inches; Width over Rim, 28 inches; Depth, 17½ inches.

Size	Feet	4½	5	5½	6
Price, as described		19.50	20.50	21.50	24.50

Fitted for Fuller No. 4½ Double Bath Cock unless otherwise ordered.

COPPER AND ZINC BATH TUBS




FIG. A-432.

COPPER TUBS (NEW YORK PATTERN)

DIMENSIONS—Outside Width, 24 inches; Height, 19 inches; Outside Length, 4½, 5, 5½ and 6 feet.

Weight of Copper	Ounces	10	12	14	16	18	20
Price	All sizes	15.00	16.00	18.00	20.00	22.00	24.00

ZINC TUBS (NEW YORK PATTERN)

All sizes	8.00
-----------------	------

STANDARD GALVANIZED RANGE BOILERS

VERTICAL OR HORIZONTAL




FIG. A-433.

CAPACITY	SIZE				PRICE
18 gallons -----	3	feet by	12	inches -----	14.50
21 " -----	3½	"	12	" -----	15.50
24 " -----	4	"	12	" -----	15.75
24 " -----	3	"	14	" -----	19.00
27 " -----	4½	"	12	" -----	18.50
28 " -----	3½	"	14	" -----	20.25
30 " -----	5	"	12	" -----	19.00
32 " -----	4	"	14	" -----	21.00
35 " -----	5	"	13	" -----	21.00
36 " -----	6	"	12	" -----	24.50
36 " -----	4½	"	14	" -----	21.50
40 " -----	5	"	14	" -----	24.00
42 " -----	4	"	16	" -----	26.00
47 " -----	4½	"	16	" -----	30.00
48 " -----	6	"	14	" -----	30.00
52 " -----	5	"	16	" -----	31.00
53 " -----	4	"	18	" -----	31.50
63 " -----	6	"	16	" -----	38.00
66 " -----	5	"	18	" -----	38.00
79 " -----	6	"	18	" -----	44.00
82 " -----	5	"	20	" -----	45.50
98 " -----	6	"	20	" -----	61.50
100 " -----	5	"	22	" -----	63.50
120 " -----	6	"	22	" -----	74.00
120 " -----	5	"	24	" -----	72.50
144 " -----	6	"	24	" -----	103.00
168 " -----	7	"	24	" -----	120.00
192 " -----	8	"	24	" -----	132.00

The above prices are for Boilers only.

RANGE BOILER STANDS



FIG. A-434.

SIZE INCHES	PRICE, EACH	PRICE, EACH
	PLAIN	GALVANIZED
12	1.25	2.50
13	1.30	2.60
14	1.40	2.70
16	1.75	3.25
18	2.00	3.60
20	2.25	4.25
22	2.50	4.75
24	3.00	5.50

GALVANIZED RANGE BOILERS

WITH GALVANIZED IRON STEAM COILS




FIG. A-435.




FIG. A-436.




FIG. A-437.

CAPACITY	SIZE	STANDARD	EXTRA HEAVY
30 gallons	5 feet by 12 inches	18.50	20.00
40 "	5 " 14 "	23.50	25.00
52 "	5 " 16 "	27.25	30.00
63 "	6 " 16 "	33.25	37.00
66 "	5 " 18 "	33.25	37.00
82 "	5 " 20 "	38.00	40.00
100 "	5 " 22 "	53.00	55.50
120 "	6 " 22 "	55.60	62.00
120 "	5 " 24 "	54.25	60.50

Prices are for Boiler and Coil only; Couplings, Tube and Stand are extra.

GALVANIZED EXPANSION TANKS




FIG. A-438.

CAPACITY, GALLONS	DIMENSIONS, INCHES	PRICE, EACH, GALVANIZED
5½	9 x 20	6.00
8	10 x 25½	7.50
10	12 x 20	8.00
12	12 x 24	8.50
15	12 x 30	9.00
18	12 x 36	9.50
20	14 x 30	12.50
24	14 x 36	13.00
26	16 x 30	14.00
32	16 x 36	15.00
42	16 x 48	16.50
66	18 x 60	31.00

Water Gauges not included.

WILKS' WATER HEATERS

MAGAZINE FEED




FIG. A-439.

WILKS' MAGAZINE FEED HEATERS

SIZE OF BOILER INCHES	TOTAL HEIGHT INCHES	SIZE OF OPENINGS INCHES	HEATING CAPACITY PER HOUR GALLONS	WEIGHT POUNDS	PRICE EACH
16 x 30	57	1 ½	140	340	57.50
16 x 36	62	1 ½	150	380	60.00
20 x 30	66	2	200	445	72.00
20 x 36	72	2	250	500	75.00
20 x 42	78	2	275	530	80.00
24 x 36	76	2	325	700	105.00
24 x 42	82	2	350	740	110.00
30 x 42	84	3	600	1230	130.00
30 x 48	90	3	700	1280	135.00
36 x 42	87	3	900	1950	185.00
36 x 48	93	3	1000	2000	195.00
42 x 42	90	3	1200	2600	215.00
42 x 48	96	3	1300	2700	225.00

WILKS' SURFACE BURNER HEATERS

SIZE OF BOILER INCHES	TOTAL HEIGHT INCHES	SIZE OF OPENINGS INCHES	HEATING CAPACITY PER HOUR GALLONS	WEIGHT POUNDS	PRICE EACH
10 x 15	22	¾	30	70	20.00
10 x 18	25	¾	40	75	21.00
12 x 24	32	1	65	120	25.00
20 x 30	38	1	75	130	26.50
14 x 30	40	1 ¼	100	180	30.00
14 x 36	46	1 ¼	125	190	32.00

TABASCO WATER HEATERS

MAGAZINE FEED




FIG. A-440.

TABASCO MAGAZINE FEED HEATERS

SIZE OF BOILER	TOTAL HEIGHT	SIZE OF FLOWS	HEATING CAPACITY	WEIGHT	PRICE
INCHES	INCHES	AND RETURNS	PER HOUR	POUNDS	EACH
		INCHES	GALLONS		
17 x 30	48	2-1½	130	430	71.00
17 x 36	54	2-1½	150	450	75.00
21 x 30	57	2-2	200	530	85.00
21 x 36	57	2-2	250	560	91.00
21 x 42	63	2-2	300	590	97.00
21 x 48	69	2-2	350	630	103.00
25 x 36	57	2-2	300	730	130.00
25 x 42	63	2-2	350	780	136.00
25 x 48	69	2-2	400	830	143.00
30 x 42	67	2-3	500	1120	156.00
30 x 48	73	2-3	600	1220	163.00
30 x 54	79	2-3	700	1300	170.00

TABASCO, JR., SURFACE BURNER HEATERS

SIZE OF BOILER	SIZE OF FLOWS	HEATING CAPACITY	WEIGHT	PRICE
INCHES	AND RETURNS	PER HOUR	POUNDS	EACH
	INCHES	GALLONS		
10 x 16	1	30	120	30.00
10 x 18	1	40	125	32.00
12 x 24	1	65	180	40.00
12 x 30	1	80	200	41.00
15 x 30	1¼	100	250	49.00
15 x 36	1¼	120	270	52.00

CRESCENT INSTANTANEOUS WATER HEATER

No. 2




FIG. A-441.

No. 8




FIG. A-442.

DESCRIPTIVE
CIRCULARS
SENT
ON
APPLICATION

HEATING CAPACITY

2½ to 3 gallons per minute.

FULL NICKEL-PLATED

No. 2 Heater.....	35.00
No. 6 Heater.....	25.00
No. 8 Heater.....	22.00

EXTRAS

Nickel-plated Shelf and Bracket		2.75	
NICKEL-PLATED VENT FITTINGS	{	Pipe, per Foot50
		Collars35
		Elbows80
		Extension Thimbles, 4 to 8 inches	1.00
		Vent Hoods	1.50

CAUTION: Heaters should ALWAYS be Vented, and Vent carried to attic or to outside of building.

MALLEABLE IRON FITTINGS

ELBOWS



FIG. A-443.

Size ----- Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black ----- Each	.04	.04	.06	.10	.15	.22	.25	.35	.50	.80	1.50
Galvanized ----- Each		.05	.08	.14	.20	.32	.40	.60	.90	1.35	2.60
Right and Left, Black ----- Each		.05	.07	.12	.17	.25	.30	.40	.65		

45° ELBOWS



FIG. A-444.

Size ----- Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black ----- Each	.08	.10	.12	.18	.26	.36	.54	.82	1.25	2.50
Galvanized ----- Each	.12	.15	.20	.25	.40	.50	.85	1.35		

STREET ELBOWS




FIG. A-445.

Size ----- Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Black ----- Each	.10	.10	.12	.20	.25	.40	.55	.90	1.50
Galvanized ----- Each	.12	.12	.15	.28	.35	.55	.80	1.30	

MALLEABLE IRON FITTINGS
SIDE OUTLET ELBOWS




FIG. A-446.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price	Each	.08	.10	.18	.30	.45	.60	1.00

DROP ELBOWS



FIG. A-447.

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1
Black	Each	.06	.08	.12	.20	.25
Galvanized	Each		.12	.20	.35	.40

LONG DROP ELBOWS




FIG. A-448.

Size	Inches	$\frac{1}{4} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{3}{8}$
Black	Each	.10	.10
Galvanized	Each	.18	.18

FLANGE RIGHT

DROP ELBOWS

FLANGE LEFT




FIG. A-449.

FLANGES RIGHT OR LEFT

Size	Inches	$\frac{1}{4} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{3}{8}$
Price	Each	.08	.08




FIG. A-450.

MALLEABLE IRON FITTINGS

TEES



FIG. A-451

Size --- Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black ----- Each	.07	.07	.08	.11	.15	.25	.30	.45	.60	1.05	1.70
Galvanized -- Each		.09	.10	.16	.20	.38	.50	.70	1.00	1.90	3.00

FOUR-WAY TEES



FIG. A-452

Size ----- Inches	3/8	1/2	3/4	1	1 1/4	1 1/2
Price. ----- Each	.12	.14	.20	.35	.50	.80

DROP TEES



FIG. A-453.

Size ----- Inches	3/8	1/2	3/4	1
Black ----- Each	.10	.14	.22	.30
Galvanized ----- Each	.15	.25	.40	.55

MALLEABLE IRON FITTINGS

CROSSES




FIG. A—454.

Size ---- -Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Black ---- -Each	.08	.10	.12	.20	.30	.40	.60	1.00	1.75	3.00
Galvanized ----Each		.15	.17	.25	.45	.60	.90	1.50	2.75	4.25

REDUCERS



FIG. A—455.

Size ---- -Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	$3\frac{1}{2}$	$3\frac{1}{2}$	4
Black ---- -Each	.03	.03	.05	.10	.16	.20	.28	.45	.70	1.00	1.50	1.85
Galvanized --Each		.05	.08	.15	.25	.35	.45	.75	1.05	1.65	2.40	3.05

CAPS




FIG. A—456.

Size ---- -Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black ---- -Each	.03	.04	.05	.08	.12	.16	.24	.32	.45	.85	1.00	1.20
Galvanized --Each	.04	.05	.08	.12	.17	.24	.38	.52	.76	1.30	1.60	2.00

MALLEABLE IRON FITTINGS

COUPLINGS

RIGHT HAND




FIG. A-457.

RIGHT AND LEFT




FIG. A-458.

Size ----- Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Right Hand, Black ----- Each	.03	.04	.07	.10	.14	.20	.25	.35
Right Hand, Galvanized ----- Each	.05	.07	.10	.17	.23	.30	.40	.55
Right and Left, Black ----- Each	.04	.05	.08	.12	.16	.25	.36	.52
Right and Left, Galvanized ----- Each	.06	.08	.10	.17	.25	.35	.55	.75

OFFSET REDUCING COUPLINGS




FIG. A-459.

Size ----- Inches	$1 \times \frac{3}{4}$	$1\frac{1}{4} \times 1$	$1\frac{1}{2} \times 1\frac{1}{4}$	$2 \times 1\frac{1}{2}$	$2\frac{1}{2} \times 2$	$3 \times 2\frac{1}{2}$	$3\frac{1}{2} \times 3$	4×3	5×4
Price ----- Each	.60	.70	.90	1.10	1.80	2.50	3.00	4.00	6.00

CROSS-OVERS




FIG. A-460.

Size ----- Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Black ----- Each	.20	.30	.45
Galvanized ----- Each	.25	.40	.60

MALLEABLE IRON FITTINGS

RETURN BENDS

MEDIUM PATTERN




FIG. A-461.

CLOSE PATTERN

Size ----- Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Right Hand, Black ----- Each	.13	.25	.35	.50	.75	1.00
Right Hand, Galvanized ----- Each	.25	.35	.55	.75	1.15	1.65
Right and Left, or Left Hand, Black ----- Each	.15	.30	.45	.60	.90	1.25
Distance between centers ----- Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$2\frac{3}{8}$	$2\frac{5}{8}$

MEDIUM PATTERN

Size ----- Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Right Hand, Black ----- Each	.13	.25	.35	.50	.75	1.00
Right Hand, Galvanized ----- Each	.25	.35	.55	.75	1.15	1.65
Right and Left, or Left Hand, Black ----- Each	.15	.30	.45	.60	.90	1.25
Distance between centers ----- Inches	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{7}{8}$	$2\frac{1}{4}$	$2\frac{1}{2}$	3

OPEN PATTERN

Size ----- Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Right Hand, Black ----- Each	.15	.30	.50	.65	.85	1.25	2.00	3.00
Right Hand, Galvanized ----- Each	.25	.45	.70	.90	1.25	2.00	3.50	5.00
Right and Left, or Left Hand, Blk ----- Each	.20	.38	.60	.80	1.05	1.55	2.50	3.75
Distance between centers ----- Inches	$\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5

MALLEABLE IRON FITTINGS

BUSHINGS

REGULAR



FIG. A-462.

FACED



FIG. A-463.

REDUCING ONE SIZE ONLY

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Regular, Black	Each	.04	.04	.05	.06	.07	.09	.14	.21
Regular, Galvanized	Each	.08	.08	.10	.12	.14	.18	.28	.42
Faced, Black	Each	.08	.09	.11	.13	.17	.22	.32	.48

LOCK NUTS

REGULAR




FIG. A-464.

FACED




FIG. A-465.

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Regular, Black	Each	.02	.03	.04	.05	.07	.09	.11	.18
Regular, Galvanized	Each	.03	.04	.05	.07	.10	.14	.20	.30
Faced, Black	Each	.08	.09	.10	.12	.15	.20	.25	.30

WASTE NUTS




FIG. A-466.

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1
Black	Each	.04	.05	.06	.08	.10
Galvanized	Each	.08	.10	.12	.16	.20

MALLEABLE IRON FITTINGS

RIGHT AND LEFT NIPPLES WITH HEXAGON CENTER




FIG. A-467.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price	Each	.25	.30	.40	.50	.70

MALLEABLE UNIONS




FIG. A-468.

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Black	Each	.18	.20	.22	.27	.33	.46	.58	.75	1.55	2.10
Galvanized	Each	.27	.30	.33	.40	.50	.70	.90	1.15	2.35	3.15

COMBINATION BRASS AND IRON GROUND BALL JOINT UNIONS




FIG. A-469.




FIG. A-470.

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Black	Each	.24	.28	.35	.40	.56	.80	.95
Galvanized	Each	.28	.35	.46	.55	.78	1.12	1.35

MALLEABLE IRON FITTINGS

"Y" BENDS



FIG. A—471.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Black -----Each	.25	.40	.60	.80	1.00	1.70	2.00	3.00
Galvanized -----Each	.38	.60	.90	1.25	1.50	2.50	3.00	4.50

UNION ELBOWS




FIG. A—472.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Black -----Each	.42	.54	.63	.90	1.05	1.55	2.85
Galvanized -----Each	.63	.81	.95	1.35	1.58	2.35	4.30

UNION TEES




FIG. A—473.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Black -----Each	.45	.57	.70	.95	1.15	1.70	3.20
Galvanized -----Each	.68	.86	1.05	1.45	1.75	2.55	4.80

MALLEABLE IRON FITTINGS

CIRCULATING BOILER FITTINGS

GALVANIZED

BOILER ELBOW




FIG. A-474.

BOILER ELBOW

WITH UNION




FIG. A-475.

BOILER COUPLING




FIG. A-476.

BOILER COUPLING

WITH UNION




FIG. A-477.

		FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
Sizes	Inches	$\frac{3}{4}$ x $\frac{3}{4}$ x 1		$\frac{3}{4}$ x $\frac{1}{2}$ x 1		$\frac{1}{2}$ x $\frac{1}{2}$ x 1	
Boiler Elbows	Each	.40		.40		.40	
Boiler Elbows, with Union	Each	.75		.75		.60	
Boiler Coupling	Each	.40		.40		.40	
Boiler Coupling, with Union	Each	.75		.75		.60	

DRIVE CAP




FIG. A-478.

Size	Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Price	Each	.26	.35	.42	.60	1.16	2.00	2.70	3.80

MALLEABLE IRON FITTINGS

RAILING FITTINGS



FIG. A-479.



FIG. A-480.



FIG. A-481.




FIG. A-482.




FIG. A-483.




FIG. A-484.



FIG. A-485.



FIG. A-486.

Size	Inches	1/2	3/4	1	1 1/4	1 1/2	2
Fig. A-479. Elbow	Each	.15	.18	.20	.35	.45	.72
Fig. A-480. Side Outlet Elbow	Each	.20	.23	.25	.40	.50	.80
Fig. A-481. Tee	Each	.20	.23	.25	.40	.50	.75
Fig. A-482. Side Outlet Tee	Each	.30	.33	.35	.45	.55	.90
Fig. A-483. Cross	Each	.30	.33	.35	.45	.58	1.00
Fig. A-484. Side Outlet Cross	Each	.35	.38	.40	.50	.65	1.35
Fig. A-485. Floor Flange	Each	.14	.15	.15	.20	.28	.30
Fig. A-486. Acorn Ornament	Each	.16	.18	.20	.25	.35	.90

NOTE—Railing Fittings tapped Right and Left, or Left Hand, 15 per cent higher than above prices.

CHANDELIER HOOKS

MALE

FEMALE

CHANDELIER
LOOP

EXTENSION
PIECE

WALL
PLATE



FIG. A-487.



FIG. A-488.



FIG. A-489.



FIG. A-490.



FIG. A-491.

Size	Inches	3/8	1/2	3/4
Chandelier Hooks, Male	Each	.10	.12	
Chandelier Hooks, Female	Each	.10	.12	
Chandelier Loops	Each	.10	.12	
Extension Pieces	Each	.06	.09	.12
Wall Plates	Each	.12		

MALLEABLE IRON FITTINGS

HYDRANT CLAMPS

SQUARE SOCKET




FIG. A-492.

HYDRANT CLAMPS

TAPPED SOCKET




FIG. A-493.

Size	Inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Square Socket ..	Per Pound	.15	.15	.15	.15
Tapped Socket, for $\frac{3}{8}$ -inch Pipe.....	Per Pound	.18	.18	.18	.18
Tapped Socket, for $\frac{1}{2}$ -inch Pipe.....	Per Pound	.20	.20	.20	.20

STREET WASHER KEYS



FIG. A-494.

HYDRANT HANDLES



FIG. A-495.

Price	Per Pound .15
-------------	---------------

Price	Per Pound .15
-------------	---------------

PUMP ROD COUPLINGS



FIG. A-496.

Size	Inches	$\frac{3}{8}$	$\frac{3}{8} \times \frac{7}{16}$	$\frac{7}{16}$	$\frac{1}{2}$
Number of Threads to Inch		14	14-12	12	12
Price, Plain	Per Pound	.25	.25	.25	.25
Price, Galvanized	Per Pound	.32	.32	.32	.32

WOOD ROD COUPLINGS



FIG. A-497.

Price, Plain	Per Set .40
Price, Galvanized	Per Set .50

STANDARD LIST OF MALLEABLE IRON FITTINGS

ELBOWS

Gas	$\frac{1}{8}$ x $\frac{1}{8}$
Gas	$\frac{1}{4}$ x $\frac{1}{8}$
*Steam and Gas	$\frac{1}{4}$ x $\frac{1}{4}$
Gas	$\frac{3}{8}$ x $\frac{1}{8}$
*Steam and Gas	$\frac{3}{8}$ x $\frac{1}{4}$
*Steam and Gas	$\frac{3}{8}$ x $\frac{3}{8}$
Gas	$\frac{1}{2}$ x $\frac{1}{4}$
*Steam and Gas	$\frac{1}{2}$ x $\frac{3}{8}$
*Steam and Gas	$\frac{1}{2}$ x $\frac{1}{2}$
*Gas	$\frac{3}{4}$ x $\frac{3}{8}$
*Steam and Gas	$\frac{3}{4}$ x $\frac{1}{2}$
*Steam and Gas	$\frac{3}{4}$ x $\frac{3}{4}$
Gas	1 x $\frac{3}{8}$
*Steam and Gas	1 x $\frac{1}{2}$
*Steam and Gas	1 x $\frac{3}{4}$
*Steam and Gas	1 x 1
Steam	$1\frac{1}{4}$ x $\frac{3}{4}$
*Steam and Gas	$1\frac{1}{4}$ x 1
*Steam and Gas	$1\frac{1}{4}$ x $1\frac{1}{4}$
Steam	$1\frac{1}{2}$ x $\frac{3}{4}$
Steam	$1\frac{1}{2}$ x 1
*Steam and Gas	$1\frac{1}{2}$ x $1\frac{1}{4}$
*Steam and Gas	$1\frac{1}{2}$ x $1\frac{1}{2}$
Steam	2 x 1
Steam	2 x $1\frac{1}{4}$
*Steam and Gas	2 x $1\frac{1}{2}$
*Steam and Gas	2 x 2
Steam	$2\frac{1}{2}$ x $1\frac{1}{2}$
Steam	$2\frac{1}{2}$ x 2
*Steam	$2\frac{1}{2}$ x $2\frac{1}{2}$
Steam	3 x 2
Steam	3 x $2\frac{1}{2}$
*Steam	3 x 3
Steam	$3\frac{1}{2}$ x 3
Steam	$3\frac{1}{2}$ x $3\frac{1}{2}$
Steam	4 x 3
Steam	4 x $3\frac{1}{2}$
*Steam	4 x 4
Steam	$4\frac{1}{2}$ x $4\frac{1}{2}$
Steam	5 x 5
Steam	6 x 6

RIGHT AND LEFT ELBOWS

Steam	$\frac{1}{4}$ x $\frac{1}{4}$
Steam	$\frac{3}{8}$ x $\frac{3}{8}$
Steam	$\frac{1}{2}$ x $\frac{1}{2}$
Steam	$\frac{3}{4}$ x $\frac{3}{4}$
Steam	1 x 1
Steam	$1\frac{1}{4}$ x $1\frac{1}{4}$
Steam	$1\frac{1}{2}$ x $1\frac{1}{2}$
Steam	2 x 2

STREET ELBOWS

Beaded	$\frac{1}{4}$ x $\frac{1}{4}$
*Beaded	$\frac{3}{8}$ x $\frac{3}{8}$
*Beaded	$\frac{1}{2}$ x $\frac{1}{2}$
Beaded	$\frac{3}{4}$ x $\frac{1}{2}$
*Beaded	$\frac{3}{4}$ x $\frac{3}{4}$
Beaded	1 x $\frac{3}{4}$
*Beaded	1 x 1
*Beaded	$1\frac{1}{4}$ x 1
*Beaded	$1\frac{1}{4}$ x $1\frac{1}{4}$
Beaded	$1\frac{1}{2}$ x $1\frac{1}{4}$
*Beaded	$1\frac{1}{2}$ x $1\frac{1}{2}$
Beaded	2 x $2\frac{1}{2}$
*Beaded	2 x 2
Beaded	$2\frac{1}{2}$ x $2\frac{1}{2}$

45° ELBOWS

Beaded	$\frac{1}{4}$ x $\frac{1}{4}$
Beaded	$\frac{3}{8}$ x $\frac{3}{8}$
*Beaded	$\frac{1}{2}$ x $\frac{1}{2}$
*Beaded	$\frac{3}{4}$ x $\frac{3}{4}$
*Beaded	1 x 1
*Beaded	$1\frac{1}{4}$ x $1\frac{1}{4}$
*Gas	$1\frac{1}{4}$ x $1\frac{1}{4}$
*Beaded	$1\frac{1}{2}$ x $1\frac{1}{2}$
*Gas	$1\frac{1}{2}$ x $1\frac{1}{2}$
*Beaded	2 x 2
Beaded	$2\frac{1}{2}$ x $2\frac{1}{2}$
Beaded	3 x 3
Beaded	$3\frac{1}{2}$ x $3\frac{1}{2}$
Beaded	4 x 4
Beaded	$4\frac{1}{2}$ x $4\frac{1}{2}$
Beaded	5 x 5
Beaded	6 x 6

SIDE OUTLET ELBOWS

Gas	$\frac{3}{8}$ x $\frac{3}{8}$ x $\frac{1}{4}$
*Gas	$\frac{3}{8}$ x $\frac{3}{8}$ x $\frac{3}{8}$
Gas	$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{3}{8}$
*Gas	$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$
Gas	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{8}$
Gas	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{1}{2}$
*Gas	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$
Gas	1 x 1 x $\frac{3}{4}$
*Gas	1 x 1 x 1
Gas	$1\frac{1}{4}$ x $1\frac{1}{4}$ x 1
*Gas	$1\frac{1}{4}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$
*Gas	$1\frac{1}{2}$ x $1\frac{1}{2}$ x $1\frac{1}{2}$
Gas	2 x 2 x 2

All above sizes carried in stock.

Those marked * carried in stock, Galvanized.

STANDARD LIST OF MALLEABLE IRON FITTINGS

60° ELBOWS

Plain-----	1½	
Plain-----	2	
Plain-----	2	x 1½

DROP ELBOWS

(FEWALE)

Gas-----	¼ x ¼
Gas-----	¾ x ¼
*Gas-----	¾ x ¾
*Gas-----	½ x ½
*Gas-----	¾ x ½
*Gas-----	¾ x ¾
Gas-----	1 x 1

DROP ELBOWS

(MALE AND FEMALE)

Gas-----	⅛ x ¾
*Gas-----	¼ x ¾
*Gas-----	¾ x ¾
Gas-----	½ x ¾

DROP ELBOWS

WITH DROP 2½ INCHES LONG

Gas-----	¾ x ¾
Gas-----	¼ x ¾

DROP ELBOWS

WITH FLANGE RIGHT SIDE

Gas-----	¼ x ¾
Gas-----	¾ x ¾

DROP ELBOWS

WITH FLANGE LEFT SIDE

Gas-----	¾ x ¾
Gas-----	¼ x ¾

CROSSES

Gas-----	¼ x ¼	¼ x ¼	¼ x ¼
Gas-----	¾ x ¼	¼ x ¼	¼ x ¼
Gas-----	¾ x ¾	¼ x ¼	¼ x ¼
Steam and Gas-	¾ x ¾	¾ x ¾	¾ x ¾
Gas-----	½ x ¾	¼ x ¼	¼ x ¼
Gas-----	½ x ¾	¾ x ¾	¾ x ¾
Gas-----	½ x ½	¼ x ¼	¼ x ¼
*Steam and Gas-	½ x ½	¾ x ¾	¾ x ¾
*Steam and Gas-	½ x ½	½ x ½	½ x ½
Gas-----	¾ x ½	½ x ½	½ x ½
Gas-----	¾ x ½	¾ x ¾	¾ x ¾
*Gas-----	¾ x ½	½ x ½	½ x ½
Steam and Gas-	¾ x ¾	¾ x ¾	¾ x ¾
*Steam and Gas-	¾ x ¾	½ x ½	½ x ½
*Steam and Gas-	¾ x ¾	¾ x ¾	¾ x ¾
Gas-----	1 x ½	¾ x ¾	¾ x ¾
Gas-----	1 x ¾	¾ x ¾	¾ x ¾
Steam and Gas-	1 x ¾	½ x ½	½ x ½
Steam and Gas-	1 x ¾	¾ x ¾	¾ x ¾
Steam and Gas-	1 x 1	¾ x ¾	¾ x ¾
*Steam and Gas-	1 x 1	½ x ½	½ x ½
*Steam and Gas-	1 x 1	¾ x ¾	¾ x ¾
*Steam and Gas-	1 x 1	1 x 1	1 x 1
Steam-----	1¼ x 1	¾ x ¾	¾ x ¾
Steam-----	1¼ x 1	1 x 1	1 x 1
Steam-----	1¼ x 1¼	¾ x ¾	¾ x ¾
*Steam-----	1¼ x 1¼	½ x ½	½ x ½
*Steam-----	1¼ x 1¼	¾ x ¾	¾ x ¾
*Steam-----	1¼ x 1¼	1 x 1	1 x 1
*Steam and Gas-	1¼ x 1¼	1¼ x 1¼	1¼ x 1¼
Steam-----	1½ x 1¼	1¼ x 1¼	1¼ x 1¼
Steam-----	1½ x 1½	½ x ½	½ x ½
*Steam and Gas-	1½ x 1½	¾ x ¾	¾ x ¾
*Steam and Gas-	1½ x 1½	1 x 1	1 x 1
*Steam and Gas-	1½ x 1½	1¼ x 1¼	1¼ x 1¼
*Steam and Gas-	1½ x 1½	1½ x 1½	1½ x 1½
*Steam-----	2 x 2	¾ x ¾	¾ x ¾
*Steam and Gas-	2 x 2	1 x 1	1 x 1
*Steam and Gas-	2 x 2	1¼ x 1¼	1¼ x 1¼
*Steam and Gas-	2 x 2	1½ x 1½	1½ x 1½
*Steam and Gas-	2 x 2	2 x 2	2 x 2
Steam-----	2½ x 2½	1½ x 1½	1½ x 1½
Steam-----	2½ x 2½	2 x 2	2 x 2
*Steam-----	2½ x 2½	2½ x 2½	2½ x 2½
Steam-----	3 x 3	2 x 2	2 x 2
Steam-----	3 x 3	2½ x 2½	2½ x 2½
Steam and Gas-	3 x 3	3 x 3	3 x 3
Steam-----	3½ x 3½	3½ x 3½	3½ x 3½
Steam-----	4 x 4	2 x 2	2 x 2
Steam-----	4 x 4	4 x 4	4 x 4

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

STANDARD LIST OF MALLEABLE IRON FITTINGS

TEES

Gas-----	1/8	x	1/8	x	1/8
Gas-----	1/8	x	1/8	x	1/4
Gas-----	1/4	x	1/4	x	1/8
*Steam and Gas-----	1/4	x	1/4	x	1/4
*Gas-----	1/4	x	1/4	x	3/8
Gas-----	3/8	x	1/4	x	1/4
Gas-----	3/8	x	1/4	x	3/8
Gas-----	3/8	x	3/8	x	1/8
*Gas-----	3/8	x	3/8	x	1/4
*Steam and Gas-----	3/8	x	3/8	x	3/8
*Gas-----	3/8	x	3/8	x	1/2
Gas-----	1/2	x	1/4	x	1/2
Gas-----	1/2	x	3/8	x	1/4
*Gas-----	1/2	x	3/8	x	3/8
*Gas-----	1/2	x	3/8	x	1/2
Gas-----	1/2	x	3/8	x	3/4
Gas-----	1/2	x	1/2	x	1/4
*Steam and Gas-----	1/2	x	1/2	x	3/8
*Steam and Gas-----	1/2	x	1/2	x	1/2
*Steam and Gas-----	1/2	x	1/2	x	3/4
Gas-----	3/4	x	1/4	x	3/4
*Gas-----	3/4	x	3/8	x	3/8
*Gas-----	3/4	x	3/8	x	1/2
*Gas-----	3/4	x	3/8	x	3/4
Gas-----	3/4	x	1/2	x	1/4
*Gas-----	3/4	x	1/2	x	3/8
*Steam and Gas-----	3/4	x	1/2	x	1/2
*Steam and Gas-----	3/4	x	1/2	x	3/4
*Gas-----	3/4	x	1/2	x	1
Gas-----	3/4	x	3/4	x	1/4
*Steam and Gas-----	3/4	x	3/4	x	3/8
*Steam and Gas-----	3/4	x	3/4	x	1/2
*Steam and Gas-----	3/4	x	3/4	x	3/4
*Steam and Gas-----	3/4	x	3/4	x	1
Gas-----	1	x	3/8	x	1/2
Gas-----	1	x	3/8	x	3/4
Gas-----	1	x	3/8	x	1
Gas-----	1	x	1/2	x	3/8
*Steam and Gas-----	1	x	1/2	x	1/2
*Steam-----	1	x	1/2	x	3/4
*Steam and Gas-----	1	x	1/2	x	1
*Gas-----	1	x	3/4	x	3/8
*Steam and Gas-----	1	x	3/4	x	1/2
*Steam and Gas-----	1	x	3/4	x	3/4
*Steam and Gas-----	1	x	3/4	x	1
Steam-----	1	x	3/4	x	1 1/4
Gas-----	1	x	1	x	1/4
*Gas-----	1	x	1	x	3/8
*Steam and Gas-----	1	x	1	x	1/2
*Steam and Gas-----	1	x	1	x	3/4

TEES

*Steam and Gas-----	1	x	1	x	1
*Steam and Gas-----	1	x	1	x	1 1/4
Steam-----	1	x	1	x	1 1/2
Gas-----	1 1/4	x	3/8	x	1 1/4
Steam-----	1 1/4	x	1/2	x	1
*Steam-----	1 1/4	x	1/2	x	1 1/4
Steam-----	1 1/4	x	3/4	x	3/4
*Steam-----	1 1/4	x	3/4	x	1
*Steam-----	1 1/4	x	3/4	x	1 1/4
Gas-----	1 1/4	x	1	x	3/8
*Steam-----	1 1/4	x	1	x	1/2
*Steam-----	1 1/4	x	1	x	3/4
*Steam and Gas-----	1 1/4	x	1	x	1
*Steam and Gas-----	1 1/4	x	1	x	1 1/4
Steam-----	1 1/4	x	1	x	1 1/2
Gas-----	1 1/4	x	1 1/4	x	3/8
*Steam and Gas-----	1 1/4	x	1 1/4	x	1/2
*Steam and Gas-----	1 1/4	x	1 1/4	x	3/4
*Steam and Gas-----	1 1/4	x	1 1/4	x	1
*Steam and Gas-----	1 1/4	x	1 1/4	x	1 1/4
*Steam-----	1 1/4	x	1 1/4	x	1 1/2
Steam-----	1 1/2	x	3/8	x	1 1/2
Steam-----	1 1/2	x	1/2	x	1 1/2
Steam-----	1 1/2	x	3/4	x	1 1/2
*Steam-----	1 1/2	x	1	x	1
*Steam-----	1 1/2	x	1	x	1 1/4
*Steam-----	1 1/2	x	1	x	1 1/2
*Steam-----	1 1/2	x	1 1/4	x	3/4
*Steam-----	1 1/2	x	1 1/4	x	1
*Steam-----	1 1/2	x	1 1/4	x	1 1/4
*Steam and Gas-----	1 1/2	x	1 1/4	x	1 1/2
Steam-----	1 1/2	x	1 1/4	x	2
Steam-----	1 1/2	x	1 1/2	x	3/8
*Steam-----	1 1/2	x	1 1/2	x	1/2
*Steam and Gas-----	1 1/2	x	1 1/2	x	3/4
*Steam and Gas-----	1 1/2	x	1 1/2	x	1
*Steam and Gas-----	1 1/2	x	1 1/2	x	1 1/4
*Steam and Gas-----	1 1/2	x	1 1/2	x	1 1/2
*Steam-----	1 1/2	x	1 1/2	x	2
Steam-----	2	x	3/8	x	2
Steam-----	2	x	1/2	x	2
Steam-----	2	x	3/4	x	2
Steam-----	2	x	1	x	2
*Steam-----	2	x	1 1/4	x	1 1/4
Steam-----	2	x	1 1/4	x	1 1/2
Steam-----	2	x	1 1/4	x	2
Steam-----	2	x	1 1/2	x	1
*Steam-----	2	x	1 1/2	x	1 1/4
*Steam and Gas-----	2	x	1 1/2	x	1 1/2
*Steam and Gas-----	2	x	1 1/2	x	2
*Steam-----	2	x	2	x	1/2
*Steam and Gas-----	2	x	2	x	3/4
*Steam and Gas-----	2	x	2	x	1
*Steam and Gas-----	2	x	2	x	1 1/4
*Steam and Gas-----	2	x	2	x	1 1/2
*Steam and Gas-----	2	x	2	x	2
Steam-----	2	x	2	x	2 1/2

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

STANDARD LIST OF MALLEABLE IRON FITTINGS

TEES—CONTINUED

*Steam	2½	x	2½	x	1
Steam	2½	x	2½	x	1¼
Steam	2½	x	2½	x	1½
*Steam	2½	x	2½	x	2
*Steam	2½	x	2½	x	2½
Steam	3	x	3	x	1
Steam	3	x	3	x	1¼
Steam	3	x	3	x	1½
*Steam	3	x	3	x	2
*Steam	3	x	3	x	2½
*Steam	3	x	3	x	3
Steam	3½	x	3½	x	2½
Steam	3½	x	3½	x	3
Steam	3½	x	3½	x	3½
Steam	4	x	4	x	2
Steam	4	x	4	x	2½
Steam	4	x	4	x	3
Steam	4	x	4	x	3½
*Steam	4	x	4	x	4
Steam	4½	x	4½	x	4½
Steam	5	x	5	x	5
Steam	6	x	6	x	6

DROP TEES

(FEMALE)

Gas	¾	x	¼	x	¼
Gas	¾	x	¾	x	¼
*Gas	¾	x	¾	x	¾
Gas	½	x	¾	x	¼
Gas	½	x	¾	x	¾
Gas	½	x	½	x	¼
*Gas	½	x	½	x	¾
*Gas	½	x	½	x	½
Gas	¾	x	½	x	¼
Gas	¾	x	½	x	¾
*Gas	¾	x	¾	x	¼
*Gas	¾	x	¾	x	¾
*Gas	¾	x	¾	x	½
*Gas	¾	x	¾	x	¾
Gas	1	x	¾	x	¾
Gas	1	x	1	x	¾
Gas	1	x	1	x	½
Gas	1	x	1	x	1

DROP TEES

WITH DROP 2½ INCHES LONG

Gas	¾	x	¾	x	¾
-----	---	---	---	---	---

DROP TEES

(MALE AND FEMALE)

Gas	¼	x	¼	x	¾
Gas	¾	x	¼	x	¾
*Gas	¾	x	¾	x	¾
Gas	½	x	¾	x	¾
*Gas	½	x	½	x	¾
Gas	¾	x	½	x	¾
Gas	¾	x	¾	x	¾
Gas	1	x	¾	x	¾
Gas	1	x	1	x	¾

RETURN BENDS

(OPEN PATTERN)

SIZE	DISTANCE BETWEEN CENTERS
* ½	1½
* ¾	2
* 1	2½
* 1¼	3
* 1½	3½
* 2	4
* 2½	4½
* 3	5

RETURN BENDS

(MEDIUM PATTERN)

SIZE	DISTANCE BETWEEN CENTERS
½	1¼
¾	1½
1	1⅞
1¼	2¼
1½	2½
2	3

RETURN BENDS

(CLOSE PATTERN)

SIZE	DISTANCE BETWEEN CENTERS
* ½	1
* ¾	1¼
* 1	1½
* 1¼	1¾
* 1½	2⅓
* 2	2⅝

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

STANDARD LIST OF MALLEABLE IRON FITTINGS

COUPLINGS
(RIGHT HAND)

SIZE	SIZE	SIZE
* $\frac{1}{4}$	* 1	$2\frac{1}{2}$
* $\frac{3}{8}$	* $1\frac{1}{4}$	3
* $\frac{1}{2}$	* $1\frac{1}{2}$	$3\frac{1}{2}$
* $\frac{3}{4}$	* 2	4

COUPLINGS
(RIGHT AND LEFT)

SIZE	SIZE
$\frac{1}{4}$	1
$\frac{3}{8}$	$1\frac{1}{4}$
$\frac{1}{2}$	$1\frac{1}{2}$
$\frac{3}{4}$	2

REDUCING COUPLINGS

Gas	$\frac{1}{4}$ x $\frac{1}{8}$
Gas	$\frac{3}{8}$ x $\frac{1}{8}$
Steam and Gas	$\frac{3}{4}$ x $\frac{1}{4}$
Gas	$\frac{1}{2}$ x $\frac{1}{4}$
*Steam and Gas	$\frac{1}{2}$ x $\frac{3}{8}$
Gas	$\frac{3}{4}$ x $\frac{1}{4}$
Gas	$\frac{3}{4}$ x $\frac{3}{8}$
Steam and Gas	$\frac{3}{4}$ x $\frac{1}{2}$
Gas	1 x $\frac{1}{4}$
Gas	1 x $\frac{3}{8}$
*Gas	1 x $\frac{1}{2}$
*Steam and Gas	1 x $\frac{3}{4}$
Steam and Gas	$1\frac{1}{4}$ x $\frac{3}{8}$
*Steam and Gas	$1\frac{1}{4}$ x $\frac{1}{2}$
*Steam and Gas	$1\frac{1}{4}$ x $\frac{3}{4}$
*Steam and Gas	$1\frac{1}{4}$ x 1
*Steam and Gas	$1\frac{1}{2}$ x $\frac{1}{2}$
*Steam and Gas	$1\frac{1}{2}$ x $\frac{3}{4}$
*Steam and Gas	$1\frac{1}{2}$ x 1
*Steam and Gas	$1\frac{1}{2}$ x $1\frac{1}{4}$
Steam and Gas	2 x $\frac{1}{2}$
Steam and Gas	2 x $\frac{3}{4}$
*Steam and Gas	2 x 1
*Steam and Gas	2 x $1\frac{1}{4}$
*Steam and Gas	2 x $1\frac{1}{2}$
Steam	$2\frac{1}{2}$ x 1
*Steam	$2\frac{1}{2}$ x $1\frac{1}{4}$
Steam and Gas	$2\frac{1}{2}$ x $1\frac{1}{2}$
*Steam and Gas	$2\frac{1}{2}$ x 2
Steam and Gas	3 x 1
Steam	3 x $1\frac{1}{4}$
*Steam	3 x $1\frac{1}{2}$
Steam and Gas	3 x 2
*Steam and Gas	3 x $2\frac{1}{2}$
Steam	$3\frac{1}{2}$ x $2\frac{1}{2}$
*Steam	$3\frac{1}{2}$ x 3
Steam	4 x 2
Steam	4 x $2\frac{1}{2}$
Steam	4 x 3
*Steam	4 x $3\frac{1}{2}$

Y BENDS

Beaded	$\frac{3}{4}$
Beaded	1
Beaded and Plain	$1\frac{1}{4}$
Beaded and Plain	$1\frac{1}{2}$
Beaded and Plain	$1\frac{1}{2}$ x $1\frac{1}{4}$
Beaded and Plain	2
Beaded and Plain	2 x $1\frac{1}{2}$
Beaded	$2\frac{1}{2}$
Beaded	$2\frac{1}{2}$ x 2
Beaded	3
Beaded	3 x $2\frac{1}{2}$

60° Y'S

Plain	$1\frac{1}{2}$
Plain	2
Plain	2 x $1\frac{1}{2}$

FOUR-WAY TEES

Gas	$\frac{3}{8}$
Gas	$\frac{1}{2}$
Gas	$\frac{3}{4}$
Gas	1
Gas	$1\frac{1}{4}$
Gas	$1\frac{1}{2}$
Gas	2

CAPS

*Gas	$\frac{1}{4}$
*Gas	$\frac{3}{8}$
*Gas	$\frac{1}{2}$
*Steam and Gas	$\frac{3}{4}$
*Steam and Gas	1
*Steam and Gas	$1\frac{1}{4}$
*Steam and Gas	$1\frac{1}{2}$
*Steam and Gas	2
*Steam	$2\frac{1}{2}$
*Steam	3
*Steam	$3\frac{1}{2}$
*Steam	4

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

WROUGHT IRON NIPPLES

CLOSE




FIG. A-498.

THREADED
RIGHT
HAND

SHOULDER



FIG. A-499.

BLACK

LENGTH, INCHES						SIZES	PRICES		PRICES OF EXTRA LONG NIPPLES										
CLOSE	SHORT	LONG					CLOSE OR SHORT	LONG	LENGTH, INCHES										
									4	5	6	7	8	9	10	11	12		
$\frac{3}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$\frac{1}{8}$.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19		
$\frac{7}{8}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$\frac{1}{4}$.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19		
1	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$\frac{3}{8}$.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19		
$1\frac{1}{8}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$\frac{1}{2}$.05	.07	.08	.10	.12	.14	.16	.18	.20	.22	.23		
$1\frac{3}{8}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$\frac{3}{4}$.06	.09	---	.11	.13	.17	.18	.20	.22	.24	.26		
$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	1	.08	.13	---	.15	.18	.23	.25	.28	.31	.34	.36		
$1\frac{5}{8}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$1\frac{1}{4}$.11	.17	---	.20	.24	.29	.33	.36	.40	.44	.47		
$1\frac{3}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$1\frac{1}{2}$.13	.20	---	.25	.29	.36	.40	.45	.50	.54	.59		
2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	2	.18	.27	---	.32	.38	.50	.54	.59	.65	.72	.77		
$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	$2\frac{1}{2}$.39	.59	---	---	.68	.90	.97	1.06	1.17	1.26	1.35		
$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	3	.48	.72	---	---	.85	1.08	1.20	1.33	1.45	1.58	1.70		
$2\frac{3}{4}$	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$3\frac{1}{2}$.75	1.05	---	---	---	1.30	1.45	1.60	1.75	1.90	2.05		
3	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	4	.85	1.20	---	---	---	1.52	1.69	1.87	2.05	2.22	2.40		
3	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$4\frac{1}{2}$	1.25	1.70	---	---	---	2.25	2.50	2.75	2.95	3.17	3.40		
$3\frac{1}{2}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	5	1.55	2.45	---	---	---	2.58	2.83	3.10	3.35	3.60	3.85		
$3\frac{1}{2}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	6	1.85	2.90	---	---	---	3.05	3.35	3.70	4.00	4.30	4.65		

GALVANIZED

LENGTH, INCHES						SIZES	PRICES		PRICES OF EXTRA LONG GALVANIZED NIPPLES										
CLOSE	SHORT	LONG					CLOSE OR SHORT	LONG	LENGTH, INCHES										
									4	5	6	7	8	9	10	11	12		
¾	1½	2	2½	3	3½	⅛	.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34		
⅞	1½	2	2½	3	3½	¼	.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34		
1	1½	2	2½	3	3½	⅜	.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34		
1⅛	1½	2	2½	3	3½	½	.06	.11	.13	.16	.18	.23	.26	.28	.31	.33	.36		
1⅜	2	2½	3	3½	4	¾	.08	.14	--	.18	.21	.26	.29	.32	.35	.38	.41		
1½	2	2½	3	3½	4	1	.11	.19	--	.24	.28	.34	.38	.42	.47	.51	.55		
1⅝	2½	3	3½	4	4½	1¼	.17	.29	--	.32	.38	.45	.51	.57	.63	.69	.75		
1¾	2½	3	3½	4	4½	1½	.21	.35	--	.39	.46	.55	.63	.70	.77	.84	.91		
2	2½	3	3½	4	4½	2	.27	.47	--	.52	.61	.74	.83	.93	1.03	.113	1.23		
2½	3	3½	4	4½	5	2½	.56	.86	--	--	1.00	1.26	1.41	1.56	1.71	1.86	2.01		
2½	3	3½	4	4½	5	3	.70	1.10	--	--	1.30	1.60	1.80	2.00	2.20	2.40	2.60		
2¾	4	4½	5	5½	6	3½	1.20	1.70	--	--	--	2.10	2.35	2.60	2.85	3.15	3.40		
3	4	4½	5	5½	6	4	1.35	1.87	--	--	--	2.30	2.60	2.90	3.20	3.50	3.80		
3	4	4½	5	5½	6	4½	1.85	2.60	--	--	--	3.30	3.65	4.05	4.45	4.85	5.25		
3½	4½	5	5½	6	6½	5	2.30	3.15	--	--	--	3.75	4.20	4.60	5.00	5.40	5.85		
3¾	4½	5	5½	6	6½	6	2.80	4.25	--	--	--	4.50	5.00	5.55	6.05	6.60	7.15		

WROUGHT IRON NIPPLES

RIGHT AND LEFT

LENGTH, INCHES						SIZES	PRICES		PRICES OF EXTRA LONG RIGHT AND LEFT NIPPLES										
CLOSE	SHORT	LONG					CLOSE OR SHORT	LONG	LENGTH, INCHES										
									4	5	6	7	8	9	10	11	12		
¾	1½	2	2½	3	3½	⅛	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27		
⅞	1½	2	2½	3	3½	¼	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27		
1	1½	2	2½	3	3½	⅜	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27		
1⅛	1½	2	2½	3	3½	½	.07	.10	.11	.13	.16	.18	.21	.24	.27	.29	.31		
1⅜	2	2½	3	3½	4	¾	.08	.12	---	.15	.17	.23	.25	.27	.29	.32	.35		
1½	2	2½	3	3½	4	1	.11	.18	---	.20	.24	.31	.33	.37	.41	.45	.48		
1⅝	2½	3	3½	4	4½	1¼	.15	.23	---	.27	.32	.39	.45	.50	.55	.60	.65		
1¾	2½	3	3½	4	4½	1½	.18	.27	---	.34	.39	.48	.52	.60	.67	.72	.80		
2	2½	3	3½	4	4½	2	.24	.36	---	.43	.51	.67	.72	.80	.87	.96	1.03		
2½	3	3½	4	4½	5	2½	.52	.79	---	---	.91	1.20	1.30	1.40	1.55	1.68	1.80		
2½	3	3½	4	4½	5	3	.65	.96	---	---	1.13	1.44	1.60	1.77	1.93	2.10	2.27		
2¾	4	4½	5	5½	6	3½	1.00	1.40	---	---	---	1.75	1.95	2.15	2.35	2.55	2.75		
3	4	4½	5	5½	6	4	1.15	1.60	---	---	---	2.00	2.25	2.50	2.75	3.00	3.25		

Add 60 per cent to above prices for Galvanized Nipples threaded Right and Left.

LONG SCREWS

WITH FACED COUPLING AND LOCK NUT



FIG. A—500.

Size ----- Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Standard Length ----- Inches	2 1/2	3	3 1/2	4	4 1/2	5	5 1/2	6	7	8
Black ----- Each	.30	.35	.40	.55	.75	1.00	1.30	1.70	2.70	3.70
Galvanized ----- Each	.35	.40	.50	.66	1.00	1.25	1.60	2.10	3.10	4.70

TANK NIPPLES




FIG. A—501.

Size ----- Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Length ----- Inches	6	6	6	6	6	6	6	6	6	6
Black ----- Each	.25	.25	.25	.25	.35	.45	.50	.65	1.10	1.50
Galvanized ----- Each	.35	.35	.35	.35	.45	.60	.70	.90	1.45	2.00

CAST IRON ELBOWS



FIG. A-502.

Size	Inches	¼	⅜	½	¾	1	1¼	1½	2	2½	3
Right Hand, Black	Each	.05	.05	.06	.08	.10 ½	.16	.20	.28	.50	.75
Right Hand, Galvanized	Each	.10	.10	.12	.16	.21	.32	.40	.56	1.00	1.50
Right and Left	Each	.06	.06	.07	.09	.12	.18	.23	.32	.60	.85
Pitched, Black	Each				.10	.13	.20	.25	.35	.65	1.00
Size	Inches	3½	4	4½	5	6	7	8	9	10	12
Right Hand, Black	Each	1.05	1.20	1.75	2.00	2.75	4.70	6.75	9.00	13.50	20.00
Right Hand, Galvanized	Each	2.10	2.40	3.50	4.00	5.50	9.40	13.50	18.00	27.00	40.00
Pitched, Black	Each	1.30	1.50								

CAST IRON REDUCING ELBOWS



FIG. A-503.

Size	Inches	½	¾	1	1¼	1½	2	2½	3	3½
Black	Each	.07	.09	.12	.18	.23	.32	.60	.85	1.20
Galvanized	Each	.14	.18	.24	.36	.46	.64	1.20	1.70	2.40
Size	Inches	4	4½	5	6	7	8	9	10	12
Black	Each	1.40	2.00	2.30	3.15	5.40	7.75	10.50	15.50	23.00
Galvanized	Each	2.80	4.00	4.60	6.30	10.80	15.50	21.00	31.00	46.00

CAST IRON 45° ELBOWS



FIG. A-504.

Size	Inches	⅜	½	¾	1	1¼	1½	2	2½	3	3½
Black	Each	.06	.07	.10	.12	.19	.24	.34	.60	.90	1.25
Galvanized	Each	.12	.14	.20	.24	.38	.48	.68	1.20	1.80	2.50
Size	Inches	4	4½	5	6	7	8	9	10	12	14
Black	Each	1.45	2.20	2.50	3.45	5.90	8.50	11.25	17.00	25.00	50.00
Galvanized	Each	2.90	4.40	5.00	6.90	11.80	17.00	22.50	34.00	50.00	100.00

CAST IRON TEES




FIG. A-505.

Size-----Inches	¼	⅜	½	¾	1	1¼	1½	2	2½	3
Black-----Each	.08	.08	.09	.12	.15	.23	.29	.41	.73	1.10
Galvanized-----Each	.16	.16	.18	.24	.30	.46	.58	.82	1.46	2.20
Size-----Inches	3½	4	4½	5	6	7	8	9	10	12
Black-----Each	1.50	1.75	2.55	3.00	4.00	6.80	9.75	13.00	19.50	29.00
Galvanized-----Each	3.00	3.50	5.10	6.00	8.00	13.60	19.50	26.00	39.00	58.00

CAST IRON REDUCING TEES



FIG. A-506.

Size-----Inches	½	¾	1	1¼	1½	2	2½	3	3½
Black-----Each	.10	.14	.17	.27	.33	.47	.83	1.25	1.75
Galvanized-----Each	.20	.28	.34	.54	.66	.94	1.66	2.50	3.50
Size-----Inches	4	4½	5	6	7	8	9	10	12
Black-----Each	2.00	2.95	3.50	4.60	7.80	11.25	15.00	22.50	33.50
Galvanized-----Each	4.00	5.90	7.00	9.20	15.60	22.50	30.00	45.00	67.00

CAST IRON REDUCERS



FIG. A-507.

Size-----Inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black-----Each	.43	.60	.80	1.00	1.35	1.85	2.00	2.70	5.35	6.75	8.35	10.00	15.00
Galvanized-----Each	.86	1.20	1.60	2.00	2.70	3.70	4.00	5.40	10.70	13.50	16.70	20.00	30.00

CAST IRON CROSSES



FIG. A-508.

Size-----Inches	½	¾	1	1¼	1½	2	2½	3	3½
Black-----Each	.16	.22	.27	.42	.53	.75	1.30	2.00	2.70
Galvanized-----Each	.32	.44	.54	.84	1.06	1.50	2.60	4.00	5.40
Size-----Inches	4	4½	5	6	7	8	9	10	12
Black-----Each	3.15	4.60	5.50	7.25	12.25	17.50	23.50	35.00	52.50
Galvanized-----Each	6.30	9.20	11.00	14.50	24.50	35.00	47.00	70.00	105.00

REDUCING CAST IRON CROSSES



FIG. A-509.

Size-----Inches	½	¾	1	1¼	1½	2	2½	3	3½
Black-----Each	.18	.25	.30	.46	.60	.83	1.45	2.20	3.00
Galvanized-----Each	.36	.50	.60	.92	1.20	1.66	2.90	4.40	6.00
Size-----Inches	4	4½	5	6	7	8	9	10	12
Black-----Each	3.50	5.10	6.00	8.00	13.50	19.25	26.00	38.50	58.00
Galvanized-----Each	7.00	10.20	12.00	16.00	27.00	38.50	52.00	77.00	116.00

CAST IRON "Y" BRANCHES



FIG. A-510.

Size-----Inches	½	¾	1	1¼	1½	2	2½	3	3½	4	4½	5	6
Black-----Each	.20	.28	.34	.54	.66	.94	1.66	2.50	3.50	4.00	5.90	7.00	9.20
Galvanized-----Each	.40	.56	.68	1.08	1.32	1.88	3.32	5.00	7.00	8.00	11.80	14.00	18.40
Reducing-----Each	.23	.33	.40	.62	.76	1.08	1.90	2.90	4.00	4.60	6.80	8.00	10.60

CAST IRON CAPS




FIG. A-511.

Size -----Inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black -----Each	.26	.40	.54	.75	.87	1.05	1.20	1.55	2.50	2.85	4.75	5.50	7.00
Galvanized -----Each	.52	.80	1.08	1.50	1.74	2.10	2.40	3.10	5.00	5.70	9.50	11.00	14.00

CAST IRON BUSHINGS

REGULAR




FIG. A-512.

REDUCING TWO OR MORE SIZES, UP TO, AND
INCLUDING 2½ INCHES

REDUCING ONE OR MORE SIZES, THREE
INCH, AND LARGER

FACED



FIG. A-513.

Size -----Inches	½	¾	1	1¼	1½	2	2½	3	3½
Regular, Black -----Each	.04	.05	.06	.07	.09	.14	.21	.30	.40
Regular, Galvanized -----Each	.08	.10	.12	.14	.18	.28	.42	.60	.80
Faced (reducing two or more sizes)-----Each	.09	.11	.13	.17	.22	.32	.48	.70	1.20
Size -----Inches	4	4½	5	6	7	8	9	10	12
Regular, Black -----Each	.50	.75	.93	1.25	1.87	2.75	3.25	3.75	5.00
Regular, Galvanized -----Each	1.00	1.50	1.85	2.50	3.75	5.50	6.50	7.50	10.00
Faced (reducing two or more sizes)-----Each	1.50	2.10	2.60						

NOTE—Bushings reducing one size only, up to and including 2½ inch, are Malleable, and will be found listed among the Malleable Fittings.

CAST IRON PLUGS

REGULAR



FIG. A-514.

COUNTERSUNK



FIG. A-515.

Sizes -----Inches	¼	¾	½	¾	1	1¼	1½	2	2½	3
Regular, Black -----Each	.02	.02	.02	.03	.04	.05	.07	.10	.18	.25
Regular, Galvanized -----Each	.04	.04	.04	.06	.08	.10	.14	.20	.36	.50
Countersunk -----Each			.04	.06	.08	.09	.11	.15		
Left Hand -----Each				.06	.08	.09	.11	.15		
Solid -----Each	.04	.04	.04	.06	.08	.09	.11	.15	.27	.38
Size -----Inches	3½	4	4½	5	6	7	8	9	10	12
Regular, Black -----Each	.38	.42	.65	.88	1.20	1.85	2.75	3.25	3.75	5.00
Regular, Galvanized -----Each	.76	.84	1.30	1.75	2.40	3.70	5.50	6.50	7.50	10.00
Solid -----Each	.57	.63	1.00	1.35	1.80	2.80	4.15	5.00	5.75	7.50

CAST IRON RETURN BENDS

CLOSE PATTERN



FIG. A-516.

WIDE PATTERN



FIG. A-517.

CLOSE PATTERN

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center	Inches	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$2\frac{1}{4}$	$2\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{3}{4}$	$4\frac{1}{2}$
Right Hand, Black	Each	.18	.20	.22	.28	.40	.57	1.20	1.70
Right Hand, Galvanized	Each	.36	.40	.44	.56	.80	1.14	2.40	3.40
Right and Left	Each	.21	.23	.26	.33	.46	.66	1.40	1.95

OPEN PATTERN

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center	Inches	$1\frac{7}{8}$	$2\frac{3}{8}$	3	$3\frac{1}{2}$	$4\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{1}{2}$
Right Hand, Black	Each	.26	.30	.40	.55	.80	1.35	2.20
Right Hand, Galvanized	Each	.52	.60	.80	1.10	1.60	2.70	4.40
Right and Left	Each	.30	.35	.46	.64	.92	1.55	2.50

WIDE PATTERN

Size	Inches	1	1	1	1	1	$1\frac{1}{4}$	$1\frac{1}{4}$
Center to Center	Inches	3	4	5	6	8	4	6
Right Hand, Black	Each	.45	.50	.60	.75	1.00	1.00	1.25
Right Hand, Galvanized	Each	.80	.90	1.10	1.30	1.60	1.75	2.00
Size	Inches	$1\frac{1}{2}$	$1\frac{1}{2}$	$1\frac{1}{2}$	2	2	4	4
Center to Center	Inches	$4\frac{7}{8}$	6	8	$4\frac{7}{8}$	6	$7\frac{1}{2}$	11
Right Hand, Black	Each	1.30	1.60	2.00	1.75	2.00	6.50	7.50
Right Hand, Galvanized	Each	2.30	2.60	3.25	3.00	3.25	10.00	11.00

CLOSE PATTERN, PITCHED

SUITABLE FOR COILS, AS PER TABLE BELOW

Size	Inches	1	1	1	1	1	$1\frac{1}{4}$	$1\frac{1}{4}$
Length of Pipe in Coil	Feet	3	4	5	6	8	4	5
Right Hand	Each	.26	.26	.26	.26	.26	.33	.33
Right and Left	Each	.26	.26	.26	.26	.26	.33	.33

Right and Left Pitched Return Bends are made to order.

CAST IRON LOCK NUTS




FIG. A-518.

Size	Inches	2	2½	3	3½	4	4½	5	6	7	8
Black - - - - -	Each	.25	.27	.34	.47	.64	.85	.90	1.30	1.70	2.35
Galvanized - - -	Each	.50	.54	.68	.94	1.28	1.70	1.80	2.60	3.40	4.70

CAST IRON ECCENTRIC BUSHINGS

REDUCING TWO OR MORE SIZES



FIG. A-519.

Size	Inches	2	2½	3	3½	4	4½	5	6	7	8
Price	Each	.27	.42	.60	.80	1.00	1.50	1.85	2.50	3.75	5.50

CAST IRON ECCENTRIC OFFSET REDUCING COUPLINGS




FIG. A-520.

Size	Inches	2x1½	2½x1¼	2½x1½	2½x2	3x2	3x2½
Price	Each	1.00	1.50	1.50	1.50	2.40	2.40
Size	Inches	3½x3	3½x2½	4x3½	4x3	5x4	6x4
Price	Each	3.00	3.00	4.00	4.00	6.00	8.00

CAST IRON ECCENTRIC TEES




FIG. A-521.



FIG. A-522.

These Fittings are designed to prevent the accumulation and lodgment of condensation. Orders must be accompanied with a sketch, showing position in which the Fitting is to be placed.

PRICES ON APPLICATION

CAST IRON FLANGE UNIONS




FIG. A-523.

STANDARD FLANGE UNIONS

Size ----- Inches	½	¾	1	1¼	1½	2	2½	3	3½
Diameter of Flange --- Inches	3	3¼	3½	4⅛	4⅜	5⅛	5⅝	6⅝	6⅞
Number of Bolts in each -----	3	3	4	4	4	4	4	4	4
Black ----- Each	.40	.46	.52	.64	.78	1.00	1.25	1.50	1.80
Galvanized ----- Each	.80	.92	1.04	1.28	1.56	2.00	2.50	3.00	3.60
Size ----- Inches	4	4½	5	6	7	8	9	10	12
Diameter of Flange ---- Inches	7½	8¼	9¼	10¼	12	13	14	16	18
Number of Bolts in each -----	4	4	5	6	6	8	8	10	10
Black ----- Each	2.10	2.70	3.15	3.95	5.50	7.00	10.00	11.50	16.00
Galvanized ----- Each	4.20	5.40	6.30	7.90	11.00	14.00	20.00	23.00	32.00

EXTRA HEAVY CAST IRON FLANGE UNIONS

Size ----- Inches	¾	1	1¼	1½	2	2½	3
Diameter of Flange ----- Inches	3¼	3⅝	4⅛	4⅝	5⅜	6	6¾
Number of Bolts in Each -----	4	4	4	4	5	5	6
Price ----- Each	.70	.80	1.00	1.15	1.50	1.90	2.25
Size ----- Inches	3½	4	4½	5	6	7	8
Diameter of Flange ----- Inches	7⅝	8	8⅝	9⅝	10¾	12	13¼
Number of Bolts in each -----	6	7	8	8	9	10	10
Price ----- Each	2.70	3.15	4.00	4.75	6.00	8.25	10.50

CAST IRON FLANGES




FIG. A-524.

SIZE, PIPE INCHES	3⁄8	1⁄2	3⁄4	1	1¼	1½	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
DIAMETER INCHES																			
3	.10	.10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3½	.15	.15	.15	.15	.16	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4	.22	.22	.22	.16	.16	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4½	.25	.25	.25	.25	.25	.22	---	---	---	---	---	---	---	---	---	---	---	---	---
5	.35	.35	.30	.30	.30	.30	.35	---	---	---	---	---	---	---	---	---	---	---	---
5½	.45	.45	.45	.40	.40	.40	.35	.40	---	---	---	---	---	---	---	---	---	---	---
6	.50	.50	.50	.42	.40	.40	.42	.42	.50	---	---	---	---	---	---	---	---	---	---
6½	---	.65	.60	.60	.60	.55	.50	.50	.50	.65	---	---	---	---	---	---	---	---	---
7	---	.75	.75	.75	.70	.70	.62	.62	.62	.75	---	---	---	---	---	---	---	---	---
7½	---	.90	.90	.90	.85	.85	.80	.80	.75	.85	.90	---	---	---	---	---	---	---	---
8	---	1.00	1.00	1.00	.95	.95	.90	.90	.90	.90	.90	---	---	---	---	---	---	---	---
8½	---	1.25	1.25	1.25	1.15	1.15	1.10	1.10	1.10	1.00	1.00	---	---	---	---	---	---	---	---
9	---	---	---	1.35	1.35	1.35	1.30	1.25	1.15	1.15	1.15	1.15	1.40	---	---	---	---	---	---
9½	---	---	---	---	1.90	1.90	1.75	1.75	1.60	1.60	1.50	1.25	1.50	1.50	---	---	---	---	---
10	---	---	---	---	2.25	2.25	2.15	2.00	1.80	1.50	1.50	1.50	1.50	1.50	---	---	---	---	---
11	---	---	---	---	---	---	2.50	2.50	2.25	2.25	2.00	1.75	1.75	1.75	2.20	---	---	---	---
12	---	---	---	---	---	---	---	3.00	3.00	2.75	2.50	2.50	2.20	2.20	2.20	2.80	---	---	---
13	---	---	---	---	---	---	---	---	3.50	3.50	3.25	3.00	3.00	2.80	2.80	2.80	---	---	---
14	---	---	---	---	---	---	---	---	4.00	4.00	3.75	3.75	3.50	3.25	3.25	3.25	3.75	4.00	---
15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	4.00	4.00	4.50	---
16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5.00	5.00	5.00	5.00	6.00
17	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	6.50	5.75	5.75	7.00
18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.00	8.00	7.00	7.00
19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.50	7.50
20	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.50

CAST IRON DRILLED FLOOR FLANGES



FIG. A-525.

Size Pipe.....Inches	3⁄8	1⁄2	3⁄4	1	1¼	1½	2
Diameter Flange.....Inches	3	3½	3½	4	4	4½	5½
Price.....Each	.10	.15	.15	.16	.16	.22	.35

CAST IRON BACK OUTLET RETURN BENDS



FIG. A—526.

Size.....Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center.....Inches	$1\frac{7}{8}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{3}{4}$	$4\frac{1}{4}$
Right Hand, Black ... Each	.38	.42	.60	.80	1.15	2.00	3.00
Right Hand, Galvanized.....Each	.76	.84	1.20	1.60	2.30	4.00	6.00
Right and Left.....Each	.42	.48	.70	.95	1.30	2.30	3.50

The Back Outlet of Right and Left Return Bends is always tapped right hand.

CAST IRON OFFSETS



FIG. A—527.

Size.....Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
To Offset $1\frac{7}{8}$ inches.....Each	.45										
To Offset $2\frac{1}{4}$ inches.....Each		.70	.70								
To Offset $2\frac{1}{2}$ inches.....Each				1.20							
To Offset $3\frac{1}{4}$ inches.....Each					1.80						
To Offset $3\frac{3}{4}$ inches.....Each						3.00					
To Offset 4 inches.....Each	.45	.70	1.00	1.20	1.80	3.00	4.00	5.00	6.00	8.00	10.00
To Offset $4\frac{1}{2}$ inches.....Each							4.00				
To Offset 6 inches.....Each	.67	1.05	1.50	1.80	2.70	4.50	6.00	7.50	9.00	12.00	15.00
To Offset 8 inches.....Each	.90	1.40	2.00	2.40	3.60	6.00	8.00	10.00	12.00	16.00	20.00

CAST IRON LONG RADIUS ELBOWS



FIG. A—528.

Size ---- . Inches	1	1¼	1½	2	2½	3	3½	4	4½	5	6
Straight ---- Each	.32	.40	.55	.80	1.20	2.25	3.25	3.50	5.50	6.50	8.75
Reducing --- Each	.48	.60	.83	1.20	1.80	3.38	4.88	5.25	8.25	9.75	13.13

CAST IRON LONG RADIUS DOUBLE BRANCH ELBOWS



FIG. A—529.

Size ---- Inches	1	1¼	1½	2	2½	3	3½	4	4½	5	6
Straight - --- Each	.64	.80	1.10	1.60	2.40	4.50	6.50	7.00	11.00	13.00	17.50
Reducing --- Each	.96	1.20	1.65	2.40	3.60	6.75	9.75	10.50	16.50	19.50	26.25

CAST IRON LONG RADIUS TEES



FIG. A—530.

Size ---- Inches	1	1¼	1½	2	2½	3	3½	4	4½	5	6
Straight ---- Each	.48	.60	.82	1.20	1.80	3.40	4.90	5.25	8.25	9.75	13.25
Reducing --- Each	.72	.90	1.23	1.80	2.70	5.10	7.35	7.88	12.38	14.63	19.88

LIST OF STANDARD SIZES
OF
CAST IRON FITTINGS
ELBOWS

SIZE	SIZE	SIZE	SIZE
$\frac{1}{4}$ x $\frac{1}{4}$	$1\frac{1}{2}$ x $1\frac{1}{2}$	$3\frac{1}{2}$ x $3\frac{1}{2}$	6 x 6
$\frac{3}{8}$ x $\frac{3}{8}$	$1\frac{1}{2}$ x $1\frac{1}{4}$	$3\frac{1}{2}$ x 3	6 x 5
	$1\frac{1}{2}$ x 1		6 x 4
$\frac{1}{2}$ x $\frac{1}{2}$	$1\frac{1}{2}$ x $\frac{3}{4}$	4 x 4	
$\frac{1}{2}$ x $\frac{3}{8}$		4 x $3\frac{1}{2}$	7 x 7
	2 x 2	4 x 3	7 x 6
$\frac{3}{4}$ x $\frac{3}{4}$	2 x $1\frac{1}{2}$	4 x $2\frac{1}{2}$	
$\frac{3}{4}$ x $\frac{1}{2}$	2 x $1\frac{1}{4}$	4 x 2	8 x 8
	2 x 1		8 x 6
1 x 1		$4\frac{1}{2}$ x $4\frac{1}{2}$	
1 x $\frac{3}{4}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	$4\frac{1}{2}$ x 4	9 x 9
1 x $\frac{1}{2}$	$2\frac{1}{2}$ x 2		
	$2\frac{1}{2}$ x $1\frac{1}{2}$	5 x 5	10 x 10
$1\frac{1}{4}$ x $1\frac{1}{4}$		5 x 4	
$1\frac{1}{4}$ x 1	3 x 3	5 x 3	12 x 12
$1\frac{1}{4}$ x $\frac{3}{4}$	3 x $2\frac{1}{2}$		
$1\frac{1}{4}$ x $\frac{1}{2}$	3 x 2		

45° ELBOWS

Sizes— $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, 6, 7, 8, 9, 10, 12

PITCHED ELBOWS

SIZE	SIZE	SIZE	SIZE	SIZE	SIZE
1 x 1	$1\frac{1}{4}$ x $1\frac{1}{4}$	$1\frac{1}{2}$ x $1\frac{1}{2}$	2 x 2	$2\frac{1}{2}$ x $2\frac{1}{2}$	3 x 3
1 x $\frac{3}{4}$	$1\frac{1}{4}$ x 1	$1\frac{1}{2}$ x $1\frac{1}{4}$	2 x $1\frac{1}{2}$	$2\frac{1}{2}$ x 2	3 x 2

RIGHT AND LEFT ELBOWS

Sizes— $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3

TEES

SIZE	SIZE	SIZE	SIZE
$\frac{1}{4}$ x $\frac{1}{4}$ x $\frac{1}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$ x 2	1 x 1 x 2	1 x $\frac{1}{2}$ x 1
	$\frac{3}{4}$ x $\frac{3}{4}$ x $1\frac{1}{2}$	1 x 1 x $1\frac{1}{2}$	1 x $\frac{1}{2}$ x $\frac{3}{4}$
$\frac{3}{8}$ x $\frac{3}{8}$ x $\frac{3}{8}$	$\frac{3}{4}$ x $\frac{3}{4}$ x $1\frac{1}{4}$	1 x 1 x $1\frac{1}{4}$	1 x $\frac{1}{2}$ x $\frac{1}{2}$
$\frac{3}{8}$ x $\frac{3}{8}$ x $\frac{1}{2}$	$\frac{3}{4}$ x $\frac{3}{4}$ x 1	1 x 1 x 1	
	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$	1 x 1 x $\frac{3}{4}$	1 x $\frac{3}{8}$ x 1
$\frac{1}{2}$ x $\frac{1}{2}$ x 1	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{1}{2}$	1 x 1 x $\frac{1}{2}$	
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{8}$	1 x 1 x $\frac{3}{8}$	1 x $\frac{1}{4}$ x 1
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$			
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{3}{8}$	$\frac{3}{4}$ x $\frac{1}{2}$ x 1	1 x $\frac{3}{4}$ x 2	$1\frac{1}{4}$ x $1\frac{1}{4}$ x 2
	$\frac{3}{4}$ x $\frac{1}{2}$ x $\frac{3}{4}$	1 x $\frac{3}{4}$ x $1\frac{1}{2}$	$1\frac{1}{4}$ x $1\frac{1}{4}$ x $1\frac{1}{2}$
$\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{1}{2}$	$\frac{3}{4}$ x $\frac{1}{2}$ x $\frac{1}{2}$	1 x $\frac{3}{4}$ x $1\frac{1}{4}$	$1\frac{1}{4}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$
$\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{3}{8}$		1 x $\frac{3}{4}$ x 1	$1\frac{1}{4}$ x $1\frac{1}{4}$ x 1
	$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{3}{4}$	1 x $\frac{3}{4}$ x $\frac{3}{4}$	$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{3}{4}$
	$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{3}{8}$	1 x $\frac{3}{4}$ x $\frac{1}{2}$	$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{1}{2}$

LIST OF STANDARD SIZES

OF

CAST IRON FITTINGS

TEES—CONTINUED

SIZE	SIZE	SIZE	SIZE
1¼ x 1 x 2	2 x 1½ x 2½	3 x 3 x 4	4 x 4 x 6
1¼ x 1 x 1½	2 x 1½ x 2	3 x 3 x 3½	4 x 4 x 5
1¼ x 1 x 1¼	2 x 1½ x 1½	3 x 3 x 3	4 x 4 x 4
1¼ x 1 x 1	2 x 1½ x 1¼	3 x 3 x 2½	4 x 4 x 3½
1¼ x 1 x ¾	2 x 1½ x 1	3 x 3 x 2	4 x 4 x 3
1¼ x 1 x ½	2 x 1½ x ¾	3 x 3 x 1½	4 x 4 x 2½
1¼ x ¾ x 2	2 x 1½ x ½	3 x 3 x 1¼	4 x 4 x 2
1¼ x ¾ x 1½	2 x 1¼ x 2	3 x 3 x 1	4 x 4 x 1½
1¼ x ¾ x 1¼	2 x 1¼ x 1½	3 x 3 x ¾	4 x 4 x 1¼
1¼ x ¾ x 1	2 x 1¼ x 1¼	3 x 2½ x 3	4 x 4 x 1
1¼ x ¾ x ¾	2 x 1¼ x 1	3 x 2½ x 2½	4 x 4 x ¾
1¼ x ½ x 1½	2 x 1¼ x ¾	3 x 2½ x 2	4 x 3½ x 4
1¼ x ½ x 1¼	2 x 1 x 2	3 x 2½ x 1½	4 x 3½ x 3½
1½ x 1½ x 2½	2 x 1 x 1½	3 x 2½ x 1¼	4 x 3½ x 3
1½ x 1½ x 2	2 x 1 x 1¼	3 x 2½ x 1	4 x 3½ x 2½
1½ x 1½ x 1½	2 x 1 x 1	3 x 2½ x ¾	4 x 3½ x 2
1½ x 1½ x 1¼	2 x 1 x ¾	3 x 2 x 3	4 x 3½ x 1½
1½ x 1½ x 1	2 x ¾ x 2	3 x 2 x 2½	4 x 3½ x 1¼
1½ x 1½ x ¾	2 x ¾ x 1½	3 x 2 x 2	4 x 3 x 4
1½ x 1½ x ½	2 x ½ x 2	3 x 2 x 1½	4 x 3 x 3½
1½ x 1¼ x 2	2½ x 2½ x 4	3 x 2 x 1¼	4 x 3 x 3
1½ x 1¼ x 1½	2½ x 2½ x 3	3 x 2 x 1	4 x 3 x 2½
1½ x 1¼ x 1¼	2½ x 2½ x 2½	3 x 1½ x 3	4 x 3 x 2
1½ x 1¼ x 1	2½ x 2½ x 2	3 x 1½ x 2½	4 x 3 x 1½
1½ x 1¼ x ¾	2½ x 2½ x 1½	3 x 1¼ x 3	4 x 3 x 1¼
1½ x 1¼ x ½	2½ x 2½ x 1¼	3 x 1 x 3	4 x 3 x 1
1½ x 1 x 2	2½ x 2½ x 1	3½ x 3½ x 4	4 x 3 x ¾
1½ x 1 x 1½	2½ x 2½ x ¾	3½ x 3½ x 3½	4 x 2½ x 4
1½ x 1 x 1¼	2½ x 2½ x ½	3½ x 3½ x 3	4 x 2½ x 3
1½ x 1 x 1	2½ x 2 x 3	3½ x 3½ x 2½	4 x 2½ x 2½
1½ x 1 x ¾	2½ x 2 x 2½	3½ x 3½ x 2	4 x 2½ x 2
1½ x 1 x ½	2½ x 2 x 2	3½ x 3½ x 1½	4 x 2½ x 1½
1½ x ¾ x 2	2½ x 2 x 1½	3½ x 3½ x 1¼	4 x 2½ x 1
1½ x ¾ x 1½	2½ x 2 x 1¼	3½ x 3½ x 1	4 x 2 x 4
1½ x ¾ x 1¼	2½ x 2 x 1	3½ x 3 x 3	4 x 2 x 3
1½ x ¾ x 1	2½ x 2 x ¾	3½ x 3 x 2½	4 x 2 x 2½
1½ x ¾ x ¾	2½ x 2 x ½	3½ x 3 x 2	4 x 2 x 2
1½ x ½ x 1½	2½ x 1½ x 2½	3½ x 3 x 1½	4 x 2 x 1½
1½ x ½ x 1¼	2½ x 1½ x 2	3½ x 3 x 1¼	4 x 1½ x 4
2 x 2 x 3	2½ x 1½ x 1½	3½ x 2½ x 3	4 x 1¼ x 4
2 x 2 x 2½	2½ x 1½ x 1¼	3½ x 2½ x 2½	4 x 1 x 4
2 x 2 x 2	2½ x 1½ x 1	3½ x 2½ x 2	5 x 5 x 6
2 x 2 x 1½	2½ x 1¼ x 2½	3½ x 2 x 3½	5 x 5 x 5
2 x 2 x 1¼	2½ x 1¼ x 2	3½ x 1½ x 3½	5 x 5 x 4
2 x 2 x 1	2½ x 1 x 2½	3½ x 1¼ x 3½	5 x 5 x 3½
2 x 2 x ¾	2½ x ¾ x 2½	3½ x 1 x 3½	5 x 5 x 3
2 x 2 x ½			5 x 5 x 2½

LIST OF STANDARD SIZES
OF
CAST IRON FITTINGS
TEES—CONTINUED

SIZE	SIZE	SIZE	SIZE
5 x 5 x 2	6 x 6 x 3½	7 x 6 x 7	9 x 9 x 9
5 x 5 x 1½	6 x 6 x 3	7 x 6 x 6	9 x 9 x 5
5 x 5 x 1¼	6 x 6 x 2½	7 x 6 x 5	
	6 x 6 x 2		10 x 10 x 10
5 x 4 x 5	6 x 6 x 1½	7 x 5 x 6	10 x 10 x 8
5 x 4 x 4	6 x 6 x 1¼	7 x 5 x 5	10 x 10 x 6
5 x 4 x 3	6 x 6 x 1		10 x 10 x 5
5 x 4 x 2½		8 x 8 x 8	10 x 10 x 4
5 x 4 x 2	6 x 5 x 6	8 x 8 x 6	10 x 10 x 3
	6 x 5 x 5	8 x 8 x 5	
5 x 3 x 5	6 x 5 x 4	8 x 8 x 4	10 x 8 x 8
5 x 3 x 4		8 x 8 x 3½	
5 x 3 x 3	6 x 4 x 6	8 x 8 x 3	12 x 12 x 12
5 x 3 x 2½	6 x 4 x 4	8 x 8 x 2½	12 x 12 x 10
5 x 3 x 2		8 x 8 x 2	12 x 12 x 8
	6 x 3 x 6		12 x 12 x 6
5 x 2½ x 5		8 x 7 x 6	12 x 12 x 5
5 x 2½ x 4	6 x 2½ x 6		12 x 12 x 4
5 x 2½ x 3		8 x 6 x 8	
	6 x 2 x 6	8 x 6 x 7	12 x 8 x 10
5 x 2 x 5		8 x 6 x 6	12 x 8 x 8
6 x 6 x 8	7 x 7 x 7		
6 x 6 x 7	7 x 7 x 6	8 x 5 x 8	
6 x 6 x 6	7 x 7 x 5	8 x 5 x 5	14 x 14 x 14
6 x 6 x 5	7 x 7 x 4		14 x 14 x 8
6 x 6 x 4	7 x 7 x 3	8 x 4 x 8	14 x 14 x 6

BUSHINGS

SIZE	SIZE	SIZE	SIZE	SIZE
¼ x ⅛ Brass	1½ x ½	3½ x 1	5 x 2	7 x 4½
⅜ x ⅛ Brass	1½ x ¾	3½ x 1¼	5 x 2½	7 x 5
	1½ x 1	3½ x 1½	5 x 3	7 x 6
⅜ x ¼	1½ x 1¼	3½ x 2	5 x 3½	
	2 x ½	3½ x 2½	5 x 4	8 x 3
½ x ¼	2 x ¾	3½ x 3	5 x 4½	8 x 4
½ x ⅜	2 x 1			8 x 5
¾ x ¼	2 x 1¼	4 x 1	6 x 2	8 x 6
¾ x ⅜	2 x 1½	4 x 1¼	6 x 2½	8 x 7
¾ x ½		4 x 1½	6 x 3	
	2½ x ¾	4 x 2	6 x 3½	9 x 6
1 x ¼	2½ x 1	4 x 2½	6 x 4	9 x 7
1 x ⅜	2½ x 1¼	4 x 3	6 x 4½	9 x 8
1 x ½	2½ x 1½	4 x 3½	6 x 5	
1 x ¾	2½ x 2			10 x 6
	3 x 1	4½ x 2½	7 x 2	10 x 8
1¼ x ¼	3 x 1¼	4½ x 3	7 x 2½	
1¼ x ⅜	3 x 1½	4½ x 3½	7 x 3	12 x 6
1¼ x ½	3 x 2	4½ x 4	7 x 3½	12 x 8
1¼ x ¾	3 x 2½		7 x 4	12 x 10
1¼ x 1				

LIST OF STANDARD SIZES
OF
CAST IRON FITTINGS
CROSSES

SIZE	SIZE	SIZE	SIZE
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$	2 x 2 x 2 x 2	$3\frac{1}{2}$ x $3\frac{1}{2}$ x $3\frac{1}{2}$ x $3\frac{1}{2}$	6 x 6 x $3\frac{1}{2}$ x $3\frac{1}{2}$
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{3}{8}$	2 x 2 x $1\frac{1}{2}$ x $1\frac{1}{2}$	$3\frac{1}{2}$ x $3\frac{1}{2}$ x 3 x 3	6 x 6 x 3 x 3
$\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{4}$ x $\frac{1}{4}$	2 x 2 x $1\frac{1}{4}$ x $1\frac{1}{4}$	$3\frac{1}{2}$ x $3\frac{1}{2}$ x $2\frac{1}{2}$ x $2\frac{1}{2}$	6 x 6 x $2\frac{1}{2}$ x $2\frac{1}{2}$
	2 x 2 x 1 x 1	$3\frac{1}{2}$ x $3\frac{1}{2}$ x 2 x 2	6 x 6 x 2 x 2
$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$	2 x 2 x $\frac{3}{4}$ x $\frac{3}{4}$		
$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{1}{2}$ x $\frac{1}{2}$		4 x 4 x 4 x 4	7 x 7 x 7 x 7
$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{3}{8}$	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $2\frac{1}{2}$ x $2\frac{1}{2}$	4 x 4 x $3\frac{1}{2}$ x $3\frac{1}{2}$	7 x 7 x 6 x 6
1 x 1 x 1 x 1	$2\frac{1}{2}$ x $2\frac{1}{2}$ x 2 x 2	4 x 4 x 3 x 3	7 x 7 x 5 x 5
1 x 1 x $\frac{3}{4}$ x $\frac{3}{4}$	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $1\frac{1}{2}$ x $1\frac{1}{2}$	4 x 4 x $2\frac{1}{2}$ x $2\frac{1}{2}$	
1 x 1 x $\frac{1}{2}$ x $\frac{1}{2}$	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$	4 x 4 x 2 x 2	8 x 8 x 8 x 8
	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$	4 x 4 x $1\frac{1}{2}$ x $1\frac{1}{2}$	8 x 8 x 7 x 7
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$	$2\frac{1}{2}$ x $2\frac{1}{2}$ x 1 x 1		8 x 8 x 6 x 6
$1\frac{1}{4}$ x $1\frac{1}{4}$ x 1 x 1	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $\frac{3}{4}$ x $\frac{3}{4}$	$4\frac{1}{2}$ x $4\frac{1}{2}$ x $4\frac{1}{2}$ x $4\frac{1}{2}$	
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$	$2\frac{1}{2}$ x 2 x $1\frac{1}{2}$ x $1\frac{1}{2}$	5 x 5 x 5 x 5	9 x 9 x 9 x 9
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{1}{2}$ x $\frac{1}{2}$		5 x 5 x 4 x 4	
		5 x 5 x 3 x 3	10 x 10 x 10 x 10
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $1\frac{1}{2}$ x $1\frac{1}{2}$	3 x 3 x 3 x 3	5 x 5 x $2\frac{1}{2}$ x $2\frac{1}{2}$	10 x 10 x 8 x 8
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$	3 x 3 x $2\frac{1}{2}$ x $2\frac{1}{2}$	5 x 5 x 2 x 2	10 x 10 x 7 x 7
$1\frac{1}{2}$ x $1\frac{1}{2}$ x 1 x 1	3 x 3 x 2 x 2		
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $\frac{3}{4}$ x $\frac{3}{4}$	3 x 3 x $1\frac{1}{2}$ x $1\frac{1}{2}$	6 x 6 x 6 x 6	12 x 12 x 12 x 12
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$	3 x 3 x $1\frac{1}{4}$ x $1\frac{1}{4}$	6 x 6 x 5 x 5	12 x 12 x 10 x 10
	3 x 3 x 1 x 1	6 x 6 x 4 x 4	12 x 12 x 8 x 8
$1\frac{1}{2}$ x $1\frac{1}{4}$ x 1 x 1	3 x 3 x $\frac{3}{4}$ x $\frac{3}{4}$		

REDUCING COUPLINGS

SIZE	SIZE	SIZE	SIZE	SIZE	SIZE
2 x $1\frac{1}{2}$	$2\frac{1}{2}$ x $1\frac{1}{2}$	3 x $1\frac{1}{2}$	4 x 3	5 x 3	7 x 6
2 x $1\frac{1}{4}$	$2\frac{1}{2}$ x $1\frac{1}{4}$	3 x $1\frac{1}{4}$	4 x $2\frac{1}{2}$	6 x 5	
2 x 1	$2\frac{1}{2}$ x 1	3 x 1	4 x 2	6 x 4	8 x 6
2 x $\frac{3}{4}$	$2\frac{1}{2}$ x $\frac{3}{4}$	$3\frac{1}{2}$ x 3	$4\frac{1}{2}$ x 4	6 x 3	
2 x $\frac{1}{2}$	3 x $2\frac{1}{2}$	$3\frac{1}{2}$ x $2\frac{1}{2}$	5 x $4\frac{1}{2}$	6 x $2\frac{1}{2}$	10 x 8
$2\frac{1}{2}$ x 2	3 x 2	4 x $3\frac{1}{2}$	4 x 4	6 x 2	12 x 10

CAPS

Sizes— $1\frac{1}{4}$, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, 6, 7, 8, 9, 10, 12
--

LOCK NUTS

Sizes— $1\frac{1}{4}$, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, 6, 7, 8, 9, 10, 12
--

“Y” BENDS

Sizes— $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, 6, 7, 8
--

RETURN BENDS,	Close, $\frac{1}{2}$ to 3.	Open, $\frac{1}{2}$ to 3.	Wide, 1 to 4
---------------	----------------------------	---------------------------	--------------

PLUGS AND FLANGE UNIONS $\frac{1}{2}$ to 12
-------------------------	---------------------------

BRANCH TEES

FOR CIRCULATION



FIG. A-531.

FOR CIRCULATION




FIG. A-532.

FOR BOX COILS




FIG. A-533.

All openings in Branch Tees for Circulation Tapped Right Hand.
Branch Tees for Box Coils are always Tapped Left Hand in Branches and Right Hand in Back Inlet.

NUMBER OF BRANCHES	1 IN. BRANCH TEES			1¼ IN. BRANCH TEES			1½ IN. BRANCH TEES			2 IN. BRANCH TEES		
	2½ INCH CENTER TO CENTER			3 INCH CENTER TO CENTER			3½ INCH CENTER TO CENTER			4½ INCH CENTER TO CENTER		
	1 IN. OR 1¼ IN. RUN	1½ IN. RUN	2 IN. RUN	1¼ IN. OR 1½ IN. RUN	2 IN. RUN	2½ IN. RUN	1½ IN. OR 2 IN. RUN	2½ IN. RUN	3 IN. RUN	2 IN. RUN	2½ IN. OR 3 IN. RUN	3½ IN. RUN
2	.90	1.00	1.15	-----	-----	-----	2.70	3.45	3.80	5.25	5.75	6.25
3	1.05	1.15	1.35	1.65	1.90	2.40	2.85	3.35	4.15	4.60	7.00	7.75
4	1.15	1.30	1.60	2.00	2.40	2.85	3.35	4.15	4.60	6.40	7.00	7.75
5	1.35	1.45	1.85	2.40	2.90	3.55	4.00	5.00	5.50	7.65	8.50	9.25
6	1.60	1.75	2.10	2.80	3.30	3.95	4.65	5.75	6.25	8.80	9.75	10.75
7	1.90	2.20	2.45	3.20	3.90	4.20	5.25	6.50	7.25	10.60	11.75	13.00
8	2.20	2.45	2.75	3.60	4.50	4.95	5.85	7.00	7.75	11.50	12.75	14.00
9	2.65	2.90	3.40	4.30	5.25	6.15	6.50	8.25	9.00	12.25	13.50	15.00
10	-----	3.30	4.00	4.80	5.85	6.85	7.60	9.25	10.00	13.50	15.00	16.50
11	-----	4.50	4.80	5.00	6.25	7.25	8.00	9.75	10.75	-----	-----	-----
12	-----	4.75	5.10	5.25	6.50	7.65	8.50	10.50	11.50	-----	-----	-----
13	-----	5.50	6.00	6.00	7.00	8.25	-----	-----	-----	-----	-----	-----
14	-----	7.00	7.25	6.75	7.75	9.00	-----	-----	-----	-----	-----	-----
15	-----	7.50	7.75	7.50	8.50	9.75	-----	-----	-----	-----	-----	-----
16	-----	8.00	8.25	8.50	9.50	10.75	-----	-----	-----	-----	-----	-----

1-inch Branch Tees, 1-inch or 1¼-inch Run, are 1¾ inches Inside Diameter.
1-inch Branch Tees, 1½-inch or 2-inch Run, are 2¼ inches Inside Diameter.
1¼-inch Branch Tees are all 2½ inches Inside Diameter.
1½-inch Branch Tees are all 2¾ inches Inside Diameter.
2-inch Branch Tees are all 3½ inches Inside Diameter.
Always order Branch Tees by size and number.
1-inch Branch Tees, 1-inch and 1¼-inch Run, are also made 2¼-inch Inside Diameter, as
LARGE PATTERN.

HOOK PLATES




FIG. A-534.

Number of Hooks.....	1	2	3	4	5	6	7	8	9	10	11	12
For 3/4-inch Pipe..... Each	.08	.16	.21	.24	.28	.34	.40	.45	.50	.56	.68	.72
For 1 -inch Pipe..... Each	.09	.18	.23	.26	.32	.38	.48	.59	.65	.70	.85	1.00
For 1 1/4-inch Pipe..... Each	.10	.21	.27	.32	.41	.52	.68	.80	.90	1.20	1.35	1.40
For 1 1/2-inch Pipe..... Each	.15	.28	.43	.58	.72	.88	1.10	1.25	1.40	1.55	1.65	1.90
For 2 -inch Pipe..... Each	.22	.43	.65	.90	1.15	1.35						

EXPANSION PLATES



FIG. A-535.

Number of Hooks.....	1	2	3	4	5	6	7	8	9	10	11	12
For 3/4-inch Pipe..... Each	.12	.23	.34	.45	.55	.65	.77	.90	1.05	1.25	1.45	1.65
For 1 -inch Pipe..... Each	.15	.25	.35	.50	.60	.70	.80	.95	1.10	1.35	1.55	1.70
For 1 1/4-inch Pipe..... Each	.17	.27	.40	.60	.70	.80	.90	1.15	1.30	1.50	1.70	2.00
For 1 1/2-inch Pipe..... Each	.25	.40	.60	.75	.90	1.00						

TINNED STRAPS



FIG. A-536

Size of Pipe..... Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Price..... Per Pound	.30	.30	.30	.30	.30	.30	.30	.30

GAS HOOKS



FIG A- 537.

Size of Pipe..... Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Price..... Per 100	.45	.55	.65	.80	1.00	1.30	1.60	2.00

EXPANSION PIPE HANGERS

SOLID RING




FIG. A-538.

Size-----Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Price-----Each	.17	.18	.19	.25	.29	.36	.44	.55	.63	1.12	1.35
REPAIRS-----	Buttons only--Each	.06	.06	.06	.07	.07	.08	.08	.08	.08	.08
	Plates only--Each	.08	.08	.08	.09	.09	.10	.10	.10	.10	.10
	Rings only--Each	.08	.12	.15	.20	.25	.30	.40	.50	.60	1.25

Buttons and Rings for 2-inch Pipe and under are tapped for $\frac{3}{8}$ -inch Pipe, other sizes for $\frac{1}{2}$ -inch Pipe.

EXPANSION PIPE HANGERS

SECTIONAL RING




FIG. A-539.

Size-----Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Price-----Each	.32	.33	.35	.45	.55	.65	.80	1.00	1.15	2.00	2.50
Buttons and Rings Tapped --Inches	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$

CEILING PLATES

SOLID




FIG. A-540.

IN HALVES




FIG. A-541.

SOLID CEILING PLATES

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Price-----Each	.11	.13	.16	.18	.23	.27	.36	.50	.55	.68

CEILING PLATES IN HALVES

Size-----Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Price-----Each	.22	.28	.32	.40	.50	.65	.90	1.00	1.20

SPLIT FLOOR PLATES




FIG. A-542.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Price	Each	.06	.06	.08	.11	.14	.16	.24	.30	.35	.42	.60	.75

HINGED FLOOR AND CEILING PLATES

FLOOR




FIG. A-543.

CEILING




FIG. A-544.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Black	Each	.14	.14	.18	.20	.24	.28	.43	.60	.90	1.25	1.60	2.00
Nickel-plated	Each	.25	.25	.28	.32	.35	.38	.52	.75	1.10	1.50	2.00	2.50

BRASS FLOOR AND CEILING PLATES

FLOOR




FIG. A-545.

CEILING




FIG. A-546.

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Nickel-plated	Each	.08	.08	.09	.10	.11	.12	.13	.15

STANDARD BRASS
GLOBE, ANGLE, AND CROSS VALVES

GLOBE




FIG. A-547.

ANGLE



FIG. A-548.

CROSS




FIG. A-549.

Size-----Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Globe-----Each	.72	.72	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40
Angle-----Each	.72	.72	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40
Cross-----Each	-----	1.25	1.25	1.50	2.00	2.50	3.50	5.00	8.00	16.00	24.00

BRASS GLOBE AND ANGLE VALVES
WITH JENKINS DISC

Size-----Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	-----
Globe-----Each	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00	-----
Angle-----Each	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00	-----

STANDARD BRASS CHECK VALVES

ANGLE

HORIZONTAL




FIG. A-550



FIG. A-551.

VERTICAL



FIG. A-552.

Size-----Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Horizontal...Each	.65	.65	.70	.90	1.15	1.60	2.25	3.15	4.75	9.00	13.00
Angle-----Each	.72	.72	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40
Vertical-----Each	.72	.79	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40

BRASS CHECK VALVES
WITH JENKINS DISC

Size-----Inches		1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Price-----Each		1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50

JENKINS BROTHERS BRASS

GLOBE, ANGLE, AND CROSS VALVES




FIG. A-553.




FIG. A-554.




FIG. A-555.

Size ----- Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Globe ----- Each	1.10	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00
Angle ----- Each	1.10	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00
Cross ----- Each		1.70	2.00	2.25	2.50	3.25	4.75	6.25	9.50	20.00	27.50

LUNKENHEIMER'S BRASS REGRINDING

GLOBE, ANGLE, AND CROSS VALVES




FIG. A-556.




FIG. A-557.




FIG. A-558.

Size ----- Inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Globe ----- Each	.70	.70	.85	1.15	1.45	2.00	2.80	3.90	6.20	12.00	16.50
Angle ----- Each	.70	.70	.85	1.15	1.45	2.00	2.80	3.90	6.20	12.00	16.50
Cross ----- Each	1.00	1.00	1.00	1.50	2.00	2.70	3.50	5.10	8.00	16.00	24.00

JENKINS BROTHERS BRASS CHECK VALVES

HORIZONTAL



FIG. A-559.

ANGLE



FIG. A-550.

VERTICAL



FIG. A-561.

Size ----- Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Horizontal ----- Each	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50
Angle ----- Each	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50
Vertical ----- Each	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50

LUNKENHEIMER'S REGRINDING BRASS CHECK VALVES

HORIZONTAL




FIG. A-552.

ANGLE



FIG. A-563.

VERTICAL



FIG. A-564.

Size ----- Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Horizontal ----- Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00
Angle ----- Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00
Vertical ----- Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00

BRASS
HORIZONTAL CHECK VALVE

WITH DRIP COCK




FIG. A-566.

BRASS
SWING CHECK VALVE




FIG. A-555.

IRON
HORIZONTAL CHECK VALVE




FIG. A-567.

Size ----- Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Swing Check ----- Each	1.30	1.75	2.25	3.25	4.25	6.25	11.50	16.00
Horizontal, with Drip Cock ----- Each	2.15	2.55	3.15	4.05	5.40			
Iron Check Valve ----- Each		1.00	1.25	1.50	2.00	2.75		

IRON BODY VALVES

GLOBE




FIG A-568.

BRASS
MOUNTED
PLAIN

ANGLE



FIG. A-569.

Size.....	Inches	2	2½	3
Standard.....	Each	5.40	7.35	9.80
With Jenkins Disc.....	Each	7.25	11.00	16.00

GLOBE




FIG. A-570.

BRASS
MOUNTED
WITH YOKE

ANGLE




FIG. A-571.

Size.....	Inches	2	2½	3	3½	4	4½	5	6	7	8
Standard.....	Each	7.00	9.00	12.50	15.25	19.00	24.00	27.00	37.50	63.00	72.00
With Jenkins Disc.....	Each		12.00	16.75	19.50	24.00		40.00	48.00	80.00	90.00

IRON BODY VALVES

CROSS, PLAIN




FIG. A-572.

CROSS, WITH YOKE




FIG. A-573.

BRASS MOUNTED

Size ----- Inches	2	2½	3	3½	4	4½	5	6	7	8
Plain ----- Each	6.50	9.00	12.50							
With Yoke ----- Each			16.25	20.00	23.50	30.65	35.25	47.25	78.00	92.00

IRON BODY CHECK VALVES

BRASS MOUNTED

HORIZONTAL




FIG. A-574.

VERTICAL




FIG. A-575.

ANGLE



FIG. A-576.

Size ----- Inches	2	2½	3	3½	4	4½	5	6	7	8
Horizontal ----- Each	3.60	6.50	8.90	12.25	14.25	19.00	22.00	30.00	45.00	57.00
Horizontal, with Jenkins Disc ----- Each		10.50	14.00	17.00	20.00		30.00	40.00		
Vertical ----- Each		9.50	12.50	17.00	21.00	30.00	33.00	40.00	62.00	73.00
Angle ----- Each	3.60	6.50	8.90	12.25	14.25	19.00	22.00	30.00	45.00	57.00

IRON BODY SWING CHECK VALVES, BRASS MOUNTED

Size ----- Inches	2	2½	3	3½	4	4½	5	6	7	8
Price ----- Each	6.25	10.00	12.00	16.00	20.50	23.00	25.50	32.00	41.50	50.00

GATE VALVES

IRON BODY, BRASS MOUNTED

BRASS




FIG. A-577.




FIG. A-578.

BRASS GATE VALVES

Size	Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price	Each	1.25	1.25	1.30	1.75	2.50	3.50	5.00	7.50	15.00	22.00

IRON BODY, BRASS MOUNTED GATE VALVES

Size	Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8
Price	Each	10.00	12.00	15.00	18.00	20.00	23.00	25.00	30.00	45.00	55.00

"CLIP"



FIG. A-579.

LUNKENHEIMER
IRON BODY
BRASS MOUNTED
GATE VALVES

"VICTOR"



FIG. A-580.

"CLIP" GATE VALVES


Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price	Each	1.50	1.90	2.50	3.50	5.00	7.50	12.00	15.00

"VICTOR" GATE VALVES

Size	Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8
Price	Each	9.00	11.00	14.00	22.00	29.00	34.00	42.00	53.00	60.00	75.00

QUICK OPENING GATE VALVES

"HANDY"




FOR
PRESSURE
NOT
EXCEEDING
75
POUNDS

FIG. A—581.

Size.....Inches	½	¾	1	1¼	1½	2	2½	3	3½	4
Brass Body.....Each	1.60	1.80	2.50	3.50	5.00	7.50	13.50	19.00	40.00	60.00
Iron Body, Brass Mounted.....Each						7.00	12.00	15.00	18.00	21.00
All Iron.....Each		3.40	4.00	4.50	6.00	7.00	12.00	15.00	18.00	21.00

"VICTOR"



FOR
175
POUNDS
WORKING
PRESSURE

FIG. A—582.

Size.....Inches	2	2½	3	3½	4	4½	5	6	7	8
Iron Body, Brass Mounted.....Each	9.00	11.00	14.00	22.00	29.00	34.00	42.00	53.00	60.00	75.00
All Iron.....Each	9.00	11.00	14.00	22.00	29.00	34.00	42.00	53.00	60.00	75.00

THROTTLE VALVES




FIG. A—583.

BRASS BODY

Size.....Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Price.....Each	3.00	4.00	5.00	7.00	10.00	19.00

IRON BODY BRASS MOUNTED

Size.....Inches	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Price.....Each	16.00	20.00	25.00	30.00	35.00	40.00

BACK PRESSURE VALVES

IRON BODY, BRASS MOUNTED




FIG. A—584.




FIG. A—585

IRON BODY, BRASS MOUNTED, PRESSURE VALVES

Size.....Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6
Price.....Each	11.00	13.00	15.00	19.00	22.50	28.50	33.50	43.00

"DAVIS" NOISELESS, BACK PRESSURE VALVES

Size.....Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6
Price.....Each	14.00	16.00	18.00	22.00	25.00	30.00	40.00	60.00

STANDARD STEAM COCK

BRASS




FIG. A—586.

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Flat or Square Head-----Each	.85	1.00	1.25	1.70	2.35	3.70	4.85	7.30	14.50	22.50
With Check-----Each	1.00	1.15	1.40	1.90	2.55	3.95	5.15	7.65	15.00	23.25

THREE-WAY STEAM COCK

BRASS




FIG. A—587.

Size-----Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price-----Each	2.50	3.00	3.75	5.75	7.15	11.00	18.75	26.00

MALLEABLE IRON WRENCHES

FOR GAS OR STEAM COCKS

FLAT OR SQUARE HEAD

Size-----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Flat or Square Head-----Each	.07	.07	.07	.09	.14	.19	.25	.44	.56	1.00

IRON COCKS




FIG. A-588.

Size-----Inches	½	¾	1	1¼	1½	2	2½	3	3½	4
All Iron-----Each	.90	1.05	1.30	1.60	1.95	2.70	4.40	6.75	12.00	15.50
Iron Body, Brass Plug-----Each	1.30	1.60	1.90	2.65	3.75	5.25	8.75	13.00	27.50	36.50

IRON THREE-WAY COCKS




FIG. A-589.

Size-----Inches		¾	1	1¼	1½	2	2½	3	3½	4
All Iron-----Each		1.65	1.80	2.05	2.65	3.65	5.35	7.50	14.00	19.00
Iron Body, Brass Plug-----Each		2.20	2.40	3.10	4.50	6.25	9.75	13.75	30.00	40.00

HOT WATER RADIATOR VALVES

WITH UNION AND BY-PASS

WOOD WHEEL




FIG. A-590.

No.	Size.....Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
1	Rough Body, Finished Trimmings.....Each	2.00	2.50	3.50	5.00	7.00
2	Rough Body, Nickel-plated Trimmings.....Each	2.30	2.85	3.90	5.40	8.00
3	Rough Body, Nickel-plated all over.....Each	2.40	3.00	4.10	5.60	8.25
4	Finished all over.....Each	3.00	4.05	5.15	7.40	11.25
5	Finished and Nickel-plated all over.....Each	3.40	4.50	5.75	8.00	12.00

RADIATOR VALVES WITH UNION

JENKINS DISC

WOOD WHEEL




FIG. A-591.

THREADS: Male, Right Hand on Union; Female, Right Hand on Bottom.

No.	Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
11	Rough Body, Finished Trimmings	Each	2.75	3.50	4.30	5.85	7.75	12.60
12	Rough Body, Nickel-plated Trimmings	Each	3.05	3.80	4.60	6.15	8.05	12.90
13	Rough Body, Nickel-plated all over	Each	3.15	3.90	4.70	6.25	8.15	13.00
14	Finished all over	Each	3.20	4.00	4.80	6.40	8.75	13.85
15	Finished and Nickel-plated all over	Each	3.60	4.40	5.20	6.80	9.15	14.25

CORNER RADIATOR VALVES WITH UNION

JENKINS DISC

WOOD WHEEL




FIG. A—592.

THREADS: Male, Right Hand on Union; Female, Right Hand on Bottom.

No.	Size ----- Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
21	Rough Body, Finished Trimmings ----- Each	3.85	4.75	6.45	8.55	13.85
22	Rough Body, Nickel-plated Trimmings ----- Each	4.15	5.05	6.85	8.85	14.15
23	Rough Body, Nickel-plated all over ----- Each	4.25	5.15	6.95	8.95	14.25
24	Finished all over ----- Each	4.40	5.30	7.05	9.65	15.25
25	Finished and Nickel-plated all over ----- Each	4.80	5.70	7.45	10.05	15.65

RADIATOR VALVES

JENKINS DISC

WITH LOCK AND SHIELD




FIG. A-593.

Lock and Shield Radiator Valves same price as Wood Wheel Valves.
When ordering, use Wood Wheel Valve number, adding the words "Lock and Shield."

BRASS KEYS

FOR LOCK AND SHIELD VALVES




FIG. A-594.

FIG. A-595.

	PLAIN	NICKEL PLATED
Fig. A-594 for Valves 3/4 to 2 inches, inclusive50	.70
Fig. A-595 for Valves 3/8 to 1/2 inch18	.25

EXTRA JENKINS DISCS

Size	Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Price	Each	.03	.04	.04	.05	.06	.09	.12	.18
Size	Inches	2 1/2	3	3 1/2	4	5	6	7	8
Price	Each	.24	.33	.45	.52	.68	.90	.98	1.05

UNION ELBOWS

BRASS




FIG. A-596.

No.	Size ----- Inches	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2
31	Rough Body ----- Each	1.25	1.60	2.15	2.85	4.50
32	Rough Body, Nickel-plated ----- Each	1.50	1.85	2.40	3.15	4.80
33	Finished all over ----- Each	1.70	2.10	2.80	3.75	5.35
34	Finished and Nickel-plated all over ----- Each	1.95	2.35	3.05	4.05	5.65

COMPRESSION RADIATOR AIR VALVES



FIG. A-597.



FIG. A-598



FIG. A-599.



FIG. A-600.



FIG. A-601.

Size -----	Inches	$\frac{1}{8}$	$\frac{1}{4}$
Fig. A-597 Nickel-plated -----	Each	.35	.40
Fig. A-598 Nickel-plated -----	Each	.45	.55
Fig. A-599 Nickel-plated -----	Each	.45	.55
Fig. A-600 Nickel-plated -----	Each	.60	.65
Fig. A-601 Nickel-plated -----	Each	.70	.75

"CLEVAUC" AUTOMATIC SYPHON AIR VALVES



FIG. A-602.




FIG. A-603.

Plain Valve, Nickel-plated	Each 1.25
With Heat Controller	Each 1.40
Screw Caps	Each .10

AUTOMATIC AIR VALVES

"ACME"




FIG. A-604.

"PAUL"




FIG. A-605.

"Acme," Plain	Each 1.25
"Acme," with Heat Controller	Each 1.40
"Acme," for Hot Water	Each 1.25
"Paul"	Each 1.25

"VICTOR" AUTOMATIC AIR VALVES

No. 1 or No. 2	Each .65
No. 1 or No. 2 with Drip Connection	Each .75




AIR COCKS

STRAIGHT

FIG. A-606.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
T Handle	Each	.40	.40	.50	.60
Lever Handle	Each	.55	.55	.65	.75




AIR COCKS

BIBBED

FIG. A-607.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
T Handle	Each	.70	.70	.80	.90
Lever Handle	Each	.80	.80	.90	1.00




AIR COCKS

MALE THREADS

FIG. A-608.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
T Handle	Each	.55	.55	.65	.90
Lever Handle	Each	.60	.70	.85	1.00



AIR
OR
STEAM GAUGE COCKS

FEMALE THREADS

FIG. A-609.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	
T Handle	Each	.70	.75	.85	
Lever Handle	Each	.85	.90	1.00	

COMPRESSION GAUGE COCKS

WITHOUT STUFFING BOX




FIG. A-610.

WITH STUFFING BOX




FIG. A-611.

Size.....	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Without Stuffing Box.....	Each	1.10	1.20	1.35
With Stuffing Box.....	Each	1.35	1.50	1.70

MISSISSIPPI GAUGE COCKS.




FIG. A-612.

Size, Iron Pipe Thread.....	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Size, Blank Shank.....	Inches	$\frac{5}{8}$	$\frac{3}{4}$	1
Price.....	Each	.90	1.20	1.50

DUPLEX GAUGE COCKS




FIG. A-613.

REGISTER GAUGE COCKS



FIG. A-614.

Size.....	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Duplex.....	Each	1.00	1.00	1.10
Register.....	Each	1.00	1.00	1.10

SAFETY VALVES

IRON BODY, BRASS MOUNTED, AND ALL BRASS




FIG. A-615.

Size	Inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Iron Body, Brass Disc.....	Each					4.00	5.00	5.80	7.80	13.25	17.25	23.00	28.75
Iron Body, Jenkins Disc....	Each								10.25	16.75	22.00	31.00	38.00
Brass, Brass Disc.....	Each	2.20	2.50	3.25	3.90	4.70	7.15	9.00	12.50	22.50	33.50		
Brass, Jenkins Disc.....	Each			4.12	4.95	5.50	8.25	10.15	15.40				

LUNKENHEIMER POP SAFETY VALVES



FIG. A-616.

TOP
OR
ANGLE
OUTLET

BRASS




FIG. A-617.

Size	Inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Top Outlet.....	Each	5.50	6.00	6.50	7.50	9.00	11.50	18.00	28.00	38.00
Angle Outlet.....	Each	6.00	6.50	7.00	8.20	9.80	12.40	19.50	30.00	41.00



LOW PRESSURE
SAFETY VALVES

BRASS

FIG. A—618.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price	Each	2.60	3.30	4.50	6.35	8.65

BRASS STEAM WHISTLES AND WHISTLE VALVES



FIG. A—619.



FIG. A—620.




FIG. A—621.

BRASS STEAM WHISTLES

Diameter of Bell	Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Size of Pipe Connection	Inches	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{1}{2}$
Regular, without Valve	Each	2.20	2.75	3.00	4.35	5.25	7.25	9.50	12.00	19.00	24.00
Regular, with Valve	Each	3.10	3.75	4.00	5.50	6.50	8.50	11.50	15.00	22.50	33.00
Long Bell, without Valve	Each					6.40	8.00	11.00	14.20	22.50	33.00

NOTE—Regular size Whistle Bells are about twice as long as the diameter.
Long size Whistle Bells will run about three times as long as the diameter.

WHISTLE VALVES WITH ADJUSTABLE LEVER

Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price	Each	2.00	2.50	3.00	3.50	5.00	6.00	9.00	18.00	27.00

WATER COLUMNS

Nos. 5 AND 6

No. 0



FIG. A-622.



FIG. A-623.

Nos. 1, 2, 3, AND 4




FIG. A-624.

Number-----	0	1	2	3	4	5	6
Center to Center of Boiler Connections-----Inches		10	12½	14	18		
Center to Center of Water Gauge Connections-----Inches	9½	10	12½	14	18	13¾	27
Center to Center of Gauge Cocks-----Inches		3¾	3¾	4½	4	3⅝	4¾
Extreme Length-----Inches	12½	13	16½	18¾	22½	20¼	30¼
Tapped for Boiler Connections-----Inches	¾	½	¾	1¼	1¼	1¼	1¼
Tapped for Water Gauge Connections-----Inches	¾	½	½	¾	¾	½	¾
Tapped for Gauge Cocks-----Inches		¾	½	½	¾	½	¾
Top and Bottom Tapped-----Inches	¼ x ¾	¾	1	¾	1¼	1¼	1¼
Price, Columns only ..-----Each	1.50	2.75	4.00	6.00	8.00	7.50	12.00

No. 0 is designed especially for House Heating Boilers, and has no holes for gauge cocks.
Nos. 5 and 6 the connection to the boiler is made from top and bottom of column.

STEAM GAUGE SYPHON



FIG. A-625.

Size-----	Inches	¼
Price-----	Each	.50

HIGH PRESSURE STEAM GAUGES

BOURDON SPRINGS




FIG. A-626.

PRICES INCLUDE COCK

Size of Dial.....Inches	2½	3½	4½	5	5½	6	6¾	8½
Iron Case, Single Spring..... Each	6.00	7.00	8.00	8.00	10.00	13.00	16.00	22.00
Brass Case, Single Spring..... Each	8.00	9.00	10.00	11.00	12.00	16.00	20.00	30.00
Iron Case, Double Spring..... Each			10.00	11.00	12.00	15.00	18.00	25.00
Brass Case, Double Spring..... Each			12.00	13.00	14.00	18.00	22.00	34.00

LOW PRESSURE STEAM GAUGES

BOURDON SPRINGS



FIG. A- 627.

PRICES INCLUDE COCK

Size of DialInches	2½	3½	4½	5	5½	6	6¾	8½
Iron Case, Single Spring..... Each	6.00	7.00	8.00	8.00	10.00	13.00	16.00	22.00
Brass Case, Single Spring..... Each	8.00	9.00	10.00	11.00	12.00	16.00	20.00	30.00
Iron Case, Double Spring..... Each			10.00	11.00	12.00	15.00	18.00	25.0
Brass Case, Double Spring..... Each			12.00	13.00	14.00	18.00	22.00	34.00

NOTE—Steam Gauges should NEVER BE USED WITHOUT A SYPHON of sufficient capacity to fill the Gauge Tube and KEEP IT COOL.

COMBINATION WATER PRESSURE GAUGES



FIG. A-628.

For indicating the height in feet, and pounds pressure per square inch of water in Reservoir, Stand-pipe, or Pumping Station.

PRICES INCLUDE COCK

Size of Dials-----	Inches	4 1/2	5 1/2	6	6 3/4	8 1/2	10	12
Iron Case, Brass Ring-----	Each	12.00	14.00	16.00	20.00	30.00	40.00	60.00
Iron Case, Nickel-plated Ring----	Each	12.50	14.25	16.50	20.60	30.75	41.00	61.50
Brass Case-----	Each	14.00	16.00	20.00	25.00	40.00	50.00	80.00
Nickel-plated Case -----	Each	15.00	17.25	21.50	27.00	42.50	53.00	84.00

ALTITUDE GAUGES




FIG. A-629.

This Gauge is designed for use on Hot-water Heaters.
DIRECTIONS—When Reservoir is filled to proper height, set RED hand to point indicated by BLACK hand. This shows height at which water should be constant in Reservoir. An variation in height of water will be indicated by black hand.

PRICES INCLUDE COCK

Size of Dial-----	Inches	3 1/4	4 1/2	5
Iron Case-----	Each	8.00	8.00	8.00

WATER GAUGES

ROUGH BRASS BODY

IRON WHEEL




FIG. A-630.

FINISHED BRASS BODY

WOOD WHEEL




FIG. A-631.

ROUGH BRASS BODY, IRON WHEEL, WATER GAUGES

3/8-inch Pipe Connections.	5/8x10	Glass	Each	2.75
1/2-inch Pipe Connections.	5/8x12	Glass	Each	3.00
1/2-inch Pipe Connections.	5/8x14	Glass	Each	3.25
3/4-inch Pipe Connections.	3/4x16	Glass	Each	4.50

FINISHED BRASS BODY, WOOD WHEEL, WATER GAUGES

3/8-inch Pipe Connections.	5/8x10	Glass	Each	3.75
1/2-inch Pipe Connections.	5/8x12	Glass	Each	4.25
1/2-inch Pipe Connections.	5/8x14	Glass	Each	4.50
3/4-inch Pipe Connections.	3/4x16	Glass	Each	5.50

WATER GAUGES

FINISHED BRASS BODY

ROUGH BRASS BODY

WOOD WHEEL

FOR EXPANSION TANKS




FIG. A-632.



FIG. A-633.

FINISHED, SQUARE BRASS BODY, WOOD WHEEL, WATER GAUGES

1/2-inch Pipe Connections.	5/8x12 Glass	-----	Each	6.00
1/2-inch Pipe Connections.	5/8x14 Glass	-----	Each	6.50
3/4-inch Pipe Connections.	3/4x16 Glass	-----	Each	8.00

ROUGH BRASS BODY WATER GAUGES

FOR EXPANSION TANKS

1/2-inch Pipe Connections.	5/8x12 Glass	-----	Each	2.60
----------------------------	--------------	-------	------	------

EXTRA BRASS GUARDS

FOR WATER GAUGES

Length of Guards	Inches	12	14	16	18	20
Price	Each	.15	.20	.25	.30	.35

SCOTCH GLASS TUBES



FIG. A—634.

Length ----- Inches	10	12	14	16	18	20	22	24
½-inch Diameter ----- Each	.25	.30	.35	.40	.45	.50	.55	.60
⅝-inch Diameter ----- Each	.25	.30	.35	.40	.45	.50	.55	.60
¾-inch Diameter ----- Each	.30	.37	.43	.49	.55	.62	.68	.74
⅞-inch Diameter ----- Each	.42	.51	.59	.66	.76	.85	.93	1.01
1-inch Diameter ----- Each	.51	.61	.71	.81	.91	1.01	1.12	1.22

‘BROCKTON’
GLASS TUBE CUTTERS



FIG A—635.

“CHESTERTON”
GLASS TUBE CUTTERS



FIG. A—636.

Price ----- Each 1.00

Price ----- Each 2.50

THERMOMETERS FOR HOT WATER HEATERS




FIG. A—637.

Straight -----	Each 5.00
Angle -----	Each 6.00

FUSIBLE PLUGS




FIG. A—638.

Size ----- Inches	½	¾	1	1¼	1½	2
Price ----- Each	.60	.75	1.00	1.50	2.00	3.00

LEVER HANDLE OIL CUP HINGED LID OIL CUP

PLAIN OIL CUP




FIG. A-539.




FIG. A-640.




FIG. A-641.

Number	00	0	1	2	3	4	5	6	7
Outside Diameter.....Inches	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2
Pipe Thread.....Inches	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$
Plain.....Each	.25	.30	.35	.40	.60	.90	1.25	1.60	1.75
Lever Handle.....Each		.90	1.00	1.10	1.60	2.20	2.75	3.00	3.25
Hinged Lid.....Each.			.80	1.00	1.40	1.85	2.40	2.75	3.10

“MARINE”

SCREW FEED, GREASE CUP

“TIGER”

PLAIN GREASE CUP




FIG. A-542.




FIG. A-643.

“TIGER” PLAIN GREASE CUP

Number	00	0	1	2	3	4
Pipe Thread.....Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Capacity.....Ounces	$\frac{1}{2}$	$\frac{2}{3}$	1	2	$3\frac{1}{2}$	5
Rough Brass.....Each	.56	.74	.96	1.28	1.76	2.30
Finished Brass.....Each	.70	.90	1.15	1.50	2.15	2.90

“MARINE” SCREW FEED, GREASE CUP

Number	00	0	1	2	3	4
Pipe Thread.....Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Capacity.....Ounces	$\frac{1}{3}$	1	$1\frac{1}{2}$	3	6	10
Finished Brass.....Each	1.00	1.20	1.60	2.00	2.80	4.00

"JEWEL"
AUTOMATIC GREASE CUP




FIG. A-644.

"IDEAL"
AUTOMATIC GREASE CUP




FIG. A-645.

Number		00	0	1	2	3	4
Pipe Thread	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Capacity	Ounces	$\frac{1}{3}$	1	1 $\frac{1}{2}$	3	6	10
"Jewel," Finished Brass	Each	.80	1.00	1.30	1.70	2.30	3.20
"Ideal" Finished Brass	Each	1.50	2.00	2.50	3.20	4.30	6.00

"SENTINEL"
SNAP LEVER, SIGHT FEED, OIL CUP




FIG. A-646.

FIGURE AT LEFT, SHOWS
LEVER UP, AND CUP
FEEDING




FIG. A-647.

FIGURE AT RIGHT, SHOWS
LEVER DOWN, AND FEED
STOPPED

Number		0	1	1 $\frac{1}{2}$	2	3	4	5	6
Pipe Thread	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Capacity	Ounces	$\frac{5}{8}$	1	1 $\frac{1}{2}$	2 $\frac{1}{2}$	4	5	10	18
Finished Brass	Each	3.00	3.25	3.50	3.75	4.25	5.25	7.25	9.25
Nickel-plated	Each	3.50	3.75	4.00	4.25	4.75	5.75	8.00	10.25

'PIONEER"



FIG. A—648.

SLIDE TOP
GLASS
OIL CUPS

"ROYAL"

SIGHT FEED




FIG. A—649.

Number	000	00	0	1	1½	2	3	4	5	6
Pipe Thread.....Inches	⅛	⅛	⅛	¼	¼	⅜	⅜	⅜	½	½
Capacity.....Ounces	¼	½	⅝	1	1½	2¼	4	5	10	18
"Pioneer," Finished Brass.....Each	.70	.75	.80	1.00	1.25	1.50	1.90	2.40	3.10	4.00
"Royal," Finished Brass.....Each	.95	1.10	1.25	1.50	1.75	2.10	2.55	3.15	3.90	4.80

AUTOMATIC ROD CUPS

SCREW FEED




FIG. A—650.

FOR
ENGINE
CRANK
PINS

Number	0	1	1½	2	3	4
Pipe Thread.....Inches	⅛	¼	¼	⅜	⅜	⅜
Capacity.....Ounces	⅝	1	1½	2½	4	5
Finished Brass.....Each	1.10	1.50	2.00	2.50	3.00	4.00

EXTRAS

GLASSES AND CORK WASHERS FOR OIL CUPS

Number	000	00	0	1	1½	2	3	4	5	6
Diameter of Glass.....Inches	1	1⅝	1¼	1½	1¾	2	2¼	2½	3	3½
Glasses.....Each	.15	.20	.25	.30	.35	.40	.45	.75	1.00	1.75
Cork Washers.....Per dozen	.45	.55	.75	.90	1.10	1.20	1.35	1.50	1.80	2.25

PLAIN ENGINE LUBRICATORS




FIG. A-651.

Number	00	0	1	2	3	4	5	6	7
Pipe Thread.....Inches	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$
Capacity.....Ounces	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$2\frac{1}{2}$	4	5	10	18
Finished Brass.....Each	2.00	2.20	2.40	2.60	2.90	3.25	3.75	4.75	7.00

"SWIFT" LUBRICATORS

DOUBLE CONNECTION

SINGLE CONNECTION




FIG. A-652.




FIG. A-653.

Capacity.....Pints	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{1}{2}$	1	$1\frac{1}{2}$	2
Pipe Thread.....Inches	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
Single Connection, Finished Brass.....Each	10.00	12.00	16.00	22.00	28.00	34.00
Double Connection, Finished Brass.....Each	10.00	12.00	16.00	22.00	28.00	34.00

"DETROIT" LUBRICATORS

SINGLE CONNECTION




FIG. A-654.

DOUBLE CONNECTION




FIG. A-655.

Capacity-----	Pints	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{1}{2}$	1	2
Single Connection, Finished Brass-----	Each	15.00	17.00	20.00	28.00	42.00
Double Connection, Finished Brass-----	Each		17.00	22.00	30.00	45.00

LUNKENHEIMER LUBRICATORS

"JUNIOR"

SINGLE CONNECTION




FIG. A-656.

"SENIOR"

DOUBLE CONNECTION




FIG. A-657.

Capacity-----	Pints	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{1}{2}$	$\frac{2}{3}$	1	1 $\frac{1}{2}$	2
Pipe Thread-----	Inches	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
Single Connection, Finished Brass----	Each	7.00	8.00	10.00				
Double Connection, Finished Brass---	Each	12.00	15.00	17.00	20.00	22.00	25.00	28.00

"PENBERTHY"
AUTOMATIC INJECTOR




FIG. A-658.

"PENBERTHY"
INJECTOR REPAIRS




FIG. A-659.

PENBERTHY AUTOMATIC INJECTOR

SIZE	HORSE POWER	PIPE CONNECTIONS INCHES	CAPACITY PER HOUR		PRICE EACH
			1 TO 3 FOOT LIFT. 50 TO 75 POUNDS STEAM PRESSURE		
			MAXIMUM	MINIMUM	
00	4 to 8	⅜	80 Gallons	55 Gallons	16.00
A	8 “ 16	½	135 “	70 “	18.00
AA	12 “ 22	½	180 “	100 “	20.00
B	17 “ 32	¾	260 “	140 “	25.00
BB	20 “ 45	¾	355 “	170 “	30.00
C	40 “ 65	1	475 “	300 “	40.00
CC	45 “ 80	1	600 “	350 “	45.00
D	50 “ 100	1¼	800 “	425 “	55.00
DD	75 “ 135	1¼	1000 “	525 “	60.00
E	100 “ 180	1½	1400 “	800 “	75.00
EE	115 “ 255	1½	1900 “	900 “	90.00
F	160 “ 320	2	2400 “	1300 “	110.00
FF	200 “ 400	2	3000 “	1600 “	125.00

PENBERTHY INJECTOR REPAIRS

SIZE OF INJECTOR	00	A OR AA	B OR BB	C OR CC	D OR DD	E	EE	F	FF
R—Steam Jet..... Each	.25	.35	.45	.55	.65	.75	.75	.85	1.00
S—Suction Jet..... Each	.25	.35	.45	.55	.65	.75	.75	.85	1.00
Y—Delivery Jet..... Each	1.25	1.50	2.00	2.50	3.00	3.75	4.50	5.50	6.50
X—Coupling Nut..... Each	.25	.30	.40	.50	.60	1.25	1.25	1.50	1.50
V—Tail Pipe..... Each	.25	.30	.40	.50	.60	.80	.80	1.00	1.00
Z—Overflow Cap..... Each	.30	.40	.50	.60	.70	.80	.80	.90	.90
P—Overflow Valve..... Each	.40	.50	.60	.75	.90	1.00	1.10	1.25	1.25
N—Overflow Hinge..... Each	.10	.10	.15	.15	.15	.20	.20	.20	.20
O—Plug..... Each	.60	.80	1.00	1.25	1.50	1.75	1.75	2.00	2.00
Strainer..... Each	.40	.40	.50	.50	.60	.75	.75	1.00	1.00

"U S" AUTOMATIC INJECTORS




FIG. A-660.




FIG. A-661.

"U S" AUTOMATIC INJECTORS

SIZE	HORSE POWER	PIPE CONNECTIONS	CAPACITY PER HOUR		PRICE EACH
			4 FOOT LIFT. 80 POUNDS STEAM PRESSURE		
		INCHES	MAXIMUM	MINIMUM	
00	1 to 4	¼	36 Gallons	15 Gallons	13.00
0	3 “ 8	⅜	65 “	28 “	14.00
1	6 “ 10	⅜	90 “	40 “	16.00
2	8 “ 15	½	125 “	60 “	18.00
3	15 “ 20	½	170 “	75 “	20.00
4	20 “ 30	¾	250 “	125 “	25.00
5	30 “ 40	1	340 “	140 “	30.00
6	40 “ 60	1	475 “	250 “	40.00
7	60 “ 70	1	575 “	300 “	45.00
8	70 “ 85	1¼	750 “	350 “	55.00
9	85 “ 120	1¼	920 “	450 “	60.00
10	120 “ 165	1½	1350 “	675 “	75.00
11	165 “ 230	1½	1750 “	850 “	90.00
12	230 “ 295	2	2275 “	1000 “	110.00
13	295 “ 375	2	2820 “	1300 “	125.00
14	375 “ 460	2	3400 “	1700 “	150.00
15	460 “ 500	2½	3650 “	1800 “	175.00
16	500 “ 600	2½	4000 “	1950 “	200.00




FIG. A-662.

"U S" INJECTOR REPAIRS

SIZE OF INJECTOR	00	4	6	8	10	12
	TO 3	OR 5	OR 7	OR 9	OR 11	TO 14
A—Steam Jet.....	Each .80	1.00	1.15	1.35	1.60	2.00
B—Suction Jet.....	Each .50	.75	1.25	1.50	1.75	2.00
C—Delivery Tube.....	Each 1.00	1.10	1.45	1.75	2.00	2.50
D—Tail Pipe.....	Each .30	.35	.40	.50	.75	1.00
E—Tail Pipe Nut.....	Each .30	.40	.50	.65	.85	1.20
F—Delivery Cap.....	Each 1.00	1.10	1.45	1.75	2.00	2.50
G } Overflow Cap and Valve....	.80	.95	1.00	1.25	1.50	2.00
H }						

STEAM JET PUMP




FIG. A-663.

Number	1	2	3	4	5	6
Suction and Delivery, Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
Steam Connection, Size	Inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$
Capacity per hour (65 pounds Steam, 3 foot Lift)	Gallons	240	500	840	1350	1950
Price, all Brass	Each	8.00	10.00	15.00	20.00	25.00

KIELEY STANDARD STEAM TRAP




FIG. A-664.

"KIELEY" HIGH AND LOW PRESSURE STEAM TRAPS

NUMBER	INLET AND OUTLET CONNECTIONS		CAPACITY LINEAL FEET	CAPACITY SQUARE FEET	CAPACITY POUNDS WATER PER HOUR	PRICE EACH
	SIZE	INCHES	1-INCH PIPE	RADIATION		
1	$\frac{3}{4}$		4000	1300	500	25.00
2	1		6000	2000	725	35.00
3	$1\frac{1}{4}$		10000	3300	1200	45.00
4	$1\frac{1}{2}$		15000	5000	2000	60.00
5	2		25000	8300	3000	80.00
6	$2\frac{1}{2}$		35000	11500	4000	100.00
7	3		50000	16500	6000	125.00

STANDARD STEAM TRAPS




FIG. A-665.

NASON STEAM TRAPS




FIG. A-666.

STANDARD STEAM TRAPS

Size-----Inches	12	15	18
Drainage Capacity, 1-inch Pipe-----Feet	1500	3500	5000
Price-----Each	23.00	36.00	54.00

NASON STEAM TRAPS

Number-----	1	2	3	4	5
Drainage Capacity, 1-inch Pipe-----Feet	1050	2700	4200	6000	10500
Price-----Each	16.00	20.00	27.50	42.50	70.00

DAVIS PRESSURE REGULATOR

No. 1



FIG. A-667.

No. 2




FIG. A-668.

Size-----Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Fig. A-667-----Each	20.00	22.00	24.00	25.00	30.00	35.00	40.00	50.00	60.00
Fig. A-668-----Each	25.00	27.00	29.00	30.00	36.00	42.00	48.00	58.00	70.00

NOTE—No. 1 Pressure Regulator is designed for use where the pressure is uniform. No. 2 Regulator is the same as No. 1, with the addition of an Oil Cylinder (Dash Pot) and is intended for use where the pressure is variable.

EXPANSION JOINTS

STEAM METAL




FIG. A-669

STANDARD TRAVERSE

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Traverse	Inches	2	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{3}{4}$
Price	Each	1.50	2.20	2.75	4.00	5.00	8.00	17.50	24.00

SPECIAL TRAVERSE

Traverse ..	Inches	Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
6		Price	Each	8.25	9.00	10.00	11.50	13.50
8		Price	Each	9.00	10.00	11.25	13.00	15.50
10		Price	Each	9.75	11.00	12.50	14.50	17.50
12		Price	Each	10.50	12.00	13.75	16.00	19.50

EXPANSION JOINTS

BRASS SLEEVE




FIG. A-670.

STANDARD TRAVERSE

Size	Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	7	8
Traverse	Inches	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	4	5	6	7
Price	Each	7.00	8.00	10.00	14.00	18.00	38.00	45.00	70.00	100.00

SPECIAL TRAVERSE

Traverse ..	Inches	Size	Inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	7
6		Price	Each	11.00	13.00	17.50	25.00	30.00	45.00	55.00	
10		Price	Each	16.00	19.00	25.00	35.00	42.00	62.00	80.00	100.00
12		Price	Each	18.50	22.00	29.00	40.00	48.00	70.00	92.50	115.00
14		Price	Each	21.00	25.00	33.00	45.00	54.00	78.00		
16		Price	Each	23.50	28.00	37.00	50.00	60.00	86.00		
18		Price	Each	26.00	31.00	41.00	55.00	66.00			

NOTE—When used for High Pressure Steam, the expansion is 1 inch in 50 feet of pipe.

MUELLER WATER PRESSURE REGULATOR



FIG. A-671.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
For Iron Pipe	Each	10.00	10.00	13.00	17.50	24.00	40.00	55.00
For Lead Pipe	Each	10.50	10.50	13.70				

LENNOX TAPPING MACHINE




FIG. A-672.

Price, Complete, with Combined Drills and Taps. Screw or Hexagon Plugs and Iron Saddles and Chain	100.00
---	--------

BRASS GAS FIXTURE FITTINGS

INDEPENDENT
HOSE COCKS



FIG. A-675.

HOSE COCKS



FIG. A-674.

PILLAR COCKS



FIG. A-673.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
Pillar Cocks	Per dozen	3.90	4.25	4.55	
Hose Cocks	Per dozen	4.25	4.55	4.90	5.55
Independent Hose Cocks	Per dozen	7.00	7.00	7.00	

L BURNER COCKS



FIG. A-676.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$
Price	Per dozen	4.25	4.55	5.20

2 LIGHT
PENDANT COCKS




FIG. A-678.

UNIVERSAL
PENDANT COCKS



FIG. A-679.

STRAIGHT COCKS



FIG. A-677.

Size	Inches	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{1}{8}$	$\frac{3}{8} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{2}$
Straight Cocks	Per dozen	3.90	4.25	4.55	4.55	4.55	4.90	6.20
2 Light Pendant Cocks	Per dozen	8.45	8.45	9.10	9.10	9.10	10.25	
Universal Pendant Cocks	Per dozen	8.60	8.80	9.10	9.45	9.75	10.00	

BRASS GAS FIXTURE FITTINGS

2 LIGHT
BRACKET BODY



FIG. A-680.

STIFF JOINT




FIG. A-681.

SWING JOINT



FIG. A-682.

Size	Inches	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{1}{8}$	$\frac{3}{8} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{4}$	$\frac{1}{2} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{2}$
2 Light Bracket Bodies	Per doz						3.90			
Stiff Joints	Per doz				1.55	1.85	1.95	2.60	2.60	3.25
Swing Joints	Per doz	4.25	4.55	4.90	5.20	5.55	6.20			

HOSE ENDS



FIG. A-683.

STRAIGHT NOZZLE



FIG. A-684.

SIDE NOZZLE



FIG. A-685.

Size	Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$
Hose Ends	Per dozen	2.60	2.95	3.25
Straight Nozzles	Per dozen	1.00	1.65	1.95
Side Nozzles	Per dozen	1.00	1.65	2.30

ACETYLENE GAS BURNERS

"WILLIAMSON"



FIG. A-686.

"BRAY"



FIG. A-687.

"SHAFFER GEM"




FIG. A-688.

"HAHN"




FIG. A-689.

Capacity per hour	Feet	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1
"Williamson"	Each	.10	.10	.10	.10
"Bray"	Each	.11	.11	.11	.11
"Shaffer Gem"	Each	.60	.60	.60	.80
"Hahn"	Each	.40	.40	.40	.40

POLISHED BRASS GAS BRACKETS

(SQUARE PATTERN)

STIFF STRAIGHT BRACKET




FIG. A-690.

Extends 7 inches ----- Each .58

STIFF CURVED BRACKET




FIG. A-691.

Extends 8 inches ----- Each .65

1-SWING BRACKET



FIG. A-692.

Extends 11 1/2 inches ----- Each .90

2-SWING BRACKET




FIG. A-693.

Extends 21 inches ----- Each 1.25

3-SWING BRACKET




FIG. A-694.

Extends 30 inches ----- Each 1.65

POLISHED BRASS GAS BRACKETS

(ROUND PATTERN)

STIFF STRAIGHT BRACKETS




FIG. A-695.

Extends 6½ inches-----Each .75

STIFF CURVED BRACKETS



FIG. A-696.

Extends 7 inches -----Each .90

1-SWING BRACKET




FIG. A-697.

Extends 11 inches-----Each 1.25

2-SWING BRACKET




FIG. A-698.

Extends 21 inches-----Each 2.00

3-SWING BRACKET




FIG. A-699.

Extends 30 inches-----Each 2.75

HOSE NOZZLES

PLAIN, TO TIE ON




FIG. A-700.

Size	Inches	$\frac{3}{4}$	1
Length	Inches	$4\frac{1}{2}$	$4\frac{1}{2}$
Price	Per dozen	3.50	4.00

PLAIN, TO SCREW ON




FIG. A-701.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Length	Inches	8	8	12	12	12
Price	Per dozen	7.00	9.00	18.00	22.00	34.00

SCREW TIP




FIG. A-702.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Length	Inches	8	8	12	12	12
Price	Per dozen	8.00	10.00	20.00	25.00	38.00

SCREW TIP AND COCK




FIG. A-703.

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Length	Inches	8	8	12	12	12
Price	Per dozen	13.00	15.00	40.00	55.00	80.00

'GEM' HOSE NOZZLE




FIG. A-704.

THROWS SPRAY OR SOLID STREAM

SizeInches	$\frac{3}{4}$	1
PricePer dozen	10.00	15.00

'WORLD' LAWN SPRINKLER




FIG. A-705.

PricePer dozen 12.00

FLIRTER
LAWN SPRINKLER




FIG. A-706.

BABY MARIAN
LAWN SPRINKLER




FIG. A-707.

PricePer dozen 8.00

PricePer dozen 7.00

HOSE NIPPLES

MALE




FIG. A-708.

MALE AND FEMALE




FIG. A-709.

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price	Per dozen	3.50	3.50	5.00	9.00	10.00	14.00	28.00	40.00

HOSE BUSHING




FIG. A-710.

HOSE REDUCERS




FIG. A-711.

Size	Inches	1 x $\frac{3}{4}$	$1\frac{1}{4}$ x $\frac{3}{4}$	$1\frac{1}{4}$ x 1	$1\frac{1}{2}$ x $1\frac{1}{4}$	2 x $1\frac{1}{2}$
Price	Per dozen	6.50	10.00	10.00	12.00	18.00

HOSE SPLICES



FIG. A-712.

HOSE COUPLINGS




FIG. A-713.

HOSE SPLICES

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Iron	Per dozen	.60	.60	.75
Brass	Per dozen	1.20	1.20	2.00

GARDEN HOSE COUPLINGS

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Hose Thread	Per dozen	2.40	2.40	4.40	10.00	14.00	24.00	48.00	76.00
Iron Pipe Thread	Per dozen	2.65	2.65	4.65	10.50	15.00	26.00	50.00	79.00

STEAM HOSE COUPLINGS

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Price	Each	1.25	1.25	1.50	2.00	2.50	3.50	6.00

Half Hose Couplings, 60 per cent of Complete Coupling.

SHERMAN HOSE CLAMPS




FIG. A-714.

SizeInches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
SinglePer dozen	.60	.60	2.00	2.50	3.00	4.00	7.00
DoublePer dozen	2.40	2.40					

HOSE STRAP FASTENERS

HOSE STRAPS



FIG. A-715.




FIG. A-716.

SizeInches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Hose StrapsPer dozen	.40	.60	.80	1.00	1.20	1.60
Hose Strap FastenersEach	.50	.50	.50	.75	.75	.75

HOSE REELS



FIG. A-717.




FIG. A-718.

Capacity, 100 ft. $\frac{3}{4}$ -inch Hose	Each 1.50
--	-----------

Capacity, 100 ft. $\frac{3}{4}$ -inch Hose	Each 3.50
Capacity, 150 ft. $\frac{3}{4}$ -inch Hose	Each 4.00

COTTON AND RUBBER HOSE




FIG. A-719.

RUBBER HOSE

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
2-Ply	Per Foot	.20	.25	.33	.42	.50	.66
3-Ply	Per Foot	.25	.30	.40	.50	.60	.80
4-Ply	Per Foot	.30	.37	.50	.62	.75	1.00
5-Ply	Per Foot	.38	.46	.63	.78	.94	1.25

HARD RUBBER HOSE

Size	Inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
4-Ply	Per Foot	.65	.75	.93	1.13

STEAM HOSE

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
3-Ply	Per Foot	.43	.51	.67	.85	1.02	1.34
4-Ply	Per Foot	.51	.67	.83	1.04	1.25	1.66
5-Ply	Per Foot	.63	.83	1.03	1.30	1.56	2.07

COTTON HOSE (RUBBER LINED)

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Price	Per Foot	.20	.25	.35




FIG. A-720.

"AGRICULTURAL"
SPIRAL WIRE SUCTION HOSE

Size	Inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Price	Per Foot	.75	.93	1.13	1.50

WINDING HOSE WITH WIRE

Size	Inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
3-Ply	Per Foot	.03	.04	.05	.07	.08	.10
4-Ply	Per Foot	.04	.05	.07	.08	.09	.11
5-Ply	Per Foot	.06	.07	.09	.11	.13	.15

STEAM PACKINGS

SHEET PACKING




FIG. A—721.

CLOTH ON ONE OR BOTH SIDES, OR CLOTH INSERTION

Thickness	Inches	$\frac{1}{64}$	$\frac{1}{32}$	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$
1-Ply	Per Pound	.70	.65	.60	.55	.55	.55	.55
2-Ply	Per Pound			.63	.58	.55	.55	.55
3-Ply	Per Pound			.66	.61	.58	.55	.55
4-Ply	Per Pound					.61	.58	.55

NOTE—One Ply of Cloth to every $\frac{1}{16}$ inch in thickness.

PURE GUM SHEET PACKING	Per Pound	1.40
------------------------	-----------	------

“RAINBOW” SHEET PACKING	Per Pound	.80
-------------------------	-----------	-----

JENKINS SHEET PACKING	Per Pound	.80
-----------------------	-----------	-----

PLUMBAGO SHEET PACKING	Per Pound	.80
------------------------	-----------	-----

“HAWKEYE RED” SHEET PACKING	Per Pound	.60
-----------------------------	-----------	-----

STEAM PACKINGS

SQUARE PISTON PACKING




FIG. A-722.

ROUND PISTON PACKING




FIG. A-723.

SQUARE DUCK PISTON PACKING

Size -----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$
	In 20-Foot Lengths; all sizes ----- Per Pound								.85

SQUARE DUCK PISTON PACKING

WITH RUBBER BACK

Size -----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$
	In 20-Foot Lengths; all sizes ----- Per Pound								1.00

ROUND DUCK PISTON PACKING

WITH RUBBER CORE

Size -----Inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$
	In 20-Foot Lengths; all sizes ----- Per Pound								.85

SPIRAL RING PACKING




FIG. A-724.

GARLOCK SPIRAL RING PACKING

$\frac{1}{8}$ to $1\frac{1}{4}$ Inches-----	Per Pound 1.20
---	----------------

CRANDALL SPIRAL RING PACKING

$\frac{1}{8}$ to $1\frac{1}{4}$ Inch-----	Per Pound 1.20
---	----------------

SQUARE FLAX PACKING

Per pound45

ITALIAN HEMP PACKING

Per pound..... .30

ASBESTOS ROPE PACKING

Per pound45

ASBESTOS WICK PACKING

Per pound45

COTTON CANDLE WICK

Per pound30

ASBESTOS PIPE COVERING




FIG. A-725.

Asbestos Pipe Covering.....	} MARKET PRICES
Asbestos Sheeting.....	
Asbestos Mill-board.....	
Asbestos Cement.....	

STEAM AND GAS FITTERS CEMENT

Steam Fitters Cement.....	Per pound .50
Gas Fitters Cement.....	Per pound .25

ROPE




FIG. A-726.

Manila Rope.....Market price
Hawser Laid Well Drilling Rope.....Market price

OAKUM




FIG. A-727.

Oakum (50 pound Bales).....Market price

RAW HIDE LACE LEATHER

Per Square Foot......50

CUT LACES

SizeInches	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
PricePer 100 Feet	1.00	1.25	1.50	2.00	2.75	3.25

LEATHER BELTING




FIG. A—728.

Width..... Inches	1	1¼	1½	1¾	2	2¼	2½	2¾	3	3¼	3½	3¾
Price..... Per Foot	.14	.19	.24	.29	.34	.39	.43	.48	.53	.58	.63	.67
Width..... Inches	4	4½	5	5½	6	6½	7	8	9	10	11	12
Price..... Per Foot	.72	.82	.91	1.01	1.11	1.20	1.30	1.48	1.67	1.85	2.04	2.22

NOTE—Double Belts twice the price of Single Belts.

RUBBER BELTING

WIDTH, INCHES		2-PLY	3-PLY	4-PLY	5-PLY	6-PLY
1	Price..... Per Foot	.07	.09	.11		
1¼	Price..... Per Foot	.09	.11	.13		
1½	Price..... Per Foot	.11	.13	.15	.19	
2	Price..... Per Foot	.15	.17	.21	.26	.31
2½	Price..... Per Foot	.18	.22	.26	.32	.39
3	Price..... Per Foot	.22	.26	.31	.38	.46
3½	Price..... Per Foot	.26	.30	.37	.46	.55
4	Price..... Per Foot	.30	.34	.42	.52	.63
4½	Price..... Per Foot	.33	.39	.47	.58	.70
5	Price..... Per Foot	.36	.43	.52	.65	.78
6	Price..... Per Foot	.43	.52	.62	.77	.93
7	Price..... Per Foot	.51	.60	.73	.91	1.09
8	Price..... Per Foot	.59	.70	.84	1.05	1.26
9	Price..... Per Foot	.67	.80	.95	1.18	1.42
10	Price..... Per Foot	.75	.90	1.07	1.33	1.60
11	Price..... Per Foot	.83	1.00	1.18	1.47	1.77
12	Price..... Per Foot	.91	1.08	1.30	1.62	1.95

ENDLESS STITCHED CANVAS BELTS

Width..... Inches	6	7	8
Price..... Per Foot	.54	.63	.72

PLUMBERS' BLAST FURNACE




FIG. A-729.

Furnace with Two Shields, suitable for Large or Small Solder Pot.....	6.00
Furnace with Two Shields and Hood for Solder Copper.....	7.50

REPAIRS FOR PLUMBERS' BLAST FURNACE





















<i>Burner</i>  EACH .10¢	<i>Connecting Pipe</i>  EACH .08¢	<i>Coil</i>  EACH .25¢	<i>Coil Cup</i>  EACH .25¢	<i>Ell</i>  EACH .04¢
<i>Filling Screw</i>  EACH 10¢	<i>Handle Ear</i>  EACH .04¢	<i>Handle</i>  EACH .15¢	<i>Nuts</i>  No 1 No 2 EACH .01¢	<i>Valve</i>  EACH .30¢
<i>Pet Cock</i>  EACH .25¢	<i>Plug</i>  EACH .04¢	<i>Reservoir</i>  EACH .15¢	<i>Bulb</i>  EACH .20¢	<i>Shield</i>  No. 16 No. 2 EACH .35¢
<i>No. 3 Shield</i>  EACH .75¢	<i>Tee</i>  EACH .04¢	<i>Top Plate</i>  EACH .15¢	<i>Upright</i>  EACH .06¢	<i>Wire for Coil</i>  EACH .05¢

FIG. A-730.

BLOW TORCHES

FOR GASOLINE




FIG. A-731.

Price ----- Each 6.00

SOLDER POTS



FIG. A-732.

Diameter on Top-----Inches	5	6	8	9	10½	12
Price-----Each	.40	.60	.92	1.16	1.60	2.52

LADLES




FIG. A-733.

Size -----Inches	2½	3	3½	4	5	6	7	8	9	10
Price-----Each	.35	.40	.50	.60	.75	.90	1.85	2.35	3.75	4.50

TORCHES

BRASS




FIG. A-734.

Without Side Filler	Each	1.10
With Side Filler	Each	1.25

TAP BORERS

NEW YORK PATTERN



FIG. A-735.

New York Pattern	Each	.40
Philadelphia Pattern	Each	.40

WIPING CLOTHS




FIG. A-736.

Moleskin	Each	.25
Ticking	Each	.15

CANDLE STICKS




FIG. A-737.

Price	Each	.30
-------	------	-----

SOIL CUPS

COPPER



FIG. A-738.

Medium Size	Each	.40
-------------	------	-----

GREASE CUPS

BRASS




FIG. A-739.

Price	Each	1.25
-------	------	------

BENDING SPRING



FIG. A-740.

Size	Inches	1	1¼	1½	2
Price	Each	.50	.60	.80	1.00

BENDING PINS




FIG. A-741.

Price	Each	.30
-------------	------	-----

BLOW PIPES

BRASS



FIG. A-742.

Price	Each	.40
-------------	------	-----

SHAVE HOOKS

OVAL BLADE




FIG. A-743.

Price	Each	.30
Extra Blades	Each	.15

SHAVE HOOKS

TRIANGULAR BLADE




FIG. A-744.

Price	Each	.30
Extra Blades	Each	.15

SOLDERING COPPERS

STRAIGHT PATTERN




FIG. A-745.

Price	Per Pound	.50
-------------	-----------	-----

SOLDERING COPPERS

HATCHET PATTERN




FIG. A-746.

Price	Per Pound	.50
-------------	-----------	-----

CALKING CHISEL



FIG. A-747.

Price..... Each .50

STUB CALKING CHISEL



FIG. A-748.

Price..... Each .50

RIGHT HAND CALKING CHISEL



FIG. A-749.

Price..... Each .60

LEFT HAND CALKING CHISEL



FIG. A-750.

Price..... Each .60

YARNING CHISEL



FIG. A-751.

Price..... Each .50

SPRING YARNING CHISEL



FIG. A-752.

Price..... Each .70

PLAIN TACK MOULDS

SINGLE



FIG. A-753.

DOUBLE




FIG. A-754.

FANCY TACK MOULDS

SINGLE



FIG. A-755.

DOUBLE



FIG. A-756.

Single	Each	2.50
Double	Each	3.50

Single	Each	3.00
Double	Each	4.00

PLUMB BOBS




FIG. A-757.

Weight	Ounces	10	12	14	20	24	32	36
Brass, Steel Pointed	Each	.95	1.35		1.80		2.40	
Iron	Each	.20		.25		.40		.50

RASPS



FIG. A-758.

Sizes	Inches	10	12	14
Price	Each	1.15	1.55	2.10

BUZZELL'S BASIN WRENCH



FIG. A-759.

Price	Each	1.25
-------------	------	------

FORCE CUPS




FIG. A-760.

No. 1	Each	.50
No. 2	Each	.75
No. 3	Each	1.00

BOXWOOD SIDE EDGERS



FIG. A-762.

Price	Each	.75
-------------	------	-----

BOXWOOD DRESSERS




FIG. A-763.

Price	Each	.90
-------------	------	-----

BOXWOOD BOSSING STICKS




FIG. A-765.

Price	Each	.90
-------------	------	-----

PLUMBERS' FRIEND




FIG. A-761.

Price	Each	2.00
-------------	------	------

BOXWOOD TURN PINS




FIG. A-764.

No. 1, 2 or 3	Each	.25
---------------------	------	-----

BOXWOOD DRIFT PLUGS




FIG. A-766.

Price	Each	.20
-------------	------	-----

GAS PLIERS




FIG. A-767.

Size	Inches	7	8	9	10	12	14
Price	Each	.65	.70	.80	.90	1.10	1.45

BURNER PLIERS




FIG. A-768.

Size	Inches	5	6
Nickel-plated	Each	.75	.85

BURNER PLIERS



FIG. A-769.

7-inch, Nickel-plated	Each	1.00
-----------------------	------	------

PEASE'S COMBINATION PLIERS




FIG. A-770

Size	Inches	6	10
Nickel-plated	Each	1.25	1.75

TRIMO PIPE WRENCHES




FIG. A-771.

Size	Inches	6	8	10	14	18	24	36	48
Grips Pipe	Inches	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{8}$ to 1	$\frac{1}{4}$ to $1\frac{1}{2}$	$\frac{1}{4}$ to 2	$\frac{1}{4}$ to $2\frac{1}{2}$	$\frac{1}{2}$ to $3\frac{1}{2}$	1 to 5
Price	Each	2.00	2.00	2.25	3.00	4.00	6.00	12.00	18.00
EXTRAS	Jaw	.67	.67	.75	1.00	1.33	2.00	4.00	6.00
	Nut	.20	.20	.27	.35	.42	.50	.65	.80
	Inserted Jaw	.25	.25	.33	.50	.55	.65	1.00	1.25
	Frame	.25	.25	.33	.45	.55	.65	.75	1.00

STILLSON PIPE WRENCHES




FIG. A-772.

Size	Inches	6	8	10	14	18	24	36	48
Grips Pipe	Inches	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{8}$ to 1	$\frac{1}{4}$ to $1\frac{1}{2}$	$\frac{1}{4}$ to 2	$\frac{1}{4}$ to $2\frac{1}{2}$	$\frac{1}{2}$ to $3\frac{1}{2}$	1 to 5
Price	Each	2.00	2.00	2.25	3.00	4.00	6.00	12.00	18.00
EXTRAS	Jaw	.67	.67	.75	1.00	1.33	2.00	4.00	6.00
	Frame	.25	.25	.33	.45	.55	.65	.75	1.00
	Nut	.20	.20	.27	.35	.42	.50	.65	.80
	Handle	.15	.15	.20	.25	.30			

BEMIS AND CALL COMBINATION WRENCHES




FIG. A-773.

Size	Inches	10	12	15	18
Grips Pipe	Inches	$\frac{1}{2}$ to 1	$\frac{1}{2}$ to $1\frac{1}{2}$	$\frac{1}{2}$ to 2	$\frac{1}{2}$ to 3
Price	Each	2.10	2.40	3.40	6.00
Extra Grips	Each	.25	.30	.35	.40

BRASS PIPE WRENCHES




FIG. A-774

Size	Inches	10	18
Grips Pipe	Inches	$\frac{1}{2}$, $\frac{3}{4}$ and 1	$1\frac{1}{4}$, $1\frac{1}{2}$ and 2
Price, with one Clamp	Each	2.50	5.00
Extra Clamps	Each	.50	1.00

REED'S WRENCHES



FIG. A-775.

Size.....	Inches	8	11	16	20	30	40	
Grips Pipe.....	Inches	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{8}$ to 1	$\frac{3}{8}$ to $1\frac{1}{2}$	1 to 2	$1\frac{1}{4}$ to 3	2 to 4	
Price.....	Each	2.00	2.25	3.00	4.00	9.00	12.00	
EXTRAS {	Jaw.....	Each	.67	.75	1.00	1.35	3.00	4.00
	Facing.....	Each	.40	.45	.60	.80	1.50	2.00
	Spring.....	Each	.10	.10	.15	.20	.40	.50

COE'S WRENCHES




FIG. A-776.

Size	Inches	6	8	10	12	15	18	21
Price	Each	.75	.85	1.00	1.20	2.00	2.50	3.00

ALLIGATOR WRENCHES




FIG. A-777.

Number.....	1	2	3	4	5
Holds Pipe.....Inches	$\frac{1}{8}$ to $\frac{3}{8}$	$\frac{3}{8}$ to $\frac{3}{4}$	$\frac{1}{2}$ to $1\frac{1}{4}$	$1\frac{1}{4}$ to 2	2 to 3
Price.....Each	.35	1.00	2.00	3.00	4.50

"ELGIN" ADJUSTABLE WRENCHES




FIG. A-778.

Price, Nickel-plated.....	Each 1.00
Extra Jaws.....	Each .25

COMMON PIPE TONGS




FIG. A - 779.

Size for Pipe.....Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Price.....Each	.60	.65	.70	.75	.90	1.10	1.30	1.50	1.90	2.50	4.00

BROWN'S ADJUSTABLE PIPE TONGS



FIG. A-780.

Number.....	1	$1\frac{1}{2}$	2	3	4
Grips Pipe.....Inches	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{3}{8}$ to 1	$\frac{1}{2}$ to $1\frac{1}{4}$	1 to 2	$1\frac{1}{2}$ to 3
Price.....Each	1.30	1.65	2.00	3.00	6.00

CHAMPION CHAIN TONGS




FIG. A-781.

Number -----	0	1	2	3	4
Length ----- Inches	12½	19½	28	38	50
Grips Pipe ----- Inches	⅛ to 1	¼ to 2	¼ to 3	¾ to 6	1½ to 10
Price ----- Each	2.50	3.50	5.50	7.50	11.00
Extra Chains ----- Each	.75	1.00	1.50	2.50	4.00
Extra Jaws ----- Per Pair	1.00	1.75	2.75	4.00	5.50

TRIMO GIANT CHAIN TONGS




FIG. A-782.

Number -----	2	3	4	5	6
Length ----- Inches	27	37	50	60	72
Grips Pipe ----- Inches	¾ to 3	1 to 4	2 to 6	2½ to 10	3 to 12
Price ----- Each	6.00	8.00	10.00	15.00	18.00
Extra Jaws ----- Per Pair	1.75	2.25	2.75	3.50	4.00

FRICTION TONGS



FIG. A-783.

Number -----	1	2	3	4	5
For Pipe ----- Inches	¾	1	1¼	1½	2
Price ----- Each	4.00	4.50	5.00	5.50	6.00

STANWOOD PIPE CUTTERS




FIG. A-784.

SIZE	CUTS	COMPLETE CUTTERS	CUTTER BLOCKS WITH WHEELS	WHEELS	PINS
No. 1	$\frac{1}{8}$ to 1 inch	1.50	.45	.12	.05
" 2	1 to 2 "	2.25	.60	.18	.05
" 3	2 to 3 "	7.00	1.25	.25	.10

SAUNDERS' PIPE CUTTERS



FIG. A-785.

SIZE	CUTS	COMPLETE CUTTERS	BLOCKS AND WHEELS	WHEELS	PINS
No. 1	$\frac{1}{8}$ to 1 inch	3.00	1.25	.24	.10
" 2	1 " 2 "	4.50	1.75	.32	.10
" 3	2 " 3 "	11.00	2.75	.60	.15
" 4	2½ " 4 "	18.00	3.50	.60	.15

BARNES' PIPE CUTTERS




FIG. A-786.

SIZE	CUTS	CUTTERS COMPLETE	WHEELS	PINS PER DOZEN	HOOKS	SLIDES	NUTS	HANDLES
No. 1	$\frac{1}{8}$ to 1 inch	4.50	.25	1.00	1.75	.75	.25	1.00
" 2	$\frac{1}{2}$ " 2 "	6.00	.30	1.00	2.60	1.00	.25	1.25
" 3	1½ " 3 "	10.00	.40	1.00	4.55	2.00	Nut and Hook one piece in these sizes.	2.25
" 4	2½ " 4 "	20.00	.50	2.00	9.50	4.50		4.50
" 5	4 " 6 "	30.00	.75	2.00	13.75	7.00		7.00
" 6	6 " 8 "	40.00	.75	2.00	20.00	8.50		9.25
" 6½	8 " 10 "	45.00	.75	2.00	23.00	9.50		10.25
" 7	9 " 12 "	50.00	.75	2.00	25.00	11.25		11.50

PUMP ROD STOCK AND DIES



FIG. A-787.

Double Stock with $\frac{3}{8}$ and $\frac{7}{16}$ -inch Dies	Each	3.00
Extra Dies	Each	1.00
Extra Guides	Each	.35

PIPE STOCK AND DIES




FIG. A-788.

Number			0	1	1½	1¾	2
Size Dies			Inches ⅛ to ½	¼ to 1	¾ to 1¼	1 to 1½	1¼ to 2
Dimension of Dies			Inches 2 x 2 x ½	2½ x 2½ x ¾	3 x 3 x ¾	3 x 3 x ¾	4 x 4 x ⅞
Complete			Each 9.50	15.00	13.50	13.50	20.00
Stock only			Each 3.50	5.00	6.00	6.00	9.50
EXTRAS {	Dies, Right or Left	Each	1.50	2.00	2.50	2.50	3.50
	Bushings	Each	.25	.35	.45	.45	.60
	Die Frames	Each		.30	.40	.40	.50
	Thumb Screws	Each	.20	.20	.20	.20	.20
	Handles	Each	.50	.50	.60	.60	.75

ARMSTRONG ADJUSTABLE PIPE STOCK AND DIES




FIG. A-789.

Number		1	2	2½	3	6	7	
Threads	Pipe.....Inches	⅛ to ½	¼ to 1	½ to 1¼	1¼ to 2	2½ to 3	2½ to 4	
Complete	Each	9.00	12.00	12.00	20.00	40.00	60.00	
Stock only.....	Each	3.25	4.00	4.50	7.00	25.00	30.00	
EXTRAS {	Dies, Right or Left	Each	1.25	1.50	3.25	4.00	15.00	16.00
	Bushings.....	Each	.20	.25	.40	.50	1.00	1.50

$\frac{1}{8}$ -inch Dies (Right or Left) can be furnished for No. 2.
 $\frac{3}{4}$ -inch Dies (Right or Left) can be furnished for No. 3.

RATCHET STOCKS AND DIES




FIG. A-792.

No. 1 Stock holds 3x3 Die.		No. 2 Stock holds 4x4 Die.	
No. 1 Stock with Bushings only, for ¼ to 1½-inch Pipe	-----	Each	10.00
No. 2 Stock with Bushings only, for ½ to 2-inch Pipe	-----	Each	15.00
3x3 Dies	-----	Each	2.50
4x4 Dies	-----	Each	3.50

PIPE TAPS AND REAMERS




FIG. A-793.




FIG. A-794.

Size	Inches	⅛	¼	⅜	½	¾	1	1¼	1½	2	2½	3
Taps	Each	1.12	1.25	1.50	1.87	2.50	3.12	3.75	4.62	6.25	10.50	15.00
Reamers	Each	1.12	1.25	1.50	1.87	2.50	3.12	3.75	4.62	6.25	10.50	15.00

COMBINATION PIPE AND BENCH VISE




FIG. A-795.

No. 1.	Holds ⅛ to 2-inch Pipe	-----	Each	16.00
No. 2.	Holds ⅛ to 3-inch Pipe	-----	Each	20.00
No. 3.	Holds ½ to 4-inch Pipe	-----	Each	28.00

MALLEABLE IRON PIPE VISES

"CRANE"




FIG. A-796.

"REED"




FIG. A-797.

"CRANE" MALLEABLE IRON PIPE VISE, WITH REMOVABLE STEEL JAWS

No. 1.	Holds $\frac{1}{8}$ to 2-inch Pipe.	Price -----	Each 10.00	Extra Jaws-----	Per Set of 3	.80
No. 2.	Holds $\frac{1}{8}$ to 3-inch Pipe.	Price-----	Each 14.00	Extra Jaws	Per Set of 3	1.20

"REED" MALLEABLE IRON PIPE VISE, WITH SECTIONAL STEEL JAWS

No. 1.	Holds $\frac{1}{8}$ to 2-inch Pipe.	Price-----	Each 10.00	} Extra Jaws-----	Per Section	.06
No. 2.	Holds $\frac{1}{4}$ to 3-inch Pipe.	Price-----	Each 14.00			
No. 3.	Holds $\frac{1}{2}$ to 4-inch Pipe.	Price-----	Each 20.00			

NOTE—The Jaws of the "Reed" Vise are composed of several sections of best Tool Steel, and each section is reversible four times before necessary to resharpen. Sections are easily removed and can be sharpened on a Grind-stone or Emery-wheel.

MALLEABLE PIPE VISE

MALLEABLE JAWS




FIG. A-798.

Holds $\frac{1}{8}$ to 2-inch Pipe.

Price----- Each 4.00

MALLEABLE PIPE VISE

STEEL JAWS





FIG. A-799.

Holds $\frac{1}{8}$ to 2-inch Pipe.

Price----- Each 6.00



ENGINEERS
FAVORITE
FLUE
SCRAPERS

FIG. A-800.


Size	Inches	1 3/4	2	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	4	4 1/2	5	6
Price	Each	2.00	2.00	2.25	2.50	2.75	3.00	3.25	3.50	4.00	4.50	6.25	7.50



SPIRAL
WIRE
FLUE
BRUSHES

FIG. A-801.


Size	Inches	1 1/4	1 1/2	1 3/4	2	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4
Price	Each	1.45	1.55	1.70	1.90	2.10	2.30	2.50	2.80	3.00	3.30	3.50	3.75



EXPANSION
WIRE
FLUE
BRUSHES

FIG. A-802.


Size	Inches	1 1/2	1 3/4	2	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4
Price	Each	2.00	2.00	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00



STEAM
FLUE
BLOWERS

FIG. A-803.

Number	1	2	3	4	5	6
Outside Diameter Tubes	Inches 2 to 2 1/4	2 1/2 to 2 3/4	3 to 3 1/4	3 1/2 to 3 3/4	4 to 4 1/2	5 to 6
With Clamps and Nipples	Each 5.00	6.25	7.50	8.75	10.00	12.50



ROLLER
FLUE
EXPANDERS

FIG. A-804.

Size Flue	Inches	1	1 1/4	1 1/2	1 3/4	2	2 1/4	2 1/2	2 3/4
Price	Each	10.00	10.00	10.00	10.00	10.00	12.00	14.00	16.00
Size Flue	Inches	3	3 1/4	3 1/2	4	4 1/4	4 1/2	5	6
Price	Each	18.00	20.00	23.00	30.00	35.00	40.00	50.00	60.00

HYDRANTS AND STREET WASHERS

HAWEYE HYDRANT




FIG. A-805.

HAWKEYE
STREET WASHER




FIG. A-806.

HYDRANTS

To set in ground.....Inches	18	24	36	48	60	72	84	96
¾-inch inlet.....Each	9.80	10.10	10.60	11.00	11.50	12.10	12.80	13.50
1-inch inlet.....Each	12.70	13.50	14.30	14.75	15.30	16.00	17.25	18.50

STREET WASHERS

To set in ground.....Inches	18	24	36	48	60	72	84	96
¾-inch inlet.....Each	6.60	6.85	7.35	7.75	8.25	8.85	9.55	10.25
1-inch inlet.....Each	9.50	10.25	11.10	11.70	12.00	12.75	13.50	15.25

SERVICE OR STOP BOXES

2½-INCH DIAMETER

NUMBER	EXTENSION	PRICE EACH
88	1 Foot Stationary Length	.70
89A	1 foot to 1 foot 8 inches	.75
90B	1 foot 6 inches to 2 feet 2 inches	.82
91C	1 foot 9 inches to 2 feet 9 inches	.88
92C	2 feet to 3 feet 2 inches	.92
92D	2 feet to 3 feet 6 inches	.95
93D	3 feet to 4 feet	1.00
93E	3 feet to 4 feet 6 inches	1.04
94D	3 feet 6 inches to 4 feet 9 inches	1.08
94E	3 feet 6 inches to 5 feet	1.14
95E	4 feet to 5 feet 6 inches	1.20
100E	4 feet 6 inches to 6 feet	1.25
100F	4 feet 6 inches to 6 feet 6 inches	1.40

3-INCH DIAMETER

NUMBER	EXTENSION	PRICE EACH
0	10 Inch Stationary Length	.85
1	1 foot 1 inch to 1 foot 9½ inches	.90
1½	1 foot 6 inches to 2 feet 4 inches	.95
2	2 feet to 3 feet 3 inches	1.05
3	2 feet 8 inches to 4 feet	1.15
4	2 feet 10 inches to 4 feet 10 inches	1.20
5	3 feet 6 inches to 5 feet 6 inches	1.40
7	4 feet to 6 feet	1.60
8	6 feet to 8 feet	2.00




FIG. A-807.

EXTENSION SECTIONS




FIG. A-808.

	2½-INCH DIAMETER				3-INCH DIAMETER		
	9	16½	28	33	20	24	30
Increasing length of Box.....Inches							
Price.....Each	.40	.45	.50	.60	.45	.50	.60

REPAIRS

Top Section, half the price of Complete Service Box.
Bottom Section, half the price of Complete Service Box.

Covers	Each	.15
Brass Bolts	Each	.15
Keys	Each	.10

EUREKA WATER LIFT





FIG. A-899.

NUMBER	DIAMETER OF POWER CYLINDER	DIAMETER OF PUMP CYLINDER	LENGTH OVER ALL	HEIGHT OVER ALL	PRICE EACH
	INCHES	INCHES	INCHES	INCHES	
1	2½	1¾	25	13	60.00
2	2½	2½	25	13	60.00
3	3⅜	3⅜	29	18	100.00
4	3⅜	2⅜	29	18	100.00
5	3⅛	3⅛	28	17	70.00

Descriptive circulars sent on application.



CHAMPION WATER LIFT

NUMBER	DIAMETER OF POWER CYLINDER	DIAMETER OF PUMP CYLINDER	HEIGHT OVER ALL	PRICE EACH
	INCHES	INCHES	INCHES	
1	2½	2½	27½	60.00
2	2½	2	27½	60.00
3	3	2½	27½	70.00
4	3	2	27½	70.00
5	3	1½	27½	70.00
6	3	3	27½	70.00
7	2½	3	27½	60.00
9	3⅓ ₁₆	3⅓ ₁₆	34½	100.00
10	3⅓ ₈	3	34½	100.00

FIG. A-810.

Descriptive circulars sent on application.

CISTERN PUMPS

PITCHER SPOUT




FIG. A-811.

CLOSE SPOUT




FIG. A-812.

WITH
PATENT
VALVE

Number-----	1	2	3	4
Diameter of Cylinder----- Inches	2½	3	3½	4
Size Suction Pipe----- Inches	1	1¼	1¼	1½
Pitcher Spout, Polished Iron Cylinder----- Each	4.25	4.75	5.25	6.25
Pitcher Spout, Brass Lined Cylinder----- Each	6.50	7.25	8.00	9.00
Close Spout, Polished Iron Cylinder----- Each	4.25	4.75	5.25	6.25
Close Spout, Brass Lined Cylinder----- Each	6.50	7.25	8.00	9.00

PITCHER SPOUT

BRASS BODY




FIG. A-813.

3-inch Cylinder.

1, 1¼ or 1½-inch Suction.

Price----- Each 4.00

HOUSE FORCE

BRASS BODY




FIG. A-814.

3-inch Cylinder

1, 1¼ or 1½-inch Suction.

With Air Chamber----- Each 7.00
Without Air Chamber----- Each 6.00

HOUSE FORCE PUMPS




FIG. A-815.

2 1/2-inch Cylinder.

Price ----- Each 10.00




FIG. A-816.

2 1/2-inch Cylinder.

Price ----- Each 11.00

"LOW DOWN" HOUSE FORCE PUMP




FIG. A-817.

3-inch Brass Lined Cylinder.

Price ----- Each 16.00

STANDARD STEAM, GAS AND WATER PIPE
TABLE OF SIZES AND DIMENSIONS

Size, Inches	Actual Outside Diameter	Thickness, Inches	Outside Circumference Inches	Length of Pipe in Feet Containing 1 Square Foot Outside Surface	Length of Pipe in Feet Containing 1 Cubic Foot	Weight Per Foot Pounds	Number of Threads Per Inch
$\frac{1}{8}$.405	.068	1.272	9.44	2513.	.241	27
$\frac{1}{4}$.54	.088	1.696	7.075	1383.3	.42	18
$\frac{3}{8}$.675	.091	2.121	5.657	751.2	.559	18
$\frac{1}{2}$.84	.109	2.639	4.547	472.4	.837	14
$\frac{3}{4}$	1.05	.113	3.299	3.637	270.	1.115	14
1	1.315	.134	4.131	2.904	166.9	1.668	11½
1¼	1.66	.14	5.215	2.301	96.25	2.244	11½
1½	1.9	.145	5.969	2.01	70.66	2.678	11½
2	2.375	.154	7.461	1.608	42.91	3.609	11½
2½	2.875	.204	9.032	1.328	30.1	5.739	8
3	3.5	.217	10.996	1.091	19.5	7.536	8
3½	4.	.226	12.566	.955	14.57	9.001	8
4	4.5	.237	14.137	.849	11.31	10.665	8
4½	5.	.246	15.708	.764	9.02	12.34	8
5	5.563	.259	17.477	.687	7.2	14.502	8
6	6.625	.28	20.813	.577	4.98	18.762	8
7	7.625	.301	23.955	.501	3.72	23.271	8
8	8.625	.322	27.096	.443	2.88	28.177	8
9	9.625	.344	30.238	.397	2.29	33.701	8
10	10.75	.366	33.772	.355	1.82	40.065	8

CUTTING EXTRA PIPE THREADS

Size-----Inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1¼	1½	2	2½
Price-----Each	.05	.05	.05	.05	.05	.06	.07	.08	.10	.15
Size-----Inches	3	3½	4	4½	5	6	7	8	9	10
Price-----Each	.20	.25	.35	.45	.55	.70	.85	1.00	1.25	1.50

TELEGRAPHIC CIPHER FOR ORDERING PIPE

Number of Feet	Size	Black	Size	Galvanized
100	Asia	$\frac{1}{8}$ Allegheny		
200	Belgium	$\frac{1}{4}$ Baltimore	$\frac{1}{4}$	Amazon
300	Chili	$\frac{3}{8}$ Camden	$\frac{3}{8}$	Bay
400	Denmark	$\frac{1}{2}$ Detroit	$\frac{1}{2}$	Colorado
500	Egypt	$\frac{3}{4}$ Erie	$\frac{3}{4}$	Danube
600	France	1 Fairmont	1	Elbe
700	Germany	1¼ Galena	1¼	Firth
800	Holland	1½ Harrisburg	1½	Ganges
900	Ireland	2 Ithica	2	Hudson
1000	Japan	2½ Jamestown	2½	Indus
2000	Kentucky	3 Kensington	3	Juniata
3000	Liberia	3½ Lancaster	3½	Kanawha
4000	Maine	4 Macon	4	Lake
5000	Nevada	4½ Quincy	4½	Miami
6000	Ohio	5 Newark	5	Nile
7000	Peru	6 Oneida	6	Osage
8000	Russia	7 Paris	7	Po
9000	Spain	8 Reading	8	Rhine
10000	Texas	9 Salem	9	Seine
15000	Uruguay	10 Troy	10	Tweed

NOTE—For latest revision of prices on Pipe, see Pipe Card.

X AND XX STRONG PIPE CARRIED IN STOCK

WELL CASING

LIST OF SIZES AND DIMENSIONS

Inside Diameter Inches	Outside Diameter Inches	Weight Per Foot	Threads Per Inch	Inside Diameter Inches	Outside Diameter Inches	Weight Per Foot	Threads Per Inch
2½	2¾	3.13	14	5	5¼	8.20	14
2¾	3	3.45	14	5⅓	5½	8.62	14
3	3¼	4.10	14	5⅝	6	10.46	14
3¼	3½	4.45	14	6¼	6⅝	11.58	14
3½	3¾	4.78	14	6⅝	7	12.34	14
3¾	4	5.56	14	7¼	7⅝	13.55	14
4	4¼	6.00	14	7⅝	8	15.41	11½
4¼	4½	6.36	14	8¼	8⅝	16.07	11½
4½	4¾	6.73	14	8⅝	9	17.60	11½
4¾	5	7.80	14	9⅝	10	21.90	11½

NOTE—Size of Well Casing is governed by the inside diameter. Screw and Socket and Inserted Joint Casing, both Black and Galvanized carried in stock. In ordering, be careful to specify kind wanted. Prices subject to latest revision. See Pipe Card.

TELEGRAPHIC CIPHER FOR ORDERING WELL CASING

Screw and Socket Joint Well Casing-----				Madame			
Inserted Joint Well Casing-----				Magnet			
Size		Size		Size		Size	
2½	Malice	3½	Marmot	4½	Melon	5⅝	Mine
2¾	Malt	3¾	Mask	4¾	Mesh	6¼	Minor
3	Mane	4	Match	5	Midway	6⅝	Miser
3¼	Mantle	4¼	Mean	3⅓	Mild	7¼	Mite

STANDARD PIPE COUPLINGS




FIG. A—818.


STANDARD WROUGHT IRON PIPE COUPLINGS

Size-----Inches	⅛	¼	⅜	½	¾	1	1¼	1½	2	2½
Black-----Each	.05	.05	.06	.07	.10	.13	.17	.21	.28	.40
Galvanized-----Each	.06	.06	.08	.10	.13	.18	.25	.32	.40	.55
Size-----Inches	3	3½	4	4½	5	6	7	8	9	10
Black-----Each	.60	.80	1.00	1.50	1.65	2.40	3.25	4.25	5.50	7.50
Galvanized-----Each	.80	1.05	1.40	2.00	2.25	3.25				

WELL CASING COUPLINGS

Size-----Inches	2½	2¾	3	3¼	3½	3¾	4	4¼	4½	4¾
Black-----Each	.25	.30	.35	.40	.46	.52	.60	.68	.74	.80
Galvanized-----Each	.35	.42	.50	.57	.65	.73	.85	1.00	1.05	1.15
Size-----Inches	5	5⅓	5⅝	6¼	6⅝		7⅝	8¼	8⅝	9⅝
Black-----Each	.90	1.00	1.20	1.35	1.50		1.75	2.24	2.85	3.50
Galvanized-----Each	1.30	1.40	1.70	1.90	2.15		2.50	3.25		

Jan - 12 1901



LIBRARY OF CONGRESS



0 021 213 036 9